




experience water

YOUR BATHROOM.  
YOUR CREATIVITY.  
YOUR LIFE.



HANSA|EDITION HANSA|LIVING HANSA|HOME

# THE PHILOSOPHY, THAT GUIDES US COMES TO LIGHT IN EVERYTHING WE DO.

## QUALITY WITHOUT COMPROMISE

HANSA supplies the best quality in the market: A commitment that we have set ourselves and is the standard on which customers base their evaluation. We meet this standard with both passion and purpose: providing products whose design, material, finish and technology continue to set new benchmarks. And we offer services for the benefit of all our market partners.

## AWARD-WINNING PARTNER FOR CRAFTSMEN

A host of coveted awards prove how well we meet the highest of standards: In 2012, the readers of "markt intern", the business information service for German plumbing specialists, voted HANSA the "No. 1 specialist trade partner" for the 18th time in a row as part of the "performance report for sanitary fittings" that is awarded every two years. The high degree of trust placed in us by our partners is the driving force that has made us strong and will also secure the future success of the HANSA brand.





## COMPREHENSIVE SERVICE

Excellent service is a tradition that HANSA excels at. Regardless of when, where and why we are needed, we come on-site and provide a competent service during the planning phase, when collaborating on effective solutions and following the sale. We also offer a range of training courses for our partners, sales support and a lot more. This ensures that our service partners also provide HANSA quality.

## "EXPERIENCE WATER"

The HANSA brand encompasses the idea of designing water as well as fittings. An idea that hits home wherever there is water: across nations and borders and into the four corners of the earth. We are therefore striving to create the perfect unity of design and functionality. This is reflected in fittings that are as functional as they are fascinating thus making it both possible: To use and experience water.





# WE TREASURE WHAT INSPIRES US. INTRINSICALLY. **SUSTAINABLY.** FOR MORE THAN 100 YEARS.

## MORE THAN 100 YEARS OF SUCCESS

HANSA has been active in this field for more than 100 years and is one of the leading companies in the industry. Success over such a long period is no coincidence but the result of commitment, experience and consistently sustainable company development.

## RESPONSIBILITY AND RESPECT

HANSA only works with high-grade, durable materials, such as dezincification-resistant and corrosion-resistant brass MS 63, plastics with the German KTW certification for drinking water and the WATER SAFE Hitec functional core. All of the brass parts that come in contact with drinking water in our basin models do not have a nickel coating – to maintain existing drinking water quality.

## GREEN RESPONSIBILITY



guidelines.

The "Green Responsibility" label guarantees modern, ecologically sound HANSA technology, ensuring minimal usage of water and energy and adherence to strict international

## INNOVATIONS TO INCREASE COMFORT

HANSA is one of the trendsetters in the industry. Modern materials, progressive concepts for concealed and exposed products, new technical solutions that help to save water and energy: time and time again we have been the first to launch important innovations. HANSA holds numerous national and international patents. This is further proof of the sustainable force behind our company – in the past, today and in the future.

## SUSTAINABILITY

### AS A COMPANY PRINCIPLE

We have a special sense of responsibility for the precious resources with which we work on a daily basis. The basic principle of sustainability has always influenced our way of thinking and working, as well as all of our products and production processes. We do not focus on individual steps, but rather on cycles, and always have the entire life cycle of a product in mind. We place great importance on timeless designs that have their own style and do not follow the latest trends.

# HANSA MAKES WATER EXCEPTIONAL TO EXPERIENCE.

## PERFECT DESIGN AND FUNCTIONALITY

Designing fittings that shape water, are efficient and bring the experience to life: this is something we are able to achieve by combining a variety of skills. Each HANSA fitting is made up of the latest technology, recognised design skills and last but not least the excellent craftsmanship of our designers and engineers. The end products are highly functional and provide added emotional value within the overall effective design.

## INTUITIVE OPERATION – MAKING THE MOST OF INTELLIGENT DESIGN

Convenient, efficient, safe: Non-contact fittings offer exceptional benefits. HANSA has extended its range of choice with HANSA**SENSeTION**. The brand new, tried-and-tested range comprises solutions for public facilities, but has been designed with private bathrooms in mind. The intelligent fittings are user and equally environmentally-friendly, thus making a daily contribution to a more conscious lifestyle – wherever they are used.







## PURE WATER. PURE ENJOYMENT.

One of our major aims is to provide you with an all-round good feeling when handling your fitting and drinking water. This is why HANSA fittings comprise special technical characteristics to provide the highest possible degree of safety and optimum comfort. The extensive HANSAPROTEC system and, for example, the WATER SAFE Hitec functional core maintain the highest water quality, while innovative laminar technology guarantees pure water enjoyment. At the same time, you can save energy and thus directly make the most of it while enjoying the lasting impact.

## ALWAYS THE RIGHT CHOICE


The HANSA range is always moving and changing. To make it easier for interested parties and customers to maintain an overview of our flexible and expanding product range, we have divided it into three clearly defined segments:

**HANSA|EDITION**, **HANSA|LIVING** and **HANSA|HOME**.

This structure has provided transparency and valuable help. Rational arguments support the selection of the right products and eventually also the buying decision.





## WATER PERFORMANCE

We understand products as an inseparable unit of design and functionality. What is visible in front of the wall must be just as convincing as what is hidden inside the fitting or behind the wall. Each individual HANSA product contains extensive expertise – and thus also includes a comprehensive package of benefits for everyone who comes in to contact with the product right from the planner to the fitter and user.



OUR **DESIGN** INSPIRATION IS  
FED BY THE MOST ABUNDANT  
SOURCE IN THE WORLD: WATER.



2004, 2005  <b>Design Center Stuttgart</b>	2004, 2006, 2009, 2010, 2011, 2013, 2014  German Design Award NOMINEE	2003, 2005  <b>DESIGN PLUS</b>	2003, 2005, 2007, 2009  reddot design award winner	2006, 2007, 2009 	2004, 2006, 2010, 2014  product design award
--	--	--------------------------------------	--	---	---

We work for people, not for prizes. The special quality, refined technology and innovative designs of our fittings are made to fascinate people every day and make them happy. Nevertheless, we see it as a major compliment when our fittings not only thrill our customers but also renowned professionals, international design experts, forums and bodies.

Numerous design prizes tell us that the "experience water" philosophy is also the right one for us going into the future; that our fittings impressively convey what has moved us from the beginning – the love of water.

There can be no better motivation to keep our ideas bubbling at the surface.






**BERLIN**




**HONG KONG**



Airport, Frankfurt/Main



Vitaparc, Stuttgart



Lefay Resort & Spa,  
Lago di Garda



Conrad Hotel, Hongkong

OUR IDEA CONNECTS:  
REGIONS, CITIES,  
CULTURES, PEOPLE.



**NEW YORK**




**SYDNEY AUSTRALIA**



Shangri-la Hotel, Manila



Celebrity Eclipse cruise ship



Wananavu Beach Resort, Fiji



Hilton Hotel, Sydney

The impact of our trademark philosophy has reached far and wide over the decades. That is not surprising: the HANSA brand is synonymous with values that are held in the same regard by everyone. This is why our products are popular the world over. HANSA fittings deliver water to people in public buildings, companies, hotels, leisure facilities and, not least, in a multitude of home bathrooms. A joy to behold. And as always, we make it as joyful as we can.

Just like water, we are always on the move. This is why we are now already working on specific concepts for the future with a variety of partners. One example is the joint research project "FutureHotel" commissioned by the Fraunhofer Institute. Looking into the future, working on visionary solutions and cooperating across industries ensures that we establish connections between the things we have to offer and the things that we want to pass on.

INSTEAD OF  
OFFERING  
EVERYONE  
EVERYTHING.  
WE OFFER  
EVERYONE  
THE RIGHT  
THING.





# HANSA|EDITION

## VISIONARY SOLITARY FITTINGS



- Not only designing fittings but water: **HANSA|EDITION** implements this requirement at the highest level.
- Every single solitary fitting is fascinating thanks to a visionary design concept and impresses with uncompromisingly perfect functionality.
- Intelligent electronics guarantee a unique performance, while being current by keeping water consumption to a minimum.



# HANSA|LIVING

## VERSATILE BATHROOM WORLDS




- The exciting character of the **HANSA|LIVING** series meets unique style requirements.
- Innovative planning concepts in architecture-driven environments can be realised with the extensive, highly diverse range in conjunction with the concealed **HANSA|MATRIX** installation system.
- For all series, the consumption figures are consistently 6 l/min, providing an important contribution to environmental protection.



# HANSA|HOME

## CLASSIC BATHROOM SOLUTIONS



- The modern functionality of the **HANSA|HOME** series focuses on the core range for standard bathrooms.
- The programme includes a wide selection of proven, universal fitting series. Their clear design is more than a passing trend.
- Ecologically exemplary – all **HANSA|HOME** series are equipped with water saving technologies, offer solid craftsmen quality and high-level HANSA safety.







# HANSA|EDITION

HANSALATRAVA  
HANSACANYON  
HANSAMURANO

Visionary, fascinating, emotional 16  
20  
22  
24

# HANSA|LIVING

HANSALOFT  
HANSADESIGNO  
HANSALIGNA  
HANASTECLA  
HANSARONDA  
HANSAMATRIX / HANSAVAROX concealed product system

Modern, expressive, individual 26  
34  
38  
42  
46  
50  
54

# HANSA|HOME

**NEW** HANSAMIX  
HANSASIGNA  
HANSAPRADO  
HANSAFORM  
HANSADISC  
HANSATWIST  
HANSAVANTIS  
HANSAPINTO  
HANSAPRIMO  
HANSAPOLO  
HANSAPICO

Reliable, ecological, universal 58  
62  
66  
68  
70  
72  
74  
78  
80  
81  
82  
83

# COMPLEMENTARY PRODUCTS

Exposed thermostats	HANSAPRISMA	88
	HANSACUBE / HANSATEMPRA STYLE	90
	<b>NEW</b> HANSAFIT / HANSAMICRA / HANSAUNITA	91
Rim-mounted and accessories	Rim and wall-mounted fittings	92
Shower systems & showers	HANSASMARTSHOWER	102
	<b>NEW</b> HANSA shower systems: HANSAFORSENSES /	103
	HANSAPRISMA / HANSATEMPRA STYLE / HANSAVIVA	
	OVERHEAD SHOWERS: HANSARAIN / HANSACLEAR /	105
	HANSAVIVA	
	Hand showers: HANSAVIVA /	106
	HANSAVIVA FLEX / HANSAMEDIJET FLEX	108
	HANSACLEAR / HANSAFIT	110
	HANSAPUREJET / HANSABASICJET	111
Electronic fittings	Private bathroom and public area:	112
	<b>NEW</b> HANSAFIT / HANSACONCERTO / HANSALANO	114
	Public area:	118
	HANSAMIX E / HANSADESIGNO T / HANSACOBRA /	
	HANSAPUBLIC E	
Public area	HANSANOVA STYLE / HANSAPUBLIC	120
Range	HANSASERVICEplus/product overview	122
	Contents of the HANSA fitting ranges	124
	Recommended combinations	126
	Product overview	128
	HANSA – There for you, wherever you are.	178
	HANSA – There is more in it.	Cover



HANSAL

VISIONARY  
FASCINATING  
EMOTIONAL



EDITION







# STRIKING SOLITAIRES. PERFECT BATHROOMS: EDITION.

## "EXPERIENCE WATER" IN ITS PUREST FORM

The HANSA philosophy is directly expressed in the solitary fittings included in **HANSA|EDITION**.

Water can flow freely, putting on spectacular shows and providing a sensory experience.

Implemented with the aim to provide a perfect combination of design and functionality, the **HANSA|EDITION** fittings captivate with their visionary design concepts and uncompromising stylistic elements helping detail and material blend perfectly. **HANSA|EDITION** has been created for people who regard design as an attitude towards life and have a keen eye for that special something provided by unique solutions.

## FROM SOLITAIRE TO BATHROOM

To show off their best possible radiant shine, solitaire fittings from the **HANSA|EDITION** range require a suitable environment. **HANSAMATRIX** enables you to create a bathroom design that fully incorporates the design concept and performance of the exposed basin fitting. The grid-based concealed system is a technical product but also adds to the design. With its highly aesthetic and architectural demands it is suited to **HANSA|EDITION** fittings, while its functional diversity ensures that individual ideas can be implemented.

## TOP PERFORMANCE THANKS TO ADVANCED TECHNOLOGY

Advanced technology plays a significant role in the exceptional fittings included in **HANSA|EDITION**. Although it does not outshine the excellent performance of the water and blends in perfectly. In all of the areas where electronic controls are used to implement conventional operating concepts or generate special effects, the technology behind it is hidden in a compact unit. Thus ensuring perfect functionality and simultaneously providing maximum creative freedom.

## NICE AND SENSIBLE

Huge impact despite minimal use of resources:

**HANSA|EDITION** fittings prove that this is definitely possible. The unique effects are not generated by the vast flow of water but rather by the intelligent flow and distribution of the water. In comparison to conventional fittings this ensures that up to 65% of water is saved. **HANSA|EDITION** is thus not just extraordinarily beautiful but also extremely sensible.



# NOT MODELLED ON ANYTHING. THIS IS THE ICON: HANSALATRAVA.



The HANSALATRAVA is controlled by a panel integrated into the design that uses coloured light-emitting diodes to visualise the relevant mixed water distribution that is selected. Piezotechnology ensures reliable function over many years.





The diagonal laminar water jet is generated by a completely new type of flow regulator. This spectacular effect is achieved by the distribution and not the quantity of water.



Water is so much more than just a flow: it rushes, surges, bubbles, whispers, roars, sparkles and dances. That is why HANSA has always prepared the stage for water's great performance, which it masters like no other element: with fittings that give directions to water and make it an experience for all your senses. HANSALATRAVA is a fitting that takes this philosophy to the limit. Contemporary perspectives, well-known design principles and assimilated ways of thinking.

HANSALATRAVA makes use of the familiar, only to take it to a new level. It is uncompromising, focused and is as equally cool as it is audacious.

HANSALATRAVA makes no references, quotes nobody and interprets nothing.

HANSALATRAVA is a completely new archetype, original in its design vocabulary and original in the way it presents water. It is a formal sculpture, never before created.

A superior stand-alone feature with a powerful style – although it can still be integrated, especially when combined with HANSAMATRIX.

For people who never see boundaries as an end but always as the start of something new.






# WATER FOR ALL OF THE SENSES: HANSACANYON.

The unpretentiously monolithic body of the HANSACANYON braces itself against the power of this primordial element – levelling its path in a quite spectacular way.

The scenery is illuminated from within using light coloured to correspond to the temperature of the water, in a cool blue, a gentle violet or a warm red. Electronic sensor buttons provide the controls.

The architecture-based concealed system HANSAMATRIX can be combined harmoniously enabling you to enhance the full bathroom with the high aesthetic and functional requirements of HANSACANYON.





The right angle and the precise geometry of the body of the fitting provide an exciting contrast to the free-flowing water. This effect is reinforced by the mirror cladding on the inner sides of the outlet.

Water, light, energy, force and design. These are the elements that make HANSACANYON an avant-garde part of your bathroom. The technology is not just implemented as an end in itself but forms the basis for an idea behind the overall production. All of the control technology is invisible ensuring that the cool chrome fitting is all that remains. A fantastic appearance.



# IN EVERY ERA, IT IS THE FOUNTAINS THAT TELL THE STORIES OF WATER ART AND BATHING CULTURE: HANSAMURANO.

It is obvious that the HANSAMURANO range has been inspired by classical fountains of bygone eras. Ten years ago, their visionary interpretation of the historic model was revolutionary and the fascination does not seem to have diminished since then. Although it is often copied, HANSAMURANO is and will remain the original. The water features still excite, please and fascinate us more than ever especially when looking back at the originals. Combining HANSAMURANO with HANSAMATRIX is functionally logical and visually appealing. The flexible concealed system transfers the high requirements of the basin fitting to the fittings of all of the bathroom areas.

Although it is inspired by history, HANSAMURANO bathroom culture as we know it today combines a timeless design with modern technology that encompasses the here and now.








A **HANSAMURANO** bowl from the Cenedese special edition is a true work of art, hand-blown in Murano and certified to be a unique piece. From various exclusive designs with different glass bowls and metal bodies, you can choose the one that fits your personal style best – for example Spirale Bianco and Oro (pictured from left to right). You can purchase this unique line from our customising service **HANSASERVICEplus**.



2003-2013  
**10 YEARS**  
 THE ORIGINAL  
**HANSAMURANO**



# HANSAI





MODERN  
EXPRESSIVE  
INDIVIDUAL

# TOTALLY INDIVIDUAL. COMPLETELY CONVINCING: HANSA|LIVING.

## GREEN RESPONSIBILITY



**Green responsibility** is more than just a buzzword for HANSA. We do not just adhere to statutory standard values but in fact clearly outperform them. We believe that developing and making innovative technologies ready for series-production is an important investment in the future. As only by pushing the boundaries of sustainable ecological development, will future generations also be able to experience water as we intended.

## PERFECT APPEARANCE, PERFECT FUNCTIONALITY

Combining the **HANSA|LIVING** range with the **HANSAMATRIX** range of products provides high-quality concealed solutions that blend perfectly into architecture-driven environments. The pure and tidy design is a clear indication of the simple system behind the wall. **HANSAMATRIX** ensures the perfect provision of water in all areas of the bathroom by means of compact, easy to install modules with integrated functions that can be combined in a variety of ways.

## MAKING SAVINGS WHERE IT REALLY MAKES SENSE

New perspectives: This really does not just apply to the visual impact. **HANSA|LIVING** represents simple installation, maximum user-friendliness and last but by no means least excellent cost-effectiveness. In all of the **HANSA|LIVING** series, the water flow rate of basin fittings is reduced to just 6 l/min, while comfort still remains limitless thanks to complete and optimised spray patterns. So save where it really counts: with beautiful, intelligent **HANSA|LIVING** solutions that really are worth the investment.





## NEW DESIGN PERSPECTIVES

The series included in the **HANSA|LIVING** ranges are completely convincing and therefore fit perfectly into intrinsically planned, modern bathrooms. Characteristic designs, which are definitely a cut above the rest, satisfy the most exacting aesthetic demands. An extensive and modular range of products ensure that the design concept is implemented consistently throughout the bathroom while also making unusual ideas become a reality.



# TWO PHIL UNLIMITED DE

## THE X PHILOSOPHY: PURISM AT ITS BEST.

Straight lines, clear structures, maximum reduction of shapes, colours and materials: the amazing look of the X bathroom. It just exudes coolness, understatement, clarity and intensity.

Its architecture follows a strict pattern – and X/O allows you to perfect this down to the very last detail.



# OSOPHIES. SIGN OPTIONS.



## THE ○ PHILOSOPHY: HARMONIOUSLY DEVELOPED PERFECTION.

Inviting as soon as you enter the door. Sensual, welcoming, personal: that's the ○ bathroom. It exudes warmth, harmony and relaxation, it is the much-quoted oasis where you can relax and recharge your batteries. The materials and shapes are easy on both your eyes and hands. The ○ philosophy allows you to enhance all of the bathroom fittings with the perfectly soft-flowing lines and gentle appearance regardless of which design you select for the chosen range of fittings.



Pure and clear or gently rounded: hand showers with different designs emphasise the fundamental design philosophy of the bathroom.



The individual design concept can also be implemented down to the very last detail in the shower. Square or plate-sized overhead showers considerably shape the characteristic look.



Modern HANSA concealed systems form a basis on which various design ideas for the entire bathroom can be implemented. HANSAMATRIX provides clear, architectural solutions in X bathrooms. HANSAVAROX with its square or round collars is a universal solution for X and O bathrooms.



# THE X/O MODULES: SYSTEM WITH DESIGN FREEDOM.



**X O** On the following pages, this symbol indicates products and bathrooms that have been designed based on the X philosophy.

**X O** This symbol indicates products and bathrooms that have been designed based on the O philosophy.



The square X plates are design options that enable you to integrate basin fittings into a predominantly cubic bathroom architecture.



With X or O basin solutions, you can either emphasise the clear and strong or the soft and rounded design aspects of a range of fittings to suit the overall design philosophy of the bathroom.

THE CLEAR CUBIC X  
BATHROOM:

Unhindered by concepts and free, yet clearly structured and perfectly formed: the amazing look of the HANSALOFT X bathroom. Its individuality is achieved by consciously concentrating on just a few shapes, exquisite colours and exclusive materials.



# FREE THINKING. STRAIGHT TALKING: HANSALOFT.

## FOR THE CUBIC, IMPRESSIVE X BATHROOM

If you like your own space in rooms and while you are thinking, then the side-controlled HANSALOFT for X bathrooms is the fitting for you. Its unambiguous clarity that is completely free from disturbing influences and distracting elements not only shapes the basin but the entire room. It is impossible to overlook it. It challenges and provokes and shows a sense of creative determination that is rarely witnessed. Flat surfaces with a mirror finish, the gentle interaction between varying angle dimensions and perfect edges result in a functional work of art with an overwhelming presence that surprisingly offers new and exciting views from various perspectives.





Due to its impressive contours and unique spatial aura, HANSALOFT in the X bathroom is an essential element of the overall architectural concept.



The **O** philosophy: An oval **O** collar combined with the round shapes of the wall-mounted **HANSALOFT** basin fittings are simultaneously contrasted by the square contours of the spout and lever.





#### THE HARMONIOUS, SOFTLY ROUNDED O BATHROOM:

Personal, natural, welcoming: the HANSALOFT O bathroom combines exterior design and well-equipped interior, linear architecture and homely ambience, clear structures and flowing shapes, which are easy on both your eyes and hands.



# FREEDOM THROUGH INTEGRATION: HANSALOFT.

FOR THE HARMONIOUS, SOFTLY ROUNDED O BATHROOM

Integration instead of dominance: the slender HANSALOFT for the O bathroom fits in harmoniously with its surroundings, but is still a real eye-catcher. The combination of the round basic shape with the "horizontal" and "vertical" angular elements is sophisticated, while the accentuated vertical elements are remarkably elegant. The centrally-controlled HANSALOFT in the O bathroom encompasses and complements the interior style – invoking a feeling of completion. Obviously related to the side-controlled version through its geometry and material properties, the gentle rounded shapes give this version the appearance of lightness and reserved elegance. The opposed alignment of the spout and lever axis provides a modern, highly individual interpretation of the classic control concept.



# A BATHROOM WORLD OF ITS OWN: HANSA**DESIGNO**.

The bathrooms of the future are individually created living spaces, which increasingly integrate the designs and functions to make an elaborate form of architecture.

HANSA**DESIGNO** even finds an answer to these increasing demands with tailored products. The extensively widened, finely differentiated range enables innovative plans and precisely tailored solutions to be implemented.

The emphatically sought-after individuality not only arises from the variety of planning options, but also from the possibilities offered by the design and the supplementary elements from the **X/O** construction kit.

Meticulous detail solutions convey the high level of product aesthetics that are typical of HANSA.





The look of cubic, clear X bathrooms:

The combination of **HANSADESIGNO** with the grid-based concealed system **HANSAMATRIX** enables the realisation of fittings with a clear and fresh look.



The particularly precise lever of the **HANSADESIGNO** range is available in classic chrome or with an inlay made from black or white glass. Always matching the style of the furnishings, fittings can be created in this manner with a very personal touch.



Straight and erect, austere in terms of form, without a single superfluous element: the stylish consistency of the raised base fitting characterises the whole **HANSADESIGNO** range. The fitting is cast from a single piece of metal without joints, emitting a particularly valuable appearance.

# SEE YOUR BATHROOM AS A PLAYGROUND: HANSA**DESIGNO**.

Today's bathrooms are much more than rooms with a function. They reflect personality and emotions, are stylish and charismatic, generously dimensioned and comfortable. Completely new ground is explored in the design of these bathrooms – and HANSA**DESIGNO** has certainly made a contribution. The uniquely curved fitting for pedestal basins, the exposed shower fitting with its very slender wall connection or the matching solutions for the bathtub are examples of a HANSA**DESIGNO** range that provides more creative freedom than ever before.

Thanks to the pressure-compensated flow restrictor and hot water stop, HANSA**DESIGNO** has been awarded with the top mark of four stars by efficiency label WELL.





Quite different to the usual, quite typical for the new **HANSADESIGNO**: this four-hole solution, looking elegant here at the narrow end of the bathtub, shows all the characteristics of the range and just one of many new ways of individually designing a bathroom.



WORTH MORE THAN JUST A  
GLANCE: HANSALIGNA.



With its unmistakable, clear design HANSALIGNA lends every bathroom a modern look. Equally as sophisticated as the visual aspect is the technical standard: designed for comfort, safety and sustainability, HANSA technology guarantees optimal functionality, helps to conserve resources and renders HANSALIGNA a lasting pleasure to enjoy.

Perfectly ideal is the combination of HANSALIGNA with HANSAMATRIX.


The trimmed-down, distinctive design of this fittings range and the grid-based concealed installation system enable convincing, integrated solutions. There are no limits to your creativity when planning, and the logically structured, pragmatic HANSAMATRIX system provides maximum reliability for the realisation of sophisticated ideas.

Thanks to the pressure-compensated flow restrictor and hot water stop, HANSALIGNA has been awarded with the top mark of four stars by efficiency label WELL.






Classic clear lines and unconventional control concept: On the new side-controlled version of the HANSALIGNA basin fitting, the pivotable spout is predominantly protected from the water that may drip off your hands. This ensures that the high-gloss chrome surfaces always appear immaculate even in daily use.



HANSALIGNA is also available with HANSAMATRIX, the innovative new product system for concealed solutions. This allows integrated bathroom planning to be easily realized. The result is as clearly structured on the wall as it is behind the wall.






It has not been part of the range for very long but already has its own success story. The concept that encompasses sophisticated and timeless modern design with excellent HANSA quality at an attractive price level ensures that HANSALIGNA provides a complete package. The varied HANSALIGNA range comprises all of the classic solutions, while also offering elegant variants for basins and bathtubs as well as more extravagant products such as the floor-standing bathroom fitting. When combined with HANSAMATRIX and various X/O elements, this increases the variety of individual bathroom designs as well as boosting the enthusiasm for a range of fittings that is setting trends well ahead of its time.

## PERFECT REFLECTION OF A STRONG CHARACTER: HANSALIGNA.



Whether in spacious open-plan bathrooms – as shown here – or in more conventional planning solutions: HANSALIGNA attracts attention without imposing itself, and formulates a clear, modern, expressive look.




Strictly minimalist: That is the HANSASTE<sup>LA</sup> wall-mounted basin fitting. The HANSAMATRIX concealed system forms the basis of this perfect solution.

Strictly minimalist: That is HANSASTE<sup>LA</sup> when it comes to raised base solutions for washbasins. A concealed jet regulator "bundles" the water into a concentrated, powerful jet that literally flows into and absorbs the shapes of the fittings.



Side-operation – ultra modern:  
The side-operated HANSASTE<sup>LA</sup> with swivelling spout is a new version of the style icon. The X plate that is integrated here also accentuates the right-angled aspects of the fitting.

# STYLE ON A GRAND SCALE: HANSASTE<sup>LA</sup>.





HANSATELA embellishes modern bathrooms with its clean-cut but soft look. At first sight, its design is rather understated. But the combination of joystick control and the wide, rectangular HANSAFLOW spout strike as extraordinary and trendsetting. With its contrasting design vocabulary, HANSATELA is particularly flexible for the combination with different washbasins and also with a variety of lines from our shower program. This provides plenty of scope for creative design. The technology of HANSATELA derives from quality, which has always been one of our most important promises.


HANSATELA has been awarded the European efficiency label WELL based on its water-saving characteristics.




# FOR EVERYONE WHO ALSO WISHES TO SEE RELAXATION: HANSA**STELA**.

HANSA**STELA** sets new trends for showers and bathtubs. Its smooth surfaces and perfect curves are as simple as they are beautiful and conceal the proven HANSA technology in a sublime way. The pleasantly modest design enables the combination with numerous lines from our shower range. Even more design options are available by combining elements from the **X/O** system. For example, if HANSA**STELA** fittings are designed and implemented based on the innovative HANSA**MATRIX** concealed system, this will provide you with an integrated cubic and clearly characterised bathroom design.


Great user friendliness, mature system technology on the inside and a level of flexibility that allows almost every bathroom wish to be fulfilled: do you need any more reasons to choose HANSA**STELA**?



The **X** philosophy: Based on the HANSA**MATRIX** concealed system, the implemented HANSA**STELA** bathtub solution impresses with its clarity and straight lines.



The **O** philosophy: Combined with round HANSA**VAROX** collars and a transparent HANSA**CLEAR** hand shower, the HANSA**STELA** solution provides a mellow and pleasant feel.




The HANSA**STELA** exposed version for the bathtub: The basic symmetrical structure, concealed connectors and a diverter integrated into the shower outflow create an optically appealing, yet functional package.





Exhilaratingly beautiful:  
HANSASTELA in the shower,  
illustrated here as a mixed **X/O**  
combination made up of  
HANSAMATRIX concealed  
components and a round overhead  
shower.

**X O**



Comfortable and very practical: the special extractable hand spray is ideal for washing hair and filling containers.

On the new **HANSARONDA** side-controlled version, the pivotable spout with its elliptic cross section makes it a real eye-catcher. The chrome surfaces are well protected from the water that may drip off your hands, thus ensuring that it always appears immaculate even in daily use.



# EMOTION AND INTELLECT IN COMPLETE HARMONY: HANSARONDA.



The new HANSARONDA is mighty impressive due to a pleasant combination of resolute and calming, linear and elliptical shapes. Its character is particularly well illustrated by the high base fitting.

Harmony: No other fittings range embodies this principle as convincingly as the new HANSARONDA. After careful but stringent reworking of the design this popular line looks young and fresh. The carefully selected product range is both contemporary and practical.

The varied HANSARONDA options for basin, bath and shower allow the realisation of wide-ranging ideas and sophisticated architectural proposals.

By combining it with elements from the X/O construction kit, you can implement your own design ideas in all areas of the bathroom.

In accordance with ecological responsibility are the HANSA product-concept for sustainable design and the limitation of the flow rate to 6 litres/min.


Thanks to the pressure-compensated flow restrictor and hot water stop, HANSARONDA has been awarded with the top mark of four stars by efficiency label WELL.



# ALWAYS DIFFERENT. ALWAYS UNIQUE: HANSARONDA.

Thanks to the ideal solutions for bathtub and shower, your HANSARONDA bathroom has it all. The well-thought-out range enables us to meet individual needs and preferences.

A spectacular free-standing bath fitting, classic-modern exposed fittings, conventional or puristic-innovative concealed concepts: everything is possible, and everything is unmistakably HANSARONDA. Its pleasant, timeless design fits harmoniously into the overall picture and will remain a firm favourite for many years to come.



Stylish trim kits cover the connections, thus increasing the perceived value of the HANSARONDA exposed solution (see picture left).



In large, design-driven bathrooms, the floor standing HANSARONDA bath fitting is a particular eye-catcher (see picture far left).

The **O** philosophy implemented with all of the comforts (see picture on left and large picture on right): The HANSAVAROX collars and HANSAVIVA hand shower match the round shaped parts of the fitting. However, in addition to their appearance, HANSARONDA and HANSAVIVA have a lot in common: modern look, wide range of functions, excellent price/performance ratio and top HANSA quality. Both ranges allow numerous combinations and complement each other perfectly.



The **X** philosophy implemented stringently:  
This HANSARONDA solution for the bathtub is based on the innovative concealed system HANSAMATRIX (see picture left). All the functions are combined in a compact fashion in just a few components. The appearance of the fitting is clear and visually perfect – ideal for architecture-driven bathroom planning.





# OPEN PARTNERSHIP: CONCEALED SYSTEMS FOR THE HANSA|LIVING RANGES

Strict logic, clear appearance, unbeatable versatility: HANSAMATRIX is the perfect system to implement the X design philosophy.  
(HANSA**STELA** series)





Circular HANSAVAROX collars blend well with the round shapes of the fitting and are important design elements in **O** bathrooms.  
(HANSALOFT series)



Square HANSAVAROX collars accentuate the angular contours of the lever and spout and are perfect for **X** bathrooms.  
(HANSADESIGNO series)

With a variety of designs and an extensive range of products, the **HANSA|LIVING** series provides you with all of the options to design your bathroom to your exact specifications. The modern concealed systems HANSAMATRIX and HANSAVAROX, form the basis to implement your plans and not only guarantee a perfect installation but also further enhance your creative freedom.

HANSAMATRIX is an innovative product system which allows the complete realisation of high-quality architecture-driven planning as a concealed solution.

The components of the HANSAMATRIX system can be combined in innumerable ways with the aid of a classic-sized grid. Several functions can be cleverly grouped in a new component, resulting in tranquil and elegant fittings – in all bathroom areas with an identical logic as regards basin, bathtub and shower, as well as with a matching overhead shower. The overall impression of the **X** bathroom is one of linearity, precision and clarity.

HANSAVAROX is a universal solution that uses the "socket" function for the fittings. The system is quick to install, offers maximum flexibility, safety and is easy to maintain. The square and round designs of the HANSAVAROX collars enable different design ideas to be implemented: perfect and clear **X** bathrooms as well as harmonious and sensual **O** bathrooms.



# THE SYSTEM THAT PROVIDES CLARITY. IN FRONT OF THE WALL AND ALSO BEHIND IT. HANSAMATRIX.


The **HANSA|LIVING** range allows you to realise cutting-edge, architecture-driven plans for every aspect of your new bathroom. The overall impression is created by dividing surfaces into sections, and is captivated through the harmony of their well-balanced dimensions and elegant structure. The types of fittings which can be designed and achieved with **HANSAMATRIX** make a decisive contribution.

The measure of all things for **HANSAMATRIX** is 25 mm. Based on a 25-mm grid, wall surfaces can be structured in a well-balanced manner, producing a natural harmonious appearance and optimum utilisation.

The clear logic gives planners the freedom to create stunning designs.

Two classic shapes are derived from the grid dimension for the design of the individual **HANSAMATRIX** components: a square measuring 75 mm x 75 mm and a precise rectangle measuring 75 mm x 175 mm.

Unique product options, the versatility of the application techniques, simple installation and maintenance ensure that **HANSAMATRIX** is an exceptional product system.



The 25-mm grid dimension is the basis for all **HANSAMATRIX** planning activities, and provides you with the largest possible space for creative freedom while offering maximum safety. Even the shapes of the **HANSAMATRIX** components are based on the 25-mm grid.

## HANSAMATRIX: DESIGN ACCORDING TO YOUR TASTE.

**HANSAMATRIX** is fascinating due to its clear and thorough design. You have the opportunity to adapt **HANSAMATRIX** to all the **HANSA|LIVING** series. The control levers and bathtub spouts dictate the respective series design. This generates a comprehensive product system with unmatched application versatility. Designed to match the architecture, the furnishings, your tastes and personal style.



Lever mixer  
**HANSADESIGNO**



Lever mixer  
**HANSALIGNA**



Lever mixer  
**HANSASTELA**




Lever mixer  
**HANSARONDA**



Lever mixer  
**HANSALOFT**



## INDIVIDUAL **HANSA**LIVING SOLUTIONS. THREE LEVELS. DIFFERENT SOLUTIONS.



1

Smooth installation thanks to the assembly rail: Installation and planning level




Lever mixer function units (single-lever mixers) for basin, bath or shower available with volume control or with diverter / volume control



Thermostat function units (thermostat) for bath or shower available with volume control or with diverter / volume control



Wall outlet function unit for bath or shower



Pipe interrupter when bathtub is filled via pop-up waste

2

Select the suitable solution: Concealed installation and functional level



Various lever mixer versions for basin, bath or shower (depends on the series)



Various thermostat versions for bath or shower (irrespective of the series)



Various wall outlet versions (irrespective of the series)



Cover collar (irrespective of the series)


3

Perfection on the wall: Exposed installation and design level.





RELIABLE  
ECOLOGICAL  
UNIVERSAL



# EXEMPLARILY ENVIRONMENTAL SENSITIVITY. EXTREMELY IMPRESSIVE: HANSA|HOME


## LESS IS MORE: SAVING WITHOUT COMPROMISING ON COMFORT.

All of the **HANSA|HOME** series are designed with ecological compatibility in mind, equipped with water saving technologies and offer high-level HANSA safety.

The series fitted with our Classic cartridge are provided with a special honeycomb shape stream former that has been inspired by nature. This stream former reduces the flow rate from 12 l/min to 6 l/min.


The volume of the spray has actually been retained despite the actual flow rate being halved.

For all series with **HANSAECO** control cartridges, the maximum flow rate is limited to 8 l/min and individual adjustment options can reduce it to 6 l/min.



## THE BEST DECISION – SIGNED AND SEALED.

WELL – Water Efficiency Label – is the product classification system of the European sanitary valve industry. It is intended as a guideline for buying decisions – particularly in terms of the responsible handling of water. Classified in the categories "water volume (flow rate)" and "water temperature", domestic sanitary valves can be awarded a maximum of four stars. Most of our **HANSA|HOME** ranges have already been awarded the top mark and many more are set to follow.







## HANSAVAROX: EVERYTHING FITS PERFECTLY.

HANSAVAROX sets the standard for every HANSA|HOME concealed installation. There is probably no other system that is as quick to install and mount and that provides such a high degree of flexibility, safety and is easy to maintain.

HANSAVAROX uses the "socket" principle. The universal basic unit is therefore available for all applications. It is possible to install, retrofit or replace fittings simply, reliably and very quickly. An excellent solution for builders as it also considerably reduces the capital commitment during the construction phase.



## MORE COMFORT IN THE XL CLASS.

The HANSAVANTIS, HANSATWIST, HANSAPINTO and HANSAPRIMO ranges have each been supplemented with a **XL** version of the classic basin fitting. In comparison to the height, it is **20 mm** higher. This is not just an imposing feature but also increases comfort. This is because the slight forward tilt combined with the height simultaneously increases the projection, ensuring that there is adequate space and even more hand freedom under the fitting to wash your hands or to fill receptacles, for example.

NEW

# HANSAMIX: PROVEN. POPULAR. BETTER THAN EVER.

Being consistently better – that is the principle underlying the HANSAMIX. It is what has made it what it is: one of the most successful and popular of all HANSA fittings. Since its launch back in 1978, it has constantly embodied the key values underpinning HANSA: Solidity and safety, sophisticated technology, along with exceptional value and quality down to the finest detail. Now in its fourth generation, the HANSAMIX now features

- an updated design;
- with an expanded, now even more flexible range, including three washbasin variants;
- with larger projection, making it even more convenient
- in new material quality for enhanced drinking water hygiene and safety.

HANSAMIX thus demonstrates yet again that it is a genuine classic. Consistently good. Better than ever before.



Clean looks, focussed functionality, new convenience: The HANSAMIX bathroom fitting is completely in step with the times.



Was, is and always will be one of the most popular HANSA: HANSAMIX – now in its 4th generation.



## NEW AND FOUR TIMES BETTER:



### UPDATED DESIGN

Different – yet still unmistakable HANSAMIX: With leaner proportions, softly balanced lines and a longer projection, HANSAMIX has a more modern look, but remains a classic.



### MORE COMFORT

The "classic" HANSAMIX washbasin fitting and the swivelling spout variant are now taller than before and feature a longer projection, so offering even greater freedom of hand movement and enhanced comfort. An entirely new feature is an additional compact variant for washbasins.



### NEW MATERIAL QUALITY

The special brass alloy MS 63, nickel-free brass components in contact with drinking water and the WATERSAFE Hitec functional core guarantee optimum drinking water hygiene.



### MORE FLEXIBLE APPLICATIONS

Beyond the private bathroom, the new HANSAMIX can be precisely tailored to the varied and challenging needs of the commercial and public sector in particular. That variability makes it almost universal in its potential applications.

# HANSAMIX ALL AROUND THE BATHROOM: A WELCOME SIGHT EVERYWHERE.

The great success of HANSAMIX is founded also on the diversity of fittings in the range. The pleasing, discreet design has always been able to integrate harmoniously into any setting. Now, in line with the latest design trends, its lines have become even softer and leaner, matching a wide variety of different styles. The skillfully conceived range has been extended, now offering a broader selection for washbasins in particular. HANSAMIX now comes in three variants, featuring different sizes and functions. This makes HANSAMIX more versatile than ever before – and still the best choice.



## NEW AND COMPACT

New HANSAMIX – new applications: With its compact dimensions and a generously proportioned 127 mm projection, this variant is specially designed to meet the needs of commercial and public sector installations. But it also looks good in domestic settings, such as in a guest bathroom.



## A CLASSIC ON A NEW LEVEL

Recognisably good: The classic HANSAMIX range of fittings for washbasins has changed, but nevertheless – or indeed because of that – is sure to remain a firm favourite of yours and of your customers. Higher than before and with a 141 mm projection, it looks stylish and is highly user-friendly. With the most extensive range within the series, this variant is ideal for any application.



## SPECIAL AND FLEXIBLE

Visually striking and highly user-friendly: The large variant has a 157 mm projection, offering lots of extra room for hand-washing or when filling kettles or pans. With its 95° swivelling spout, it is also suitable for special applications such as in the care sector.






For over 30 years, a firm favourite for the washbasin: **HANSAMIX**. The high-quality cast fitting body is just one of many quality features. The interior of the fitting is designed exclusively using materials that guarantee optimum drinking water hygiene.

The **HANSAMIX** exposed single-lever mixers for showers and baths have concealed eccentric connections.

A highly user-friendly variant for concealed installation based on the **HANSAVAROX** is the thermostatic shower mixer unit with integrated water volume control (flow rate 25 l/min).



The concealed solutions for showers and baths are based on the universal **HANSAVAROX** system, featuring a stylish rounded design:


- Very high-grade and exclusive-looking circular **HANSAVAROX** concealed collars in 170 mm diameter
- Bolted fittings ensure secure fixing even on difficult base surfaces
- **HANSAMIX** single-lever bath mixer based on the **HANSAVAROX** system is also available with an integrated safety feature
- Perfectly matching form: **HANSAVIVA** hand shower



# CONVENIENCE IN EVERY ASPECT OF YOUR LIFE: HANSASIGNA.

Bathroom fittings do not just have to be visually appealing, but especially need to meet the requirements of the individuals who use them on a daily basis. To gain a better understanding of the special requirements of certain users, HANSA engages in an intensive exchange with its partners – such as the GGT Deutsche Gesellschaft für Gerontotechnik®. This German Society for Gerontology completes comprehensive questionnaires with people over fifty and implements acceptance tests for the safety, functionality and design of the products.

The development of the HANSASIGNA range includes experiences and knowledge gained from the surveys. The result is a highly user-friendly fitting that takes all of the requirements of people over fifty into consideration while still looking stylish enough to be suitable for "younger" bathrooms.



Soft curves and rounded edges not only enhance user safety. The avoidance of dirt edges and the fully sealed connections help to minimise the formation of germs.



HANSASIGNA is equipped with the HANSAPROTEC system. This means that all water-bearing parts have a lead content of less than 0.3%. The water course is not nickel coated.



Extensive hand freedom is even possible at smaller washbasins: thanks to HANSASIGNA XL, an alternative to the standard version.

# BACK TO BASICS: HANSAPRADO.

HANSAPRADO is a classic HANSA fitting – functional and with tried-and-tested technology. Its attractive high-quality design fits in modern and in traditional bathroom environments. HANSAPRADO is top quality: from the corrosion-resistant brass body and the high-quality chrome finish to the HANSAECO control cartridge with water saving function and the self-lubricating ceramic discs.









In perfect unison:  
the **HANSAPRADO** exposed wall fitting on the bathtub is complemented by the **HANSAVIVA** hand shower (far left image).  
Space saving: **HANSAPRADO** as a concealed solution in the shower (image on left). The forward-thinking concealed standard **HANSAVAROX** ensures that your design options are endless.



Two solutions, which are perfectly harmonised in form and function: **HANSAFORM** shower fittings and the **HANSAVIVA** range.



There are almost no limits to the design of the bath area in modern bathrooms. **HANSAFORM** offers the optimum solution for every planning option. For example, the elegantly designed concealed version with diverter can be implemented with the flexible **HANSAVAROX** concealed system for the separate bathtub spout and the **HANSAVIVA** hand shower.





# A CLEAR LINEAR DESIGN STATEMENT: HANSA**FORM**.

Regardless of whether it is a basin or bathtub: **HANSAFORM** combines the individual areas of the bathroom to generate an overall visual experience. The distinctive design concept of this range of fittings creates an order and turns the bathroom into a relaxing oasis, in which the right angle is a recurring theme. Due to its vertical nature and strong presence, **HANSAFORM** demonstrates self-confidence that is fuelled, not least, by its inner values. The materials, finish and technology are at the leading edge of the market. **HANSAFORM** comprises various design options for the stylish design of showers. The **HANSAFORM** is perfectly suited to the **HANSAVIVA** range of showers. It combines hand showers, overhead showers and wall bars to form a modular shower system that impresses thanks to maximum design freedom.





# CLASSIC AND MODERN. BEAUTIFULLY COMBINED: HANSADISC.

For anyone who needs proof that good design never goes out of fashion: HANSADISC certainly delivers. The softly flowing lines look modern and completely contemporary. HANSADISC indulges the senses and enriches classically decorated bathrooms. The robust, long-lasting technology is also quietly impressive on a functional level.







The classic exposed solution on the bathtub offers a very harmonious design (large image on left).

A particularly elegant design solution: Concealed version with easy-to-use diverter for a separate bathtub spout and HANSAPUREJET hand shower set. (Image below).



Technically and structurally compelling: The HANSADISC concealed solution in the shower. The overall look is topped off by the elegant, flat HANSAPUREJET hand shower.

Even more choice: Both lever versions are available in XL. HANSATWIST XL is 20 mm higher than the basic version and so makes optimal use of available space at the washbasin. The increased height also means more projection: You have more space beneath the tap, resulting in even greater freedom of hand movement and noticeably enhanced comfort.





# THE BEST WAY TO CHOOSE COMFORT: HANSATWIST.

Combining superior style and effortlessly harmonising opposites: Only people who have found their own style can achieve this. HANSATWIST is your fitting. As a contemporary interpretation of a HANSA classic, HANSATWIST builds bridges between traditional values and modern requirements, between attractive design, rich functionality and distinctive comfort. The two lever variants and the well-balanced range of products allow a bathroom design according to individual requirements.



# YOU HAVE THE CHOICE: STRIKING ACCESSORY?

## HANSATWIST WITH A LOOP LEVER

HANSATWIST with a lever loop is not only visually striking, but is also particularly pleasant to touch. Offering you a distinctive advantage when it comes to ergonomics and ease of use.

The slight forward tilt gives the body a dynamic feel and simultaneously facilitates the use of the draw-rod.

HANSATWIST with a lever loop provides long-lasting pleasure, regardless of which generation you belong to.



The concealed solutions for the bathtub and shower offer harmonious detailing. The elegant rectangular concealed collars and the HANSAVIVA shower range with its clear geometric shapes provide a truly shining addition to the HANSATWIST lever (lever loop shape in this instance). The quality of the material is particularly impressive on perfectly smooth, lavish surfaces. During installation, the proven concealed system HANSAVAROX provides the highest flexibility, safety and maintainability.





# OR AN EYE-CATCHER? HANSATWIST.



## HANSATWIST WITH A SOLID LEVER.


HANSATWIST with a high-quality solid lever is convenient to operate, providing an elegant and discretely tasteful feel. It stands out for the finely-balanced interplay between dynamically inclined and powerful straight lines as well as distinctive cubic and softly rounded surfaces. Seeing as its design is so laid back, HANSATWIST is the ideal combination partner: compatible with numerous furnishing solutions to suit your style.

The HANSATWIST exposed solutions provide a clear presence while never pushing their way into the foreground. The rounded connecting concealed collars provide an air of sophistication like all of the fitting sizes and surfaces that accentuate the geometry of the lever (solid lever in this case). It is not only perfectly suited to HANSATWIST, but is also suitable for the flexible HANSAVIVA shower range with its variety of options.



Charming design variation:  
the new side-operated HANSA-  
**VANTIS STYLE** (available from  
autumn 2014) with its curved high  
spout (image bottom left).

An alternative to the slender pin  
lever (image below, centre) is the  
ergonomic flat solid lever  
(image below, right), a true pleasure  
for your hands in every sense of the  
word.



# STYLISH AND SLENDER. WONDERFUL AND UNIVERSAL: HANSA**VANTIS**.

This clear, fresh style is unmistakable: Slim and smart – HANSA**VANTIS** and HANSA**VANTIS STYLE** offer exhilarating light-heartedness that is perfect for modern bathrooms. High-quality HANSA technology ensures easy operation, simple care and low consumption of water and energy: You can save up to 50 %!





Outstanding comfort: The 20 mm higher **XL variant** provides a noticeably improved hand freedom.

# DISTINCT TRAITS, STRONG CHARACTER: HANSAPINTO.

It convinces with corners and edges and its eye-catching look. HANSAPINTO combines the essence of a good fitting: a characteristic design and reliable functionality. The cubic form comprises the equally modern HANSA technology such as the robust, classic cartridge that is integrated as standard. Convincing HANSAPINTO solutions are available for every area of the bathroom, from washbasin to bathtub and shower to bidet. A particularly high degree of safety is guaranteed by the hot water stop and the WATER SAFE Hitec functional core that reliably maintains the water quality. Restricting the flow rate to 6 l/min halves the water consumption in comparison to traditional fittings. HANSAPINTO – straight lines par excellence: safe, reliable, convincing.



As for the shower, you can also choose from attractive concealed and exposed versions for the bathtub.  
Classic: The exposed solution with the new HANSAVIVA hand shower (image above).

Modern and elegant: HANSAPINTO as a concealed solution with HANSAPUREJET (image right).



Shows off the splendour: HANSAPINTO XL (left image) is 20 mm higher than the basic version (middle image). Providing even more hand freedom and comfort.





# FIRST CLASS DESIGN. FIRST CLASS QUALITY: HANSAPRIMO.

Optimum use of resources: HANSAPRIMO shows how it's done. Classic lines, but plenty of exciting contrast between plane geometrical surfaces and softly rounded volume. HANSAPRIMO's proportions are as modern as its water-saving capabilities for responsible use of our water resources.



Clean solution: HANSAPRIMO exposed fittings for the bathtub and shower combined with the HANSAVIVA hand shower (image above).

A stylish alternative is provided by the concealed solutions based on HANSAVAROX (not shown).



Generous and attractive: The 20 mm higher HANSAPRIMO XL for the basin makes it more comfortable to fill receptacles, for example.



# IT GOES WITH THE TIMES AND YET ALWAYS REMAINS TRUE TO ITSELF: HANSAPOLO.

It is younger, fresher and more modern than ever, although it is still unmistakably HANSAPOLO. The contemporary design brings the successful fitting up-to-date, without alienating it. With its new, flowing contours and established high-quality chrome-plating, the metal lever attracts particular attention: an object that is as easy on the eye as it is on your hands. The quality of the interior remains unchanged: particularly the uncomplicated, classic control cartridge, which has been tried-and-tested for years, and the dezincification-resistant brass body. "Solidity" is the principle that HANSAPOLO stands for: convincing and consistent. Thanks to the flow restrictor and hot water stop, HANSAPOLO has been awarded top marks in efficiency class A by WELL.



The exposed and concealed solutions are equally appealing thanks to their functionality and unpretentiously elegant design. In the shower, HANSAPOLO has been combined with a HANSABASICJET shower set (image on left).




# SIMPLY A DELIGHT: HANSAPICO.

Dynamic curves, gentle slopes, soft transitions: HANSAPICO's lighthearted charm is captivating! The well-balanced basic range provides a suitable solution for all parts of the bathroom – from the basin to the bathtub to the shower. Like all the **HANSA|HOME** segment series, HANSAPICO is also based on solid quality in terms of material, technology and workmanship. And yet it is pleasantly inexpensive, and also prevents waste of water: The integrated stream former limits the flow rate to 6 l/min.



Very classy and yet wonderfully unconventional: HANSAPICO concealed bathtub fitting (image above) and the HANSAPICO exposed wall fitting for the shower (image on right).






## COMPLEMENTARY PRODUCTS








COMPLEMENTARY  
COMPATIBLE  
ENRICHING



## EXPOSED THERMOSTAT





Thermostats as key safety factors in bathrooms and technically superior products have always played a leading role at HANSA. Time and again, we have set standards in this area: with innovative technology that makes safety more comfortable than ever before. With a selection of models that make a wide range of solution possible. And last but not least, with a design demand that ensures that the thermostat is an eye-catcher.



# PROVIDING AN ALL-ROUND GOOD FEELING: HANSAPRISMA.

Thanks to a function that sets standards in its class, the HANSAPRISMA range simultaneously makes having a bath and shower significantly safer and noticeably more comfortable.


The overall good feeling starts with **THERMO COOL**: A special design for the flow of hot water inside the thermostat ensures that the outside of the metal casing hardly heats up. You can therefore touch HANSAPRISMA at any time without having to worry. And even the water remains at a pleasant temperature: A preset safety valve at 38°C provides reliable protection from scalding. However, if you do require hotter water, the lock can be released at the touch of a button and the temperature can be increased further. Complete safety for children or the elderly can be provided by the retrofittable temperature locking device as this disables the button completely.

Important for use in public areas: The HANSAPRISMA exposed thermostat is suitable for thermal disinfection providing a measure to prevent the formation of legionella bacteria.






The "safe and comfortable" principle is implemented right through to the operation of HANSAPRISMA. The diverter is integrated in the handle and is easy to actuate via an ergonomically shaped push button. On the bath mixer, you can switch from the bathtub spout to the hand shower, and on both versions of the shower system you can switch from the hand shower to the overhead shower. The operating concept thus prevents an unexpected flow of water from above or the horizontal hand shower.



Conventional thermostat



HANSAPRISMA

The infrared camera illustrates that compared to a conventional thermostat in this price segment (top image), heat development on the casing of the HANSAPRISMA thermostat (bottom image) is reduced considerably thanks to the short flow of hot water.




The HANSAPRISMA is the perfect solution be combined with the HANSAVIVA shower range that is designed with safety and comfort in mind, just like the thermostat.



Quality across the board: HANSAPRISMA has the power to please and persuade. The highly functional qualities are reflected in the elegant design and eccentric connections that are hidden as standard.

# READY FOR PERFECTION: HANSACUBE.

With its powerful design and high-quality technology, HANSACUBE is setting benchmarks.



Ergonomic and practical: The bathtub spout with its integrated diverter can be opened and retracted easily on the HANSACUBE bathtub version (image on left).

This solution for the shower illustrates how perfectly the formal reduction of the HANSACUBE has been achieved (image above).

# HANSATEMPRA STYLE.

The characteristic cross section and smart operating concept provided by HANSATEMPRA STYLE enriches modern bathrooms.



The aerator sits flush in the flat, cubic bath inlet, and is therefore neatly tucked away.



# HANSAFIT.

NEW

HANSAFIT always the best choice! The modern, user-friendly thermostats for bathtubs and showers.



The HANSAFIT thermostats boast non-slip control elements in contrasting colours and have a soft touch surface finish making them safe to operate.

# HANSAMICRA.

Compact dimensions, convincing comfort.



# HANSAUNITA.



For everyone wishing to optimise safety, efficiency and physical appearance.





## RIM-MOUNTED AND ACCESSORIES



Matching accessories and integrated technology not only complement the overall impression of your bathroom in a stylish manner. These details are also crucial for functionality, comfort and suitability for everyday use of a bathroom. Reason enough for us to accept nothing but the highest standards for the quality especially in this area: namely our own.



# LONG LIVE CREATIVE FREEDOM! HANSA RIM AND WALL-MOUNTED FITTINGS.

Why not simply position the bathtub in the middle of the room? No problem with the HANSA rim-mounted solutions. They are attractive, practical and available in a number of different formats: as a compact or individual solution, in three-hole or four-hole versions, with different spouts, a thermostat or a single-lever mixer.

The HANSACOMPACT wall-mounted concealed body is a complete system in a metal frame. Concealed behind the tiles, it can be individually adapted to any bath or tile height, thus making it a highly flexible option. Lever mixer or thermostat versions are also available.

Image below: HANSALIGNA

Image on bottom right: HANSATELA

Exceptionally elegant: a HANSARONDA four-hole solution with a curved, high spout fitted at the narrower end of the bathtub.






The two-hole fitting is a concentrated solution. It doesn't take up much space, while providing all necessary elements.



Washing hair, showering, rinsing out, filling large containers. The pillar spout also acts as a hand shower.



Regardless of your chosen option, three-hole variants with the HANSAFILL spout are an attractive addition to any bathroom. The image shows the wall-mounted solution with thermostat.

Beautiful design: The four-hole wall-mounted fitting HANSADESIGNO with a lever mixer.



# PRACTICALITY CAN BE BEAUTIFUL: THE HANSA ROLL BOX.

You can wave goodbye to the troublesome "hose spaghetti".

The HANSA roll-box unit is doubly beneficial: Firstly, you do not have to maintain a constant pull on the hose as it features fixture points at specific intervals.

Secondly, the hose rewind is equally practical – a short tug is enough to return the hose to its housing. The best bit:



The roll box does not just come as a practical part of rim-mounted systems but is also available as a separate product that can be combined with any range of fittings.



The slimline baton hand shower **HANSASTILO** works particularly well with **HANSADESIGNNO** or **HANSASTELA**. The HANSA roll box is a suitably elegant solution that hides the technology from view.



The comfort hand shower **HANSAVIVA** works perfectly with the rim-mounted system from the **HANSARONDA** series. The revolvable shower holding fixture in the HANSA roll box provides additional room for movement.




Hidden strengths: The HANSA roll box unit with its automatic hose rewind function gives you all the space you require. Smooth and easy to operate, it offers the highest levels of convenience. The space-saving construction ensures that it can even be integrated if you have limited space.


The **HANSALIGNA** range of fittings, the particularly light **HANSAPUREJET** hand shower and the HANSA roll box provide a harmonious and practical product combination.



## SHOWER SYSTEMS AND SHOWERS




LAMINAR Classic




LAMINAR Active




LAMINAR Massage



LAMINAR Soft



LAMINAR Cascade



LAMINAR Rain





# HAVING A SHOWER WITH HANSA: LOTS OF OPTIONS. UNIQUE PLEASURE.

Enjoy with all of your senses and make the most of it: HANSA particularly makes this possible when having a shower. The variety of modern HANSA shower systems and shower heads are attractive, impress and provide you with maximum safety and the utmost of comfort thanks to the **HANSAPROTEC** system. HANSA only works with high-quality materials such as KTW-certified plastics. The new hand showers are fitted with EASY CLEAN technology. This means, for example, that the jet base of **HANSAMEDIJET FLEX** showers can be removed and can even be cleaned in the dishwasher ensuring optimum hygiene and a longer service life.

The way to relax into luxury with a clear conscience is shown by the new shower system **HANSAFORSENSES**. It is as exciting as it is sensible, the epitome of indulgence combined with high level intelligence.

The innovative HANSA laminar technology guarantees a pure showering experience. Pure water without any added air flows through the enclosed system. This ensures that there is no swirling, no unpleasant noises and that the formation of particulate materials is kept to a minimum. You can enjoy the best showering experience without a worry, while saving energy at the same time.

A great benefit for you and the environment – an absolute pleasure!

The **HANSAPROTEC** label guarantees hygienic showering comfort.





# EVERYDAY SHOWER LUXURY: HANSAS<sup>SMART</sup>SHOWER.



Flexible: you can connect it with a connector to a HANSACUBE shower thermostat or using flexible hoses to any available fitting.

Showering could hardly be any more convenient: Thanks to its many intelligent -functions and a futuristic looking design, HANSAS<sup>SMART</sup>SHOWER has the ultimate pamper potential. The flat panel with its magnificently refined front plate made of mirrored or anthracite-coloured glass is not just a beautiful design. All of its functions – controlling the body, hand and overhead shower as well as changing between the various shower heads and water stream settings – are integrated here. There are endless ways to vary your daily luxury in this shower at just the touch of a button.



Waterfall as standard:  
a wave outlet is integrated in the  
HANSAS<sup>SMART</sup>SHOWER  
overhead shower.





# NO OFF-THE-PEG SOLUTIONS: HANSA SHOWER SYSTEMS.

NEW



Enjoy a luxurious shower with an all-round good feeling: The luxury spa shower system **HANSAFORSENSES** will ensure you can enjoy this every day. High-quality and practical soap and shampoo storage, large hydra rain shower and hand shower with massage function will pamper you, while the intelligent water saving system ensures that having a shower is economical. The unique Tiptronik button uses colour signals to indicate the perfect length of a shower and simultaneously controls the flow volume. This button is also used to start the flow of water for exactly four minutes, to stop it intermittently or extend it at any time. The thermostat enables you to set the exact water temperature that is required, while a safety lock that is preset to 38°C provides maximum protection.



Set to your individual wishes: The Tiptronik button allows you to control the flow of water, to switch from overhead to hand shower via the diverter and to regulate the water temperature using the temperature controller.





# CAN BE CONNECTED ANYWHERE: HANSA SHOWER SYSTEMS.


With HANSA shower systems you can always make the right connection thanks to the variety of different products, designs and installation options. HANSA shower systems are available as units that are directly connected to the fitting, can be connected effortlessly with any existing exposed or concealed fittings or can be connected directly to the wall connection elbow, giving you more freedom during the planning and design process.



Wall-mounted:  
The HANSA**VIVA** shower system can be integrated flexibly. In this case it is directly connected to the wall connection elbow – a solution that looks clean and particularly saves space.



Product unit:  
The HANSA**PRISMA**-shower thermostat is an integral part of the HANSA**PRISMA** shower system – an integrated solution for design purists. Also available for HANSA**TEMPRA STYLE**.



# RAIN HAS NEVER BEEN SO ENJOYABLE: HANSA HEAD SHOWERS.



## HANSARAIN

Whether at home, in the gym or at the spa, there is nothing better than the gentle message provided by the soft, warm water from **HANSARAIN**, just like that of tropical rainfall. The 180 fine stream holes of the **HANSARAIN** system remain free of lime scale: the anti-limescale technology prevents limescale building up at the spray holes.



## HANSACLEAR

The transparent material of **HANSACLEAR** reflects the clarity and purity of water in a truly fascinating way. From above, you can see the flow of the water through the shower head. The use of elastic material makes the shower very easy to clean. A simple wipe with a cloth is enough to prevent limescale deposits. **HANSACLEAR** showers are unconventional, innovative and very stylish. There is no other way of experiencing water this closely.



## HANSAVIVA

The new **HANSAVIVA** overhead shower with full metal housing is particularly flat yet extremely robust and stylish. Available in a square or round design as well as different sizes



# LONG LIVE COMFORT!

## HANSAVIVA.

From shower system to shower hose, the new HANSAVIVA range offers a wide range of easy-to-combine products that make showering a refreshing and pleasant experience. The shower range is not only aesthetically pleasing, but also offers a wide range of functions, excellent price/performance ratio and top HANSA quality. An integrated flow limiter cuts water consumption by up to 50 %.



The HANSAVIVA shower head is available in two convenient sizes (100 mm/ 130 mm). The ergonomically designed handle is very comfortable and easy to hold; the THERMO COOL function prevents the shower housing becoming too hot. Very practical: The special Twist Guard hose cone is equipped with an integrated twist guard.

HANSAVIVA FLEX makes having a shower particularly enjoyable, for example thanks to a soft laminar stream with minimal particulate material, 360° pivotable handle and THERMO COOL technology.

The complete HANSAVIVA range can be combined in many ways with our fitting series. The high-quality fittings, e.g. the chrome soap dish, are very convincing.



LAMINAR Active



LAMINAR Classic



LAMINAR Rain

Due to the new VARIJET technology the water is variably distributed to the outlet jets, creating a full spray pattern in all kinds of sprays.



# EVERYTHING UNDER CONTROL: WITH HANSAVIVA FLEX AND HANSAMEDIJET FLEX.

The diameter of the HANSAMEDIJET shower heads is 100 mm, 40 individual soft jets treat you to the perfect shower sensation.





When having a shower, the right type of shower contributes a lot to the relaxation. **HANSAMEDIJET**, **HANSAMEDIJET FLEX** and **HANSAVIVA FLEX** are based on laminar technology so that no air is added to the water. In addition to a clear stream, this also guarantees a quiet showering experience.

While **HANSAVIVA FLEX** will invigorate you with its powerful stream, **HANSAMEDIJET** showers provide a gentle and pleasant stream that will help you to relax.

The **HANSAMEDIJET** shower base can be removed and is easy to clean. This EASY CLEAN concept from HANSA increases day-to-day hygiene and the lifespan of the shower heads.



**HANSAMEDIJET**



**HANSAVIVA FLEX**



Ground-breaking and cross-generational operating concept: the ergonomically designed, 360° rotatable handle facilitates both the use and storage of the **HANSAMEDIJET FLEX**.



# THESE SHOWERS HAVE THEIR OWN HEAD:



## HANSACLEAR.

The HANSACLEAR not only makes a fascinating overhead shower, but also a hand shower.

Because it is possible to track the water's path through the flat, transparent shower head, taking a shower also becomes an optical pleasure. You can set three different types of spray and thus choose the jet that best suits the time of day or your mood. The decorative and transparent wall bar is the ideal accompaniment to the HANSACLEAR hand shower. The flexible wall bracket can be adjusted in any direction.



LAMINAR Classic



LAMINAR Active



LAMINAR Soft



## HANSAFIT.

Extremely clever: The shower head of the HANSAFIT hand shower comes with an integrated EcoFlow function, which controls the flow of water without impairing the shower experience. THERMO COOL ensures the casing does not become hot – for the highest possible level of safety. Anti-limescale technology facilitates cleaning of the spray holes. The HANSAFIT hand shower can be perfectly combined with HANSAFIT shower rail sets.





# HANSAPUREJET.

HANSAPUREJET exudes a feeling of lightness. With its chrome-plated housing and sculpted handle, it is reminiscent of the soft flow of water. The unusually flat and practical design creates a feeling of elegant weightlessness.



LAMINAR Soft



LAMINAR Classic



LAMINAR Classic




# HANSABASICJET.

The triple-spray HANSABASICJET provides three times the pleasure: the massage spray revitalises, the regular spray invigorates and the soft spray pampers you at the end of a particularly hard day.



LAMINAR Classic



LAMINAR Massage



LAMINAR Soft



## ELECTRONIC FITTINGS FOR PRIVATE BATHROOMS AND PUBLIC AREAS





HANSA electronic fittings make life a little easier and better every day. Thanks to their intelligent design they are safe, simple and hygienic to use, while at the same time minimising consumption of water and energy – wherever they are used. Sensory fittings also stay clean longer, and need less cleaning generally.

The new HANSA**SENSeTION** range comprises attractive product series for modern private bathrooms and for public facilities. Versions powered by a standard 6V lithium battery and via a 230/12 V mains adapter are available.

# NEW HANSAFIT: SOMETHING TO SUIT EVERY TASTE.

The washbasin fittings from the HANSAFIT range will surprise you with the variety of options available. In addition to the sensory model, there are three classic lever mixer designs with a separate Tiptronik-Flex push button for simple remote control and a hand shower providing a mobile source of water. One common feature is the ergonomically optimised design concept that was developed in conjunction with GGT Gesellschaft für Gerontotechnik® (German Association for Gerontechnology). Thanks to the high-quality materials used, all of the water-bearing parts of HANSAFIT have a low lead content thus ensuring excellent drinking water hygiene.

The HANSAFIT shower rail range is suitable for private bathrooms as well as exhibition and care facilities. The particularly strong rail provides security and an all-round good feeling. This range can be perfectly combined with HANSAFIT shower or bath thermostats. The non-slip control elements in contrasting colours have a soft touch surface finish making them safe to operate. **THERMO COOL** ensures that the casing does not become hot.



The HANSAFIT lever mixer versions: classic design with soft-touch operating lever, Tiptronik-Flex remote actuator and HANSABIDETTA hand shower



The HANSAFIT shower rail set with particularly strong rail (image below) is suitable for use in the CARE sector.





As soon as you place your hands in the vicinity of the non-contact HANSAFIT washbasin fitting, water will flow automatically – always supplying the right quantity and always at a pleasant temperature. The clever range includes solutions for the whole bathroom.



Brand new option for the private bathroom: HANSAFIT



In both luxury master and guest bathrooms: The non-contact washbasin fitting **HANSACONCERTO** looks good in every setting.

# HANSACONCERTO: ONE RANGE, LOTS OF OPTIONS.

Whatever you expect from a sensory fitting – **HANSACONCERTO** will meet your requirements. The versatile range with the discrete, universal design includes a variety of models to meet very different needs. **HANSACONCERTO** is available as a pre-tempered water fitting or can be converted into a cold water fitting that is either battery-operated or connected to the mains power supply. One version of the flexible series models can also be implemented as a modern free-standing fitting on pedestal washbasins by increasing the height of the base. Thanks to its range of possible options and functions, **HANSACONCERTO** is convincing in both private bathrooms and public areas.



The two **HANSACONCERTO** models with a "classic" design are available for mains operation and – even simpler – for battery operation. The non-contact operation also helps to protect the surface finishes: They stay cleaner and more hygienic for longer.



This version, which is also available with a pedestal, ensures greater freedom of hand movement, in particular, due to the high spout.



Exceptional, yet also very practical in private bathrooms: The long spout can be easily swivelled to the side – also using your elbow if necessary.



Clear shapes, clear benefits:  
The non-contact HANSALANO  
combines a convincing look with  
excellent performance.



# HANSALANO: STYLISH AND MINIMALIST.

It has everything you need: The timeless modern design of HANSALANO is an elegant, user-friendly solution for private bathrooms. The sensory function of the HANSALANO ensures that the chrome surface is not covered in annoying fingerprints. Not only does this save time on cleaning, but also guarantees good hand hygiene.

The mixer fitting is operated with a 6 V battery. The water temperature can be set simply and accurately to save water and energy.



Responds to the closeness of your  
hands: HANSALANO

# CONTACTLESS YET IMPRESSIVE: HANSA ELECTRONIC FITTINGS.

HANSA electronic fittings for public areas combine the seemingly impossible: appealing design and exceptional quality, yet easy to clean, practical operation and low-maintenance material quality that withstands even the toughest use.

No wonder then that they are often employed in buildings with upscale architectural requirements, such as hotels and restaurants, airports, convention centres or VIP areas.



The **HANSAMIX E** is the electronic variant in the extensive **HANSAMIX** programme.



With the **HANSA DESIGNNO T** (T for Tiptronic), the water flow is controlled by tapping gently on the electronic start/stop button.



With its appealing design and simple electronic controls, **HANSA COBRA** is an attractive option.

Minimalist in design, offering many combinations and with all the technical extras:  
The **HANSA PUBLIC E** is perfect for the public sector.





# LOVE THE PUBLIC: HANSANOVA STYLE AND HANSAPUBLIC.

Doing without hot water does not mean that you also have to limit your aesthetic requirements. HANSANOVA provides compelling evidence of this. With cool, clear lines and confident curves, the cold water outlet is one of the truly great classics in the HANSA range and thanks to consistent modifications, it is more contemporary than ever.


A new control element with a delicate lever coherently integrates function with form on the HANSANOVA STYLE; various colours and an optional thermostat add to the already broad application range. HANSANOVA STYLE can be installed almost without any space restrictions and goes with a variety of styles.





The fundamental design of **HANSAPUBLIC** and **HANSANOVA STYLE** highlights the obvious link between the two. Providing the utmost of comfort and consistent functionality, the mixed water fitting **HANSAPUBLIC** is most suited to the modern architecture of public spaces although it also fits perfectly in private bathrooms with a minimalist design.

Thanks to its classic, pure and absolutely timeless design, **HANSAPUBLIC** can be easily combined with other ranges.



The **HANSAPUBLIC** is available in two different lengths (235 – 300 mm / 160 – 225 mm) and with different diameters (19 mm / 26 mm).



Regardless of whether it is installed as a pillar tap (large image on left) or wall outlet (image at top): **HANSANOVA STYLE** always looks excellent regardless of whether it is used in public or private rooms.

# DESIGN YOUR OWN RANGE WITH US: HANSA**SERVICE***plus*



Put your stamp on your bathroom: with individual designs. Corporate identity may be the talk of the town, but it has yet to arrive in the bathroom. Design your HANSA fittings to suit your business and your personality. Whatever your specification, be it names or other materials, with HANSA**SERVICE***plus* you can put your stamp on your HANSA fittings. Impressive!



Show your true colours: with individual surfaces. Bathrooms are an expression of style and taste. And the fittings do not always speak the same language as the person. HANSA**SERVICE***plus* is the ideal translator – design your bathroom in your colours. Choose unusual surfaces for your fittings. Fly your flag. Show your true colours. And surprise your guests ...

# RANGE

CONTENTS OF HANSA FITTING RANGES	124
RECOMMENDED COMBINATIONS	126
PRODUCT OVERVIEW	128

## HANSA|EDITION

Visionary, fascinating, emotional

HANSAL <b>ATRAVA</b>	128
HANSAC <b>CANYON</b>	128
HANSAM <b>MURANO</b>	128

## HANSA|LIVING

Modern, expressive, individual

HANSAL <b>LOFT</b>	129
HANSAD <b>ESIGNO</b>	132
HANSAL <b>IGNA</b>	135
HANSAS <b>TELA</b>	138
HANSAR <b>ONDA</b>	141

## HANSA|HOME

Reliable, functional, durable

**NEW**

HANSAM <b>MIX</b>	146
HANSAS <b>SIGNA</b>	147
HANSAP <b>PRADO</b>	147
HANSAF <b>ORM</b>	148
HANSAD <b>ISC</b>	149
HANSAT <b>WIST</b>	150
HANSAV <b>ANTIS</b>	151
HANSAP <b>INTO</b>	152
HANSAP <b>PRIMO</b>	153
HANSAP <b>OLO</b>	154
HANSAP <b>ICO</b>	155

## PROGRAM ADDITIONS

Exposed thermostats	156
HANSA shower systems	158
Shower series	159
Shower range series independent	163
Accessories	166

## PUBLIC / ELECTRONIC

**NEW**


ELECTRONIC	168
PUBLIC	170
HANSAM <b>MATRIX</b> installation system	171
HANSAV <b>AROX</b> concealed system	173
HANSAV <b>ARIO</b> concealed system/other concealed modules	174
Rim-mounted systems	175
HANSA – There for you, wherever you are.	178
HANSA – There's more to it.	Cover

# CONTENTS OF HANSA FITTING RANGES

	Basin single-lever mixer	Electronic basin	Basin mixer XL	Basin mixer XS	3-hole-fittings	Wall-mounted fitting	Open hot water heaters	Cold water pillar tap	Matching basin HANSA MINACOR	Bidet
HANSALATRAVA		<input type="checkbox"/>						<input type="checkbox"/>		
HANSACANYON		<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>		
HANSAMURANO	<input type="checkbox"/>			<input type="checkbox"/>				<input type="checkbox"/>		
HANSALOFT	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>
HANSADESIGNO/-electronic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>
HANSALIGNA	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				<input type="checkbox"/>
HANSASTECLA	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>				<input type="checkbox"/>
HANSARONDA	<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>
HANSAMIX/-electronic	<input type="checkbox"/>	<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>
HANSASIGNA	<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>				<input type="checkbox"/>
HANSAPRADO	<input type="checkbox"/>					<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>
HANSAFORM	<input type="checkbox"/>						<input type="checkbox"/>			<input type="checkbox"/>
HANSAVANTIS	<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>			<input type="checkbox"/>
HANSATWIST	<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>			<input type="checkbox"/>
HANSADISC	<input type="checkbox"/>						<input type="checkbox"/>			<input type="checkbox"/>
HANSAPINTO	<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>			<input type="checkbox"/>
HANSAPRIMO	<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>			<input type="checkbox"/>
HANSAPOLO	<input type="checkbox"/>						<input type="checkbox"/>			<input type="checkbox"/>
HANSAPICO	<input type="checkbox"/>						<input type="checkbox"/>			<input type="checkbox"/>
HANSAFIT/-electronic	<input type="checkbox"/>	<input type="checkbox"/>								
HANSALANO		<input type="checkbox"/>								
HANSACONCERTO		<input type="checkbox"/>				<input type="checkbox"/>				
HANSAPUBLIC/-electronic		<input type="checkbox"/>				<input type="checkbox"/>				
HANSACOBRA electronic		<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>			
HANSANOVA STYLE						<input type="checkbox"/>	<input type="checkbox"/>			



The overview shows you at a glance which products you will find in the individual fitting ranges.



# RECOMMENDED COMBINATIONS

We recommend the following  
products to complement the  
range in question:

		HANSALATRAVA			HANSACANYON			HANSAMURANO			HANSALOFT			HANSADESIGNO			HANSALIGNA			HANSASTELA			HANSARONDA		
PRODUCTS: ▾	RANGES: ›	HANSAL EDITION			HANSAL LIVING																				
THERMOSTATS EXPOSED																									
HANSACUBE		■	■				■	■	■	■	■	■	■												
HANSATWISTER				■													■								
HANSATEMPRA STYLE									■	■	■	■	■				■	■							
HANSAPRISMA																	■								
HANSAMICRA																									
HANSAUNITA									■	■	■	■	■				■								
THERMOSTATS CONCEALED																									
HANSAL LIVING		■	■	■			■	■	■	■	■	■	■	■	■	■	■	■							
HANSAMIX																									
SHOWER SYSTEMS																									
HANSASMAINTSHOWER		■	■	■			■	■	■	■	■	■	■	■	■	■	■	■							
HANSAFORSENSES		■	■	■			■	■	■	■	■	■	■	■	■	■	■	■							
HANSAL LIVING SHOWER SYSTEMS		■		■			■	■	■	■	■	■	■	■	■	■	■	■							
HANSAVIVA SHOWER SYSTEMS				■			■	■	■	■	■	■	■	■	■	■	■	■							
HAND SHOWERS																									
HANSACLEAR		■	■	■													■	■							
HANSAPUREJET														■	■	■									
HANSADESIGNO									■	■	■	■	■												
HANSASTILO		■	■				■	■	■	■	■	■	■	■	■	■	■	■							
HANSAVIVA, HANSAVIVA FLEX																	■	■							
HANSAMEDIJET, HANSAMEDIJET FLEX																	■	■							
HANSABASICJET																									
HANSA MINACOR BASINS		■	■	■																					
RIM-MOUNTED																									
HANSALOFT							■	■	■	■	■	■	■												
HANSADESIGNO				■				■	■	■	■	■	■												
HANSALIGNA													■	■	■	■									
HANSASTELA		■	■														■	■							
HANSARONDA																		■							
NEUTRAL COMPONENTS																									
PRODUCT SYSTEMS																									
HANSAMATRIX		■	■	■			■	■	■	■	■	■	■	■	■	■	■	■							

You will find a wide variety of modern and innovative designs and functions in the HANSA range. Most ranges are fully equipped to comprehensively plan your bathroom. You are therefore always free to turn your own bathroom ideas and requirements into reality with products from HANSA.

To make it easier for you to immerse yourself in your bathroom atmosphere or assess a range with a convenience product like a shower system or a thermostat, we have put this overview together for you.

The space available and technical situation on-site is naturally decisive in terms of practicality.

[illegible]


## HANSALATRAVA



### Washbasin



**HANSALATRAVA**  
**electronically operated**  
**mixer for basin, DN 15**  
0747 2201 chrome  
with drain filter, mains supply  
projection: 194 mm



**HANSALATRAVA**  
**countertop washbasin,**  
**without mixer**  
0747 1000 alpine white

mineral material MINACOR,  
including non-closable drain  
valve

## HANSACANYON



### Washbasin



**HANSACANYON**  
**electronically operated**  
**mixer for basin, DN 15**  
0761 2201 chrome  
mains supply, with drain filter  
projection: 100 mm




**HANSACANYON XS**  
**electronically operated**  
**mixer for basin, DN 15**  
0760 2201 chrome  
mains supply, with drain filter  
projection: 100 mm



**HANSACANYON**  
**countertop washbasin,**  
**without mixer**  
0761 1000 alpine white

mineral material MINACOR,  
including non-closable drain  
valve

## HANSAMURANO



### Washbasin



**HANSAMURANO**  
**one-hole single-lever basin**  
**mixer, DN 15**  
5609 2101 78 clear glass  
5609 2101 79 chrome,  
satined glass  
projection: 164 mm




**HANSAMURANO**  
**one-hole single-lever basin**  
**mixer, DN 15**  
5608 2101 78 chrome,  
glass clear  
5608 2101 79 chrome,  
satined glass  
without draw-rod  
projection: 164 mm



**HANSAMURANO XS**  
**single-lever bath and bidet**  
**mixer, DN 15**  
5606 3201 78 chrome,  
glass clear  
5606 3201 79 chrome,  
satined glass  
projection: 147 mm



**HANSAMURANO**  
**EDITION CENEDESE**  
**one-hole single-lever basin**  
**mixer, DN 15**  
5611 2201 surface finish  
chrome  
5611 2201 59 surface finish  
platinum-tone  
5611 2201 95 surface finish  
gold-tone  
without glass bowl, compatible  
with manufacturers bowl  
5612 xxxx, glass colour  
and fitting surface can be  
combined individually



**HANSAMURANO**  
**EDITION CENEDESE**  
5612 0200 glass „Ametista“  
for fitting 5611 2201



**HANSAMURANO**  
**EDITION CENEDESE**  
5612 0300 glass „Ambra“  
for fitting 5611 2201



**HANSAMURANO**  
**EDITION CENEDESE**  
5612 0400 glass „Oro“  
for fitting 5611 2201



**HANSAMURANO**  
**EDITION CENEDESE**  
5612 0500 glass  
„Spirale Bianca“  
for fitting 5611 2201



**HANSAMURANO**  
**countertop washbasin,**  
**without mixer**  
5608 1000 alpine white

mineral material MINACOR,  
including non-closable drain  
valve



## HANSALOFT

### Washbasin



**HANSALOFT**  
**one-hole single-lever basin mixer, DN 15**  
5755 2103 chrome  
pop-up waste (metal),  
connection using copper pipes  
projection: 146 mm

**HANSALOFT**  
**one-hole single-lever basin mixer, DN 15**  
5755 2203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 146 mm

**HANSALOFT**  
**one-hole single-lever basin mixer, DN 15**  
5752 2203 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 146 mm

**HANSALOFT**  
**one-hole single-lever basin mixer, DN 15**  
5769 2103 chrome  
for flat countertop washbasins,  
without pop-up waste,  
connection using copper pipes  
projection: 151 mm

**HANSALOFT**  
**one-hole single-lever basin mixer, DN 15**  
5754 2103 chrome  
pop-up waste (metal),  
connection using copper pipes  
projection: 114 mm

**HANSALOFT**  
**one-hole single-lever basin mixer, DN 15**  
5754 2203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 114 mm

### Washbasin concealed HANSAVARIO

### Washbasin concealed HANSAMATRIX

### Bidet



**HANSALOFT**  
**one-hole single-lever basin mixer, DN 15**  
5753 2203 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 114 mm

**HANSALOFT**  
**one-hole single-lever basin mixer, DN 15**  
5756 2103 chrome  
for flat countertop washbasins,  
without pop-up waste,  
connection using copper pipes  
projection: 114 mm

**HANSALOFT**  
**three-hole basin mixer, DN15**  
5768 2103 chrome  
Pop-up waste (metal),  
Projection 166 mm

**HANSALOFT**  
**trim kit wall-mounted single-lever basin mixer, DN 15\***  
5777 2103 chrome  
projection: 193 mm


**HANSALOFT**  
**trim kit wall-mounted single-lever basin mixer, DN 15\***  
5757 2103 chrome  
projection: 197 mm

**HANSALOFT**  
**one-hole single-lever mixer, DN15**  
5758 3203 chrome  
Pop-up waste (metal),  
connection with flexible  
hoses G 3/8

**HANSALOFT**  
**one-hole single-lever mixer, DN 15**  
5766 3203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 97 mm

### Bath/Shower

### Bath/Shower / HANSAVAROX UP



**HANSALOFT**  
**single-lever bath mixer, DN 15 G1/2**  
5770 2103 chrome  
projection: 162 mm

**HANSALOFT**  
**single-lever bath mixer, DN 15 G1/2\***  
5776 2073 chrome  
ground-standing  
Projection: 200 mm

**HANSASTILO**  
**hand shower**  
5439 0100 chrome

**HANSAVAROX**  
**function unit with trim kit for HANSALOFT single-lever bath mixer\***  
5760 9003 chrome

**HANSAVAROX**  
**function unit with trim kit for HANSALOFT single-lever bath mixer\***  
5772 9003 chrome

**HANSAVAROX**  
**function unit with trim kit for HANSALOFT single-lever bath mixer with vacuum breaker\***  
5760 3003 chrome

**HANSAVAROX**  
**function unit with trim kit for HANSALOFT single-lever bath mixer with vacuum breaker\***  
5772 3003 chrome

### Bathtub



Further series neutral thermostatic mixers can be found in an overview on page 145.



**HANSAVAROX**  
**function unit with trim kit HANSA|LIVING thermostatic mixer, DN 15 (G1/2)\***  
4112 9573 chrome  
without water volume control

**HANSAVAROX**  
**function unit with trim kit HANSA|LIVING thermostatic mixer, DN 15 (G1/2)\***  
4866 9501 chrome  
without water volume control

**HANSALOFT**  
**bathtub spout, DN 15\*\***  
5765 2100 chrome  
also compatible with  
HANSAMATRIX  
projection: 193 mm

**HANSALOFT**  
**trim kit single-lever mixer for all 4-hole installation units\*\***  
5775 2073 chrome  
Projection: 184 mm



**HANSAMATRIX**  
trim kit installation set 10  
single-lever mixer, DN 15\*  
4487 4100 chrome  
suitable for HANSALOFT,  
with shower set, with bathtub  
spout, DN 15



**HANSAMATRIX**  
trim kit installation set 12  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 4120 chrome  
suitable for HANSALOFT,  
with shower set, with bathtub  
spout, DN 15



**HANSAMATRIX**  
trim kit installation set 13  
single-lever mixer, DN 15\*  
4487 4130 chrome  
suitable for HANSALOFT,  
with shower set, for distant  
positioned bathtub spout  
(HANSAFILL)



**HANSALOFT**  
single-lever shower mixer,  
DN 15 (G 1/2)  
5771 0173 chrome



**HANSALOFT**  
single-lever shower mixer,  
DN 15 (G 1/2)  
5771 9173 chrome  
for direct connection with the  
shower system  
5267 0203, 5267 0213,  
5167 0200



**HANSA|LIVING**  
shower system  
water-bearing shower rail  
5267 0203 chrome  
for the direct connection to  
exposed fittings



**HANSA|LIVING**  
shower system  
water-bearing shower rail  
5267 0213 chrome  
for the direct connection to  
exposed fittings



**HANSA**  
wall bar set 1100 mm  
4441 0190 chrome  
HANSADESIGNO hand  
shower Silverjet® shower hose  
1600 mm, chrome optic



**HANSA**  
solid-metal wall bar  
wall bar 1100 mm  
4441 0100 chrome



**HANSA**  
solid-metal wall bar  
wall bar 600 mm  
4440 0100 chrome



**HANSAVIVA**  
overhead shower, DN 15  
0418 0340 chrome  
shower head square  
250 x 250 mm  
projection: 400 mm



**HANSARAIN**  
overhead shower, DN 15  
0418 0300 chrome  
shower head, solid brass  
Ø 220 mm  
projection: 400 mm



**HANSAVIVA**  
overhead shower, DN 15  
0419 0340 chrome  
shower head square  
250 x 250 mm



**HANSARAIN**  
overhead shower, DN 15  
0419 0300 chrome  
shower head, solid brass  
Ø 220 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSALOFT single-  
lever shower mixer\*  
5762 9003 chrome



**HANSAVAROX**  
function unit with trim kit  
for HANSALOFT single-  
lever shower mixer\*  
5773 9003 chrome



**HANSAVAROX**  
function unit with trim kit  
**HANSA|LIVING**  
thermostatic mixer,  
DN 15 (G1/2)\*  
4112 9573 chrome  
without water volume control



**HANSAVAROX**  
function unit with trim kit  
**HANSA|LIVING**  
thermostatic mixer,  
DN 15 (G1/2)\*  
4866 9501 chrome  
without water volume control

Further series neutral  
thermostatic mixers can  
be found in an overview  
on page 145.




**HANSAMATRIX trim kit installation set 03 single-lever mixer, DN 15\***  
4487 4030 chrome  
suitable for HANSALOFT with wall-bar set with HANSARAIN overhead shower, DN 15



**HANSAMATRIX trim kit installation set 04 single-lever mixer, DN 15\***  
4487 4040 chrome  
suitable for HANSALOFT with shower set with HANSARAIN overhead shower, DN 15



**HANSAMATRIX trim kit installation set 01 single-lever mixer, DN 15\***  
4487 4010 chrome  
suitable for HANSALOFT with solid-metal shower bar 1100 mm



**HANSAMATRIX trim kit installation set 07 thermostatic mixer, DN 15 (G1/2)\***  
4487 0070 chrome  
suitable for HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTELA, HANSARONDA with wall-bar set with HANSARAIN overhead shower, DN 15



**HANSAMATRIX trim kit installation set 07 thermostatic mixer, DN 15 (G1/2)\***  
4487 0071 chrome  
suitable for HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTELA, HANSARONDA with wall-bar set HANSAVIVA overhead shower




**HANSAMATRIX trim kit installation set 08 thermostatic mixer, DN 15 (G1/2)\***  
4487 0080 chrome  
suitable for HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTELA, HANSARONDA with shower set with HANSARAIN overhead shower, DN 15



**HANSAMATRIX trim kit installation set 08 thermostatic mixer, DN 15 (G1/2)\***  
4487 0081 chrome  
suitable for HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTELA, HANSARONDA with shower set HANSAVIVA overhead shower


## Accessories bath/shower




**HANSAMATRIX trim kit installation set 05 thermostatic mixer, DN 15 (G1/2)\***  
4487 0050 chrome  
suitable for HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTELA, HANSARONDA with wall-bar set



**HANSAMATRIX trim kit installation set 06 thermostatic mixer, DN 15 (G1/2)\***  
4487 0060 chrome  
suitable for HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTELA, HANSARONDA, with shower set




**HANSA wall-mounted shower bracket**  
4444 0100 chrome



**HANSA wall-mounted shower bracket**  
4444 0173 chrome



**HANSA wall connection elbow, DN 15**  
5118 0170 chrome



**HANSA wall connection elbow, DN 15**  
5118 0173 chrome



**HANSA wall connection elbow, DN 15 with integrated stop**  
5157 0172 chrome  
can also be used as an angle valve



**HANSA wall connection elbow, DN 15 with integrated stop**  
5157 0173 chrome  
can also be used as an angle valve



**HANSA trim kit multi-way diverter\***  
0287 9172 chrome  
0287 9177 chrome, lever with black glass inlay  
0287 9178 chrome, lever with white glass inlay  
square rosette, 75x75mm, round rosette, Ø 75 mm additionally enclosed, suitable for concealed unit 0285 0100




**HANSA trim kit\***  
0228 9172 chrome  
0228 9177 chrome, lever with black glass inlay  
0228 9178 chrome, lever with white glass inlay



**HANSA trim kit\***  
0628 9105 chrome



**HANSA trim kit Pipe interrupter\***  
4481 0000 chrome  
also compatible with HANSAMATRIX



**HANSA trim kit Pipe interrupter\***  
4482 0000 chrome



**HANSADESIGNO one-hole single-lever basin mixer, DN 15**  
5103 2173 chrome  
5103 2177\*\* chrome, lever with black glass inlay  
5103 2178\*\* chrome, lever with white glass inlay  
pop-up waste (metal), connection using copper pipes  
projection: 166 mm

**HANSADESIGNO one-hole single-lever basin mixer, DN 15**  
5103 2273 chrome  
5103 2277\*\* chrome, lever with black glass inlay  
5103 2278\*\* chrome, lever with white glass inlay  
pop-up waste (metal), connection with flexible hoses G 3/8  
projection: 166 mm

**HANSADESIGNO one-hole single-lever basin mixer, DN 15**  
5149 2173 chrome  
5149 2177\*\* chrome, lever with black glass inlay  
5149 2178\*\* chrome, lever with white glass inlay  
without pop-up waste, connection using copper pipes  
projection: 166 mm

**HANSADESIGNO one-hole single-lever basin mixer, DN 15**  
5121 2173 chrome  
5121 2177\*\* chrome, lever with black glass inlay  
5121 2178\*\* chrome, lever with white glass inlay  
for open hot water heaters, pop-up waste (metal), connection using copper pipes  
projection: 166 mm

**HANSADESIGNO one-hole single-lever basin mixer, DN 15**  
5171 2173 chrome  
5171 2177\*\* chrome, lever with black glass inlay  
5171 2178\*\* chrome, lever with white glass inlay  
pop-up waste (metal), connection using copper pipes  
projection: 125 mm

**HANSADESIGNO one-hole single-lever basin mixer, DN 15**  
5171 2273 chrome  
5171 2277\*\* chrome, lever with black glass inlay  
5171 2278\*\* chrome, lever with white glass inlay  
pop-up waste (metal), connection with flexible hoses G 3/8  
projection: 125 mm



**HANSADESIGNO one-hole single-lever basin mixer, DN 15**  
5172 2173 chrome  
5172 2177\*\* chrome, lever with black glass inlay  
5172 2178\*\* chrome, lever with white glass inlay  
without pop-up waste, connection using copper pipes  
projection: 125 mm

**HANSADESIGNO one-hole single-lever basin mixer, DN 15**  
5191 1173 chrome  
5191 1177\*\* chrome, lever with black glass inlay  
5191 1178\*\* chrome, lever with white glass inlay  
for open hot water heaters, pop-up waste (metal), connection using copper pipes  
projection: 125 mm


**HANSA|LIVING X - Plate**  
6637 0000 chrome

**HANSADESIGNO one-hole single-lever basin mixer, DN 15**  
5169 2173 chrome  
5169 2177\*\* chrome, lever with black glass inlay  
5169 2178\*\* chrome, lever with white glass inlay  
for washbowls, without pop-up waste, connection using copper pipes  
projection: 150 mm

**HANSA|LIVING X - Plate**  
6636 0000 chrome

**HANSADESIGNO basin pillar valve, DN 15**  
5135 2172 chrome  
5135 2177\*\* chrome, lever with black glass inlay  
5135 2178\*\* chrome, lever with white glass inlay  
projection: 100 mm

**HANSADESIGNO two handle/three-hole basin mixer, DN 15**  
5105 2173 chrome  
5105 2177\*\* chrome, lever with black glass inlay  
5105 2178\*\* chrome, lever with white glass inlay  
pop-up waste (metal)  
projection: 166 mm



**HANSADESIGNO trim kit wall-mounted basin mixer, DN 15\***  
5106 2173 chrome  
5106 2177\*\* chrome, lever with black glass inlay  
5106 2178\*\* chrome, lever with white glass inlay  
projection: 200 mm

**HANSADESIGNO trim kit wall-mounted single-lever basin mixer, DN 15\***  
5109 2173 chrome  
5109 2177\*\* chrome, lever with black glass inlay  
5109 2178\*\* chrome, lever with white glass inlay  
projection: 200 mm

**HANSADESIGNO trim kit wall-mounted single-lever basin mixer, DN 15\***  
5109 2173 chrome  
5109 2177\*\* chrome, lever with black glass inlay  
5109 2178\*\* chrome, lever with white glass inlay  
projection: 200 mm

**HANSADESIGNO one-hole single-lever mixer, DN 15**  
5173 3273 chrome  
5173 3277\*\* chrome, lever with black glass inlay  
5173 3278\*\* chrome, lever with white glass inlay  
for bidet, pop-up waste (metal), connection with flexible hoses G 3/8  
projection: 100 mm

**HANSA|LIVING X - Plate**  
6637 0000 chrome

**HANSADESIGNO single-lever bath mixer, DN 15 G1/2**  
5185 2173 chrome  
5185 2177\*\* chrome, lever with black glass inlay  
5185 2178\*\* chrome, lever with white glass inlay  
projection: 184 mm

**HANSADESIGNO hand shower, DN 15**  
5117 0200 chrome

Washbasin concealed  
**HANSAVARIO**

Washbasin concealed  
**HANSAMATRIX**

Bidet

Bath/Shower

Bath/Shower / HANSAVAROX UP



**HANSASTILO**  
hand shower  
5439 0100 chrome



**HANSADESIGNO**  
single-lever bath mixer,  
DN 15 (G1/2)\*  
5327 2073 chrome  
5327 2077\*\* chrome,  
lever with black glass inlay  
5327 2078\*\* chrome,  
lever with white glass inlay  
ground-standing  
projection: 200 mm



**HANSAVAROX**  
function unit with trim kit  
for **HANSADESIGNO**  
single-lever bath mixer\*  
4111 9573 chrome  
4111 9577\*\* chrome, lever  
with black glass inlay  
4111 9578\*\* chrome, lever  
with white glass inlay



**HANSAVAROX**  
function unit with trim kit  
for **HANSADESIGNO**  
single-lever bath mixer\*  
4111 9583 chrome



**HANSAVAROX**  
function unit with trim kit  
for **HANSADESIGNO**  
single-lever bath mixer  
with vacuum breaker\*  
4111 3573 chrome  
4111 3577\*\* chrome, lever  
with black glass inlay  
4111 3578\*\* chrome, lever  
with white glass inlay



**HANSAVAROX**  
function unit with trim kit  
for **HANSADESIGNO**  
single-lever bath mixer  
with vacuum breaker\*  
4111 3583 chrome



**HANSAVAROX**  
function unit with trim kit  
**HANSA[LIVING]**  
thermostatic mixer,  
DN 15 (G1/2)\*  
4112 9573 chrome  
without water volume control



**HANSAVAROX**  
function unit with trim kit  
**HANSA[LIVING]**  
thermostatic mixer,  
DN 15 (G1/2)\*  
4866 9501 chrome  
without water volume control

Further series neutral  
thermostatic mixers can  
be found in an overview  
on page 145.

Bathtub



**HANSADESIGNO**  
bathtub spout, DN 15  
5116 2170 chrome  
also compatible with  
**HANSAMATRIX**  
projection: 180 mm



**HANSADESIGNO**  
trim kit single-lever mixer  
for all 4-hole installation  
units\*  
5312 2073 chrome  
5312 2077\*\* chrome, lever  
with black glass inlay  
5312 2078\*\* chrome, lever  
with white glass inlay  
projection: 184 mm



**HANSADESIGNO**  
trim kit single-lever mixer  
for all 3-hole installation  
units\*  
5325 9073 chrome  
5325 9077\*\* chrome, lever  
with black glass inlay  
5325 9078\*\* chrome, lever  
with white glass inlay  
for distant positioned bathtub  
spout (HANSAFILL), without  
HANSAFILL tub filler and drain  
assembly


Bath/Shower / HANSAMATRIX UP



**HANSAMATRIX**  
trim kit installation set 10  
single-lever mixer, DN 15\*  
4487 0100 chrome  
suitable for **HANSADESIGNO**,  
with shower set, with bathtub  
spout, DN 15

**HANSAMATRIX**  
trim kit installation set 09  
single-lever mixer, DN 15\*  
4487 0090 chrome  
suitable for **HANSADESIGNO**  
with wall-bar set with bathtub  
spout, DN 15

Shower



**HANSAMATRIX**  
trim kit installation set 11  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0110 chrome  
suitable for **HANSADESIGNO**  
with wall-bar set with bathtub  
spout, DN 15



**HANSAMATRIX**  
trim kit installation set 12  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0120 chrome  
suitable for **HANSADESIGNO**,  
with shower set, with bathtub  
spout, DN 15



**HANSAMATRIX**  
trim kit installation set 13  
single-lever mixer, DN 15\*  
4487 0130 chrome  
suitable for **HANSADESIGNO**,  
with shower set, for distant  
positioned bathtub spout  
(HANSAFILL)



**HANSADESIGNO**  
single-lever shower mixer,  
DN 15 (G 1/2)\*  
5186 0173 chrome  
5186 0177\*\* chrome, lever  
with black glass inlay  
5186 0178\*\* chrome, lever  
with white glass inlay



**HANSADESIGNO**  
single-lever shower mixer,  
DN 15 (G 1/2)\*  
5186 9173 chrome  
for direct connection with the  
shower system  
5267 0203, 5267 0213,  
5167 0200



**HANSA[LIVING]**  
shower system  
water-bearing shower rail\*  
5267 0203 chrome  
for the direct connection to  
exposed fittings



**HANSA[LIVING]**  
shower system  
water-bearing shower rail\*  
5267 0213 chrome  
for the direct connection to  
exposed fittings





**HANSA**  
wall bar set 1100 mm  
4441 0190 chrome  
HANSADESIGNO hand  
shower Silverjet® shower hose  
1600 mm, chrome optic



**HANSA**  
solid-metal wall bar  
wall bar 1100 mm  
4441 0100 chrome



**HANSA**  
solid-metal wall bar  
wall bar 600 mm  
4440 0100 chrome



**HANSAVIVA**  
overhead shower, DN 15  
0418 0340 chrome  
shower head square  
250 x 250 mm  
projection: 400 mm



**HANSARAIN**  
overhead shower, DN 15  
0418 0300 chrome  
shower head, solid brass  
Ø 220 mm  
projection: 400 mm



**HANSAVIVA**  
overhead shower, DN 15  
0419 0340 chrome  
shower head square  
250 x 250 mm



**HANSARAIN**  
overhead shower, DN 15  
0419 0300 chrome  
shower head, solid brass  
Ø 220 mm

#### Shower / HANSAVAROX UP



**HANSAVAROX**  
function unit with trim kit  
for HANSADESIGNO  
single-lever shower mixer\*  
4110 9573 chrome, lever  
with black glass inlay  
4110 9578\*\* chrome, lever  
with white glass inlay



**HANSAVAROX**  
function unit with trim kit  
for HANSADESIGNO  
single-lever shower mixer\*  
4110 9583 chrome



**HANSAVAROX**  
function unit with trim kit  
HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2)\*  
4112 9573 chrome  
without water volume control



**HANSAVAROX**  
function unit with trim kit  
HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2)\*  
4866 9501 chrome  
without water volume control

Further series neutral  
thermostatic mixers can  
be found in an overview  
on page 145.


#### Shower / HANSAMATRIX UP



**HANSAMATRIX**  
trim kit installation set 03  
single-lever mixer, DN 15\*  
4487 0030 chrome  
suitable for HANSADESIGNO  
with wall-bar set with  
HANSARAIN overhead shower,  
DN 15




**HANSAMATRIX**  
trim kit installation set 04  
single-lever mixer, DN 15\*  
4487 0040 chrome  
suitable for HANSADESIGNO  
with shower set with  
HANSARAIN overhead shower,  
DN 15



**HANSAMATRIX**  
trim kit installation set 01  
single-lever mixer, DN 15\*  
4487 0010 chrome  
suitable for HANSADESIGNO  
with solid-metal shower bar  
1100 mm



**HANSAMATRIX**  
trim kit installation set 02  
single-lever mixer, DN 15\*  
4487 0020 chrome  
suitable for HANSADESIGNO,  
with wall-mounted shower  
bracket



**HANSAMATRIX**  
trim kit installation set 07  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0070 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with wall-bar  
set with HANSARAIN overhead  
shower, DN 15



**HANSAMATRIX**  
trim kit installation set 07  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0071 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with wall-bar  
set HANSAVIVA overhead  
shower



**HANSAMATRIX**  
trim kit installation set 08  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0080 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with shower  
set with HANSARAIN overhead  
shower, DN 15



**HANSAMATRIX**  
trim kit installation set 08  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0081 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with shower  
set HANSAVIVA overhead  
shower



**HANSAMATRIX**  
trim kit installation set 05  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0050 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with wall-  
bar set

## Accessories bath/shower



**HANSAMATRIX**  
trim kit installation set 06  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0060 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA, with  
shower set



**HANSA**  
wall-mounted shower  
bracket  
4444 0100 chrome



**HANSA**  
wall-mounted shower  
bracket  
4444 0173 chrome



**HANSA**  
wall connection elbow,  
DN 15  
5118 0170 chrome



**HANSA**  
wall connection elbow,  
DN 15  
5118 0173 chrome



**HANSA**  
wall connection elbow,  
DN 15  
with integrated stop  
5157 0172 chrome  
can also be used as an  
angle valve



**HANSA**  
wall connection elbow,  
DN 15  
with integrated stop  
5157 0173 chrome  
can also be used as an  
angle valve



**HANSA**  
trim kit  
multi-way diverter\*  
0287 9172 chrome  
0287 9177\*\* chrome, lever  
with black glass inlay  
0287 9178\*\* chrome, lever  
with white glass inlay  
square rosette, 75x75mm,  
round rosette, Ø 75 mm  
additionally enclosed, suitable  
for concealed unit 0285 0100



**HANSA**  
trim kit\*  
0228 9172 chrome  
0228 9177\*\* chrome,  
lever with black glass inlay  
0228 9178\*\* chrome,  
lever with white glass inlay



**HANSA**  
trim kit\*  
0628 9105 chrome



**HANSA**  
trim kit  
Pipe interrupter\*  
4481 0000 chrome  
also compatible with  
HANSAMATRIX



**HANSA**  
trim kit  
Pipe interrupter\*  
4482 0000 chrome

## HANSALIGNA

### Washbasin



**HANSALIGNA**  
one-hole single-lever basin  
mixer, DN 15  
5530 2203 chrome  
spout: swivel, pop-up waste  
(metal), connection with  
flexible hoses G 3/8  
projection: 116 mm



**HANSALIGNA**  
one-hole single-lever basin  
mixer, DN 15  
5535 2203 chrome  
spout: swivel, without pop-up  
waste, connection with flexible  
hoses G 3/8  
projection: 116 mm



**HANSA|LIVING**  
X - Plate  
6636 0000 chrome



**HANSALIGNA**  
one-hole single-lever basin  
mixer, DN 15  
0609 2203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 108 mm



**HANSALIGNA**  
one-hole single-lever basin  
mixer, DN 15  
0609 2103 chrome  
pop-up waste (metal),  
connection using copper pipes  
projection: 108 mm




**HANSALIGNA**  
one-hole single-lever basin  
mixer, DN 15  
0608 2203 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 108 mm



**HANSALIGNA**  
one-hole single-lever basin  
mixer XS, DN 15  
0607 2203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 94 mm




**HANSALIGNA**  
one-hole single-lever basin  
mixer, DN 15  
0613 1103 chrome  
for open hot water heaters,  
pop-up waste (metal),  
connection using copper pipes  
projection: 108 mm




**HANSA|LIVING**  
X - Plate  
6637 0000 chrome




**HANSALIGNA**  
one-hole single-lever basin  
mixer, DN 15  
0603 2203 chrome  
for washbowls, connection  
with flexible hoses G 3/8,  
without pop-up waste  
projection: 150 mm



**HANSA|LIVING**  
X - Plate  
6636 0000 chrome



**HANSALIGNA**  
two handle/three-hole  
basin mixer, DN 15  
0645 2103 chrome  
pop-up waste (metal)  
projection: 108 mm



**HANSALIGNA**  
trim kit  
wall-mounted basin mixer,  
DN 15\*  
0642 2103 chrome  
projection: 186 mm

Washbasin concealed  
**HANSAVARIO**



**HANSALIGNA trim kit**  
**wall-mounted single-lever basin mixer, DN 15\***  
0640 2103 chrome  
projection: 185 mm

Washbasin concealed  
**HANSAMATRIX**



**HANSALIGNA trim kit**  
**wall-mounted single-lever basin mixer, DN 15\***  
4489 2103 chrome  
projection: 190 mm

**Bidet**



**HANSALIGNA one-hole single-lever mixer, DN 15**  
0606 3203 chrome  
for bidet, pop-up waste (metal), connection with flexible hoses G 3/8  
projection: 100 mm



**HANSA|LIVING X - Plate**  
6637 0000 chrome

**Bath/Shower**



**HANSALIGNA single-lever bath mixer, DN 15 (G 1/2) for wall-mounting**  
0674 2103 chrome  
projection: 152 mm



**HANSAPUREJET Set for bath mixers**  
0401 0210 chrome  
HANSAPUREJET Mono, Silverjet® shower hose 1250 mm, chrome optic



**HANSALIGNA single-lever bath mixer, DN 15 G1/2\***  
0646 2083 chrome  
ground-standing  
projection: 200 mm

**Bath/Shower / HANSAVAROX UP**



**HANSAVAROX function unit with trim kit HANSALIGNA single-lever bath mixer\***  
4385 9513 chrome



**HANSAVAROX function unit with trim kit HANSALIGNA single-lever bath mixer\***  
4385 9503 chrome



**HANSAVAROX function unit with trim kit HANSALIGNA single-lever bath mixer with vacuum breaker\***  
4385 3513 chrome  
with vacuum breaker



**HANSAVAROX function unit with trim kit HANSALIGNA single-lever bath mixer with vacuum breaker\***  
4385 3503 chrome  
with vacuum breaker



**HANSAVAROX function unit with trim kit HANSA|LIVING thermostatic mixer, DN 15 (G1/2)\***  
4112 9573 chrome  
without water volume control



**HANSAVAROX function unit with trim kit HANSA|LIVING thermostatic mixer, DN 15 (G1/2)\***  
4866 9501 chrome  
without water volume control

Further series neutral thermostatic mixers can be found in an overview on page 145.


**Bathtub**



**HANSALIGNA bathtub spout, DN 15 (G 1/2)\*\***  
0682 2102 chrome  
projection: 180 mm



**HANSALIGNA trim kit single-lever mixer for all 4-hole installation units\***  
0644 2083 chrome  
projection: 180 mm



**HANSALIGNA trim kit single-lever mixer for all 4-hole installation units\***  
0643 9083 chrome  
for distant positioned bathtub spout (HANSAFILL), without HANSAFILL tub filler and drain assembly

**Bath/Shower / HANSAMATRIX UP**



**HANSAMATRIX trim kit installation set 09 single-lever mixer, DN 15\***  
4487 1090 chrome  
suitable for HANSALIGNA with wall-bar set with bathtub spout, DN 15



**HANSAMATRIX trim kit installation set 10 single-lever mixer, DN 15\***  
4487 1100 chrome  
suitable for HANSALIGNA, with shower set, with bathtub spout, DN 15



**HANSAMATRIX trim kit installation set 11 thermostatic mixer, DN 15 (G1/2)\***  
4487 1110 chrome  
suitable for HANSALIGNA with wall-bar set with bathtub spout, DN 15



**HANSAMATRIX trim kit installation set 12 thermostatic mixer, DN 15 (G1/2)\***  
4487 1120 chrome  
suitable for HANSALIGNA, with shower set, with bathtub spout, DN 15

## Shower



**HANSAMATRIX**  
trim kit installation set 13  
single-lever mixer, DN 15\*  
4487 1130 chrome  
suitable for HANSALIGNA,  
with shower set, for distant  
positioned bathtub spout  
(HANSAFILL)



**HANSALIGNA**  
single-lever shower mixer,  
DN 15 (G 1/2)  
for wall-mounting  
0667 0103 chrome



**HANSAPUREJET**  
wall bar set 900 mm  
0456 0220 chrome  
HANSAPUREJET Duo Silverjet®  
shower hose 1750 mm,  
chrome optic



**HANSAVIVA**  
overhead shower, DN 15  
0418 0340 chrome  
shower head square  
250 x 250 mm  
projection: 400 mm



**HANSARAIN**  
overhead shower, DN 15  
0418 0300 chrome  
shower head, solid brass  
Ø 220 mm  
projection: 400 mm



**HANSAVIVA**  
overhead shower, DN 15  
0419 0340 chrome  
shower head square  
250 x 250 mm



**HANSARAIN**  
overhead shower, DN 15  
0419 0300 chrome  
shower head, solid brass  
Ø 220 mm

## Shower / HANSAVAROX UP



**HANSAVAROX**  
function unit with trim kit  
for HANSALIGNA  
single-lever shower mixer\*  
4387 9513 chrome



**HANSAVAROX**  
function unit with trim kit  
for HANSALIGNA  
single-lever shower mixer\*  
4387 9503 chrome




**HANSAVAROX**  
function unit with trim kit  
HANSA[LIVING]  
thermostatic mixer,  
DN 15 (G1/2)\*  
4112 9573 chrome  
without water volume control



**HANSAVAROX**  
function unit with trim kit  
HANSA[LIVING]  
thermostatic mixer,  
DN 15 (G1/2)\*  
4866 9501 chrome  
without water volume control

Further series neutral  
thermostatic mixers can  
be found in an overview  
on page 145.

## Shower / HANSAMATRIX UP



**HANSAMATRIX**  
trim kit installation set 03  
single-lever mixer, DN 15\*  
4487 1030 chrome  
suitable for HANSALIGNA with  
wall-bar set with HANSARAIN  
overhead shower, DN 15



**HANSAMATRIX**  
trim kit installation set 04  
single-lever mixer, DN 15\*  
4487 1040 chrome  
suitable for HANSALIGNA with  
shower set with HANSARAIN  
overhead shower, DN 15



**HANSAMATRIX**  
trim kit installation set 01  
single-lever mixer, DN 15\*  
4487 1010 chrome  
suitable for HANSALIGNA  
with solid-metal shower bar  
1100 mm



**HANSAMATRIX**  
trim kit installation set 02  
single-lever mixer, DN 15\*  
4487 1020 chrome  
suitable for HANSALIGNA,  
with wall-mounted shower  
bracket



**HANSAMATRIX**  
trim kit installation set 07  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0070 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with wall-bar  
set with HANSARAIN overhead  
shower, DN 15



**HANSAMATRIX**  
trim kit installation set 07  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0071 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with wall-bar  
set HANSAVIVA overhead  
shower



**HANSAMATRIX**  
trim kit installation set 08  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0080 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with shower  
set with HANSARAIN overhead  
shower, DN 15



**HANSAMATRIX**  
trim kit installation set 08  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0081 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with shower  
set HANSAVIVA overhead  
shower




**HANSAMATRIX**  
trim kit installation set 05  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0050 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with wall-  
bar set



**HANSAMATRIX**  
trim kit installation set 06  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0060 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA, with  
shower set




**HANSA**  
wall-mounted shower  
bracket  
4444 0100 chrome



**HANSA**  
wall-mounted shower  
bracket  
4444 0173 chrome



**HANSA**  
wall connection elbow,  
DN 15  
5118 0170 chrome



**HANSA**  
wall connection elbow,  
DN 15  
5118 0173 chrome



**HANSA**  
wall connection elbow,  
DN 15  
with integrated stop  
5157 0172 chrome  
can also be used as an angle  
valve



**HANSA**  
wall connection elbow,  
DN 15  
with integrated stop  
5157 0173 chrome  
can also be used as an angle  
valve



**HANSA**  
trim kit  
multi-way diverter\*  
0287 9172 chrome  
0287 9177 chrome, lever with  
black glass inlay  
0287 9178 chrome, lever with  
white glass inlay  
square rosette, 75x75mm,  
round rosette, Ø 75 mm  
additionally enclosed, suitable  
for concealed unit 0285 0100



**HANSA**  
trim kit\*  
0228 9172 chrome  
0228 9177 chrome, lever with  
black glass inlay  
0228 9178 chrome, lever with  
white glass inlay



**HANSA**  
trim kit\*  
0628 9105 chrome



**HANSA**  
trim kit  
Pipe interrupter\*  
4481 0000 chrome  
also compatible with  
HANSAMATRIX



**HANSA**  
trim kit  
Pipe interrupter\*  
4482 0000 chrome

## HANSASTELA



## Washbasin



**HANSASTELA**  
one-hole single-lever basin  
mixer, DN 15  
5715 2201 chrome  
pop-up waste (metal)  
projection: 122 mm



**HANSASTELA**  
one-hole single-lever basin  
mixer, DN 15  
5714 2201 chrome  
without pop-up waste  
projection: 122 mm



**HANSA|LIVING**  
X - Plate  
6636 0000 chrome




**HANSASTELA**  
one-hole single-lever basin  
mixer, DN 15  
5709 2201 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 111 mm



**HANSASTELA**  
one-hole single-lever basin  
mixer, DN 15  
5708 2201 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 111 mm



**HANSASTELA**  
one-hole single-lever basin  
mixer, DN 15  
5713 1101 chrome   
for open hot water heaters,  
pop-up waste (metal),  
connection using copper pipes  
projection: 111 mm





**HANASTELA**  
one-hole single-lever basin  
mixer, DN 15  
5710 2201 chrome  
for washbowls, connection  
with flexible hoses G 3/8,  
without pop-up waste  
projection: 144 mm



**HANASTELA**  
two handle/three-hole  
basin mixer, DN 15  
5720 2203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 111 mm



**HANASTELA**  
trim kit  
wall-mounted basin mixer,  
DN 15\*  
5721 2103 chrome  
projection: 160 mm



**HANASTELA**  
trim kit  
wall-mounted basin mixer,  
DN 15\*  
5722 2103 chrome  
projection: 240 mm

Washbasin concealed  
**HANSAVARIO**



**HANASTELA**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15\*  
5783 2171 chrome  
projection: 162 mm



**HANASTELA**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15\*  
5785 2171 chrome  
projection: 242 mm

Washbasin concealed  
**HANSAMATRIX**



**HANASTELA**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15\*  
4490 2103 chrome  
projection: 166 mm

Bath/Shower



**HANASTELA**  
single-lever bath mixer,  
DN 15 (G 1/2)  
for wall-mounting  
5774 2101 chrome  
projection: 165 mm



**HANSACLEAR-Set**  
for bath mixers  
0401 0320 chrome,  
transparent  
HANSACLEAR Duo, Silverjet®  
shower hose 1250 mm,  
chrome optic

Bath/Shower / **HANSAVAROX UP**



**HANSAVAROX**  
function unit with trim kit  
for **HANASTELA**  
single-lever bath mixer\*  
4784 9051 chrome



**HANSAVAROX**  
function unit with trim kit  
for **HANASTELA**  
single-lever bath mixer\*  
4784 9041 chrome



**HANSAVAROX**  
function unit with trim kit  
for **HANASTELA**  
single-lever bath mixer  
with vacuum breaker\*  
4784 3051 chrome



**HANSAVAROX**  
function unit with trim kit  
for **HANASTELA** single-  
lever bath mixer with  
vacuum breaker\*  
4784 3041 chrome



**HANSAVAROX**  
function unit with trim kit  
**HANSA|LIVING**  
thermostatic mixer,  
DN 15 (G1/2)\*  
4112 9573 chrome  
without water volume control



**HANSAVAROX**  
function unit with trim kit  
**HANSA|LIVING**  
thermostatic mixer,  
DN 15 (G1/2)\*  
4866 9501 chrome  
without water volume control

Further series neutral  
thermostatic mixers can  
be found in an overview  
on page 145.

Bathtub



**HANASTELA**  
bathtub spout,  
DN 15 (G 1/2)\*\*  
5782 2100 chrome  
projection: 160 mm




**HANASTELA**  
trim kit single-lever mixer  
for all 4-hole installation  
units\*  
5730 2011 chrome  
projection: 177 mm



**HANASTELA**  
trim kit single-lever mixer  
for all 3-hole installation  
units\*  
5731 9011 chrome  
for distant positioned bathtub  
spout (HANSAFILL), without  
HANSAFILL tub filler and drain  
assembly

Bath/Shower / **HANSAMATRIX UP**



**HANSAMATRIX**  
trim kit installation set 09  
single-lever mixer, DN 15\*  
4487 3090 chrome  
suitable for HANASTELA with  
wall-bar set with bathtub  
spout, DN 15



**HANSAMATRIX**  
trim kit installation set 10  
single-lever mixer, DN 15\*  
4487 3100 chrome  
suitable for HANASTELA,  
with shower set, with bathtub  
spout, DN 15

## Shower



**HANSAMATRIX**  
trim kit installation set 11  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 3110 chrome  
suitable for HANSASTELA  
with wall-bar set with bathtub  
spout, DN 15



**HANSAMATRIX**  
trim kit installation set 12  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 3120 chrome  
suitable for HANSASTELA,  
with shower set, with bathtub  
spout, DN 15



**HANSAMATRIX**  
trim kit installation set 13  
single-lever mixer, DN 15\*  
4487 3130 chrome  
suitable for HANSASTELA,  
with shower set, for distant  
positioned bathtub spout  
(HANSAFILL)



**HANSASTELA**  
single-lever shower mixer,  
DN 15 (G 1/2)  
5767 0101 chrome



**HANSACLEAR**  
wall bar set 900 mm  
0456 0330 78 chrome,  
transparent  
HANSACLEAR Tri Silverjet®  
shower hose 1750 mm,  
chrome optic



**HANSAVIVA**  
overhead shower, DN 15  
0418 0340 chrome  
shower head square  
250 x 250 mm  
projection: 400 mm



**HANSARAIN**  
overhead shower, DN 15  
0418 0300 chrome  
shower head, solid brass  
Ø 220 mm  
projection: 400 mm

## Shower / HANSAVAROX UP



**HANSAVIVA**  
overhead shower, DN 15  
0419 0340 chrome  
shower head square  
250 x 250 mm



**HANSARAIN**  
overhead shower, DN 15  
0419 0300 chrome  
shower head, solid brass  
Ø 220 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSASTELA single-  
lever shower mixer\*  
4785 9051 chrome



**HANSAVAROX**  
function unit with trim kit  
for HANSASTELA  
single-lever shower mixer\*  
4785 9041 chrome




**HANSAVAROX**  
function unit with trim kit  
**HANSALIVING**  
thermostatic mixer,  
DN 15 (G1/2)\*  
4112 9573 chrome  
without water volume control




**HANSAVAROX**  
function unit with trim kit  
**HANSALIVING**  
thermostatic mixer,  
DN 15 (G1/2)\*  
4866 9501 chrome  
without water volume control

Further series neutral  
thermostatic mixers can  
be found in an overview  
on page 145.

## Shower / HANSAMATRIX UP



**HANSAMATRIX**  
trim kit installation set 03  
single-lever mixer, DN 15\*  
4487 3030 chrome  
suitable for HANSASTELA with  
wall-bar set with HANSARAIN  
overhead shower, DN 15




**HANSAMATRIX**  
trim kit installation set 04  
single-lever mixer, DN 15\*  
4487 3040 chrome  
suitable for HANSASTELA with  
shower set with HANSARAIN  
overhead shower, DN 15



**HANSAMATRIX**  
trim kit installation set 01  
single-lever mixer, DN 15\*  
4487 3010 chrome  
suitable for HANSASTELA  
with solid-metal shower bar  
1100 mm



**HANSAMATRIX**  
trim kit installation set 02  
single-lever mixer, DN 15\*  
4487 3020 chrome  
suitable for HANSASTELA, with  
wall-mounted shower bracket



**HANSAMATRIX**  
trim kit installation set 07  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0070 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with wall-bar  
set with HANSARAIN overhead  
shower, DN 15



**HANSAMATRIX**  
trim kit installation set 07  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0071 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with wall-bar  
set HANSAVIVA overhead  
shower



**HANSAMATRIX**  
trim kit installation set 08  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0080 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with shower  
set with HANSARAIN overhead  
shower, DN 15



**HANSAMATRIX**  
trim kit installation set 08  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0081 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSATELA,  
HANSARONDA with shower  
set HANSAVIVA overhead  
shower



**HANSAMATRIX**  
trim kit installation set 05  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0050 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSATELA,  
HANSARONDA with wall-  
bar set



**HANSAMATRIX**  
trim kit installation set 06  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0060 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSATELA,  
HANSARONDA, with  
shower set



**HANSA**  
wall-mounted shower  
bracket  
4444 0100 chrome



**HANSA**  
wall-mounted shower  
bracket  
4444 0173 chrome



**HANSA**  
wall connection elbow,  
DN 15  
5118 0170 chrome



**HANSA**  
wall connection elbow,  
DN 15  
5118 0173 chrome



**HANSA**  
wall connection elbow,  
DN 15  
with integrated stop  
5157 0172 chrome  
can also be used as an angle  
valve



**HANSA**  
wall connection elbow,  
DN 15  
with integrated stop  
5157 0173 chrome  
can also be used as an angle  
valve



**HANSARONDA**  
trim kit  
multi-way diverter\*  
0287 9172 chrome  
0287 9177 chrome, lever with  
black glass inlay  
0287 9178 chrome, lever with  
white glass inlay  
square rosette, 75x75mm,  
round rosette, Ø 75 mm  
additionally enclosed, suitable  
for concealed unit 0285 0100



**HANSARONDA**  
trim kit\*  
0228 9172 chrome  
0228 9177 chrome, lever with  
black glass inlay  
0228 9178 chrome, lever with  
white glass inlay



**HANSARONDA**  
trim kit\*  
0628 9105 chrome



**HANSARONDA**  
trim kit  
Pipe interrupter\*  
4481 0000 chrome  
also compatible with  
HANSAMATRIX



**HANSARONDA**  
trim kit  
Pipe interrupter\*  
4482 0000 chrome

## HANSARONDA

### Washbasin



**HANSARONDA**  
one-hole single-lever basin  
mixer, DN 15  
5526 2203 chrome  
spout: swivel, pop-up waste  
(metal), connection with  
flexible hoses G 3/8  
projection: 115 mm



**HANSARONDA**  
one-hole single-lever basin  
mixer, DN 15  
5534 2203 chrome  
spout: swivel, connection with  
flexible hoses G 3/8  
projection: 115 mm



**HANSALIVING**  
X - Plate  
6636 0000 chrome



**HANSARONDA**  
one-hole single-lever basin  
mixer, DN 15  
0309 2173 chrome  
pop-up waste (metal),  
connection using copper pipes  
projection: 100 mm




**HANSARONDA**  
one-hole single-lever basin  
mixer, DN 15  
0309 2273 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 100 mm



**HANSARONDA**  
one-hole single-lever basin  
mixer, DN 15  
0308 2273 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 100 mm



**HANSARONDA**  
**one-hole single-lever basin mixer, DN 15**  
0313 1173 chrome for open hot water heaters, pop-up waste (metal), connection using copper pipes  
projection: 100 mm



**HANSA|LIVING**  
**X - Plate**  
6637 0000 chrome



**HANSARONDA**  
**one-hole single-lever basin mixer, DN 15**  
0303 2273 chrome for washbowls, connection with flexible hoses G 3/8  
projection: 148 mm




**HANSA|LIVING**  
**X - Plate**  
6636 0000 chrome



**HANSARONDA**  
**one-hole single-lever basin mixer, DN 15**  
0301 2173 chrome extractable hand spray, pop-up waste (metal), connection using copper pipes  
projection: 125 mm

Washbasin concealed  
**HANSAVARIO**



**HANSARONDA**  
**trim kit wall-mounted single-lever basin mixer, DN 15\***  
0383 2273 chrome  
projection: 182 mm

Washbasin concealed  
**HANSAMATRIX**




**HANSARONDA**  
**trim kit wall-mounted single-lever basin mixer, DN 15\***  
4488 2103 chrome  
projection: 186 mm

Bidet



**HANSARONDA**  
**one-hole single-lever mixer, DN 15**  
0306 3273 chrome for bidet  
projection: 103 mm



**HANSA|LIVING**  
**X - Plate**  
6637 0000 chrome

Bath/Shower



**HANSARONDA**  
**single-lever bath mixer, DN 15 (G 1/2) for wall-mounting**  
0374 2173 chrome  
projection: 163 mm



**HANSAVIVA-Set for bath mixers**  
4417 0210 chrome  
HANSAVIVA hand shower, 100 mm, shower hose, 1750 mm



**HANSARONDA**  
**single-lever bath mixer, DN 15 (G 1/2)\***  
0342 2073 chrome ground-standing  
projection: 200 mm

Bath/Shower / **HANSAVAROX UP**



**HANSAVAROX**  
**function unit with trim kit for HANSARONDA single-lever bath mixer\***  
4384 9583 chrome



**HANSAVAROX**  
**function unit with trim kit for HANSARONDA single-lever bath mixer\***  
4384 9573 chrome



**HANSAVAROX**  
**function unit with trim kit for HANSARONDA single-lever bath mixer with vacuum breaker\***  
4384 3583 chrome with vacuum breaker



**HANSAVAROX**  
**function unit with trim kit for HANSARONDA single-lever bath mixer with vacuum breaker\***  
4384 3573 chrome with vacuum breaker



**HANSAVAROX**  
**function unit with trim kit HANSA|LIVING thermostatic mixer, DN 15 (G1/2)\***  
4112 9573 chrome without water volume control




**HANSAVAROX**  
**function unit with trim kit HANSA|LIVING thermostatic mixer, DN 15 (G1/2)\***  
4866 9501 chrome without water volume control

Further series neutral thermostatic mixers can be found in an overview on page 145.

Bathtub



**HANSARONDA**  
**bathtub spout, DN 15 (G 1/2)\*\***  
0582 2172 chrome  
projection: 180 mm



**HANSARONDA**  
**trim kit single-lever mixer for all 4-hole installation units\***  
0340 2073 chrome  
projection: 240 mm

Bath/Shower / HANSAMATRIX UP



**HANSARONDA**  
trim kit single-lever mixer  
for all 3-hole installation  
units\*  
0341 9073 chrome  
for distant positioned bathtub  
spout (HANSAFILL), without  
HANSAFILL tub filler and drain  
assembly



**HANSAMATRIX**  
trim kit installation set 09  
single-lever mixer, DN 15\*  
4487 2090 chrome  
suitable for HANSARONDA  
with wall-bar set with bathtub  
spout, DN 15



**HANSAMATRIX**  
trim kit installation set 10  
single-lever mixer, DN 15\*  
4487 2100 chrome  
suitable for HANSARONDA,  
with shower set, with bathtub  
spout, DN 15



**HANSAMATRIX**  
trim kit installation set 11  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 2110 chrome  
suitable for HANSARONDA  
with wall-bar set with bathtub  
spout, DN 15



**HANSAMATRIX**  
trim kit installation set 12  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 2120 chrome  
suitable for HANSARONDA,  
with shower set, with bathtub  
spout, DN 15



**HANSAMATRIX**  
trim kit installation set 13  
single-lever mixer, DN 15\*  
4487 2130 chrome  
suitable for HANSARONDA,  
with shower set, for distant  
positioned bathtub spout  
(HANSAFILL)



**HANSARONDA**  
single-lever shower mixer,  
DN 15 (G 1/2)  
for wall-mounting  
0367 0173 chrome

Shower



**HANSAVIVA**  
wall bar set 900 mm  
4415 0130 chrome  
HANSAVIVA hand shower,  
100 mm shower hose,  
1750 mm



**HANSAVIVA**  
overhead shower, DN 15  
0418 0340 chrome  
shower head square  
250 x 250 mm  
projection: 400 mm



**HANSARAIN**  
overhead shower, DN 15  
0418 0300 chrome  
shower head, solid brass  
Ø 220 mm  
projection: 400 mm



**HANSAVIVA**  
overhead shower, DN 15  
0419 0340 chrome  
shower head square  
250 x 250 mm



**HANSARAIN**  
overhead shower, DN 15  
0419 0300 chrome  
shower head, solid brass  
Ø 220 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSARONDA  
single-lever shower mixer\*  
4386 9583 chrome



**HANSAVAROX**  
function unit with trim kit  
for HANSARONDA  
single-lever shower mixer\*  
4386 9573 chrome

Shower / HANSAVAROX UP



**HANSAVAROX**  
function unit with trim kit  
HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2)\*  
4112 9573 chrome  
without water volume control



**HANSAVAROX**  
function unit with trim kit  
HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2)\*  
4866 9501 chrome  
without water volume control

Further series neutral  
thermostatic mixers can  
be found in an overview  
on page 145.



**HANSAMATRIX**  
trim kit installation set 03  
single-lever mixer, DN 15\*  
4487 2030 chrome  
suitable for HANSARONDA  
with wall-bar set with  
HANSARAIN overhead shower,  
DN 15



**HANSAMATRIX**  
trim kit installation set 04  
single-lever mixer, DN 15\*  
4487 2040 chrome  
suitable for HANSARONDA  
with shower set with  
HANSARAIN overhead shower,  
DN 15




**HANSAMATRIX**  
trim kit installation set 01  
single-lever mixer, DN 15\*  
4487 2010 chrome  
suitable for HANSARONDA  
with solid-metal shower bar  
1100 mm



**HANSAMATRIX**  
trim kit installation set 02  
single-lever mixer, DN 15\*  
4487 2020 chrome  
suitable for HANSARONDA,  
with wall-mounted shower  
bracket

Shower / HANSAMATRIX UP





**HANSAMATRIX**  
trim kit installation set 07  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0070 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with wall-bar  
set with HANSARAIN overhead  
shower, DN 15



**HANSAMATRIX**  
trim kit installation set 07  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0071 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with wall-bar  
set HANSAVIVA overhead  
shower



**HANSAMATRIX**  
trim kit installation set 08  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0080 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with shower  
set with HANSARAIN overhead  
shower, DN 15



**HANSAMATRIX**  
trim kit installation set 08  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0081 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with shower  
set HANSAVIVA overhead  
shower



**HANSAMATRIX**  
trim kit installation set 05  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0050 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA with wall-  
bar set




**HANSAMATRIX**  
trim kit installation set 06  
thermostatic mixer,  
DN 15 (G1/2)\*  
4487 0060 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA,  
with shower set

#### Accessories bath/shower




**HANSA**  
wall-mounted shower  
bracket  
4444 0100 chrome




**HANSA**  
wall-mounted shower  
bracket  
4444 0173 chrome



**HANSA**  
wall connection elbow,  
DN 15  
5118 0170 chrome



**HANSA**  
wall connection elbow,  
DN 15  
5118 0173 chrome



**HANSA**  
wall connection elbow,  
DN 15  
with integrated stop  
5157 0172 chrome  
can also be used as an  
angle valve



**HANSA**  
wall connection elbow,  
DN 15  
with integrated stop  
5157 0173 chrome  
can also be used as an  
angle valve



**HANSA**  
trim kit  
multi-way diverter\*  
0287 9172 chrome  
0287 9177 chrome, lever with  
black glass inlay  
0287 9178 chrome, lever with  
white glass inlay  
square rosette, 75x75mm,  
round rosette, Ø 75 mm  
additionally enclosed, suitable  
for concealed unit 0285 0100



**HANSA**  
trim kit\*  
0228 9172 chrome  
0228 9177 chrome, lever with  
black glass inlay  
0228 9178 chrome, lever with  
white glass inlay



**HANSA**  
trim kit\*  
0628 9105 chrome



**HANSA**  
trim kit  
Pipe interrupter\*  
4481 0000 chrome  
also compatible with  
HANSAMATRIX



**HANSA**  
trim kit  
Pipe interrupter\*  
4482 0000 chrome

concealed thermostats  
compatible with all series

Bath/Shower



**HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2) with  
integrated water volume  
control**  
4114 9562 chrome  
rosette without screws,  
squared rosette, 150x150mm,  
function unit with diverter

**HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2) with  
integrated volume control  
and vacuum breaker**  
4114 3562 chrome  
rosette without screws,  
squared rosette, 150x150mm,  
function unit with diverter

**HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2) with  
integrated water volume  
control**  
4114 9552 chrome  
rosette without screws, round  
rosette, Ø 170 mm, function  
unit with diverter

**HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2) with  
integrated volume control  
and vacuum breaker**  
4114 3552 chrome  
rosette without screws, round  
rosette, Ø 170 mm, function  
unit with diverter

Shower



**HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2) with  
integrated water volume  
control**  
4113 9562 chrome  
rosette without screws,  
squared rosette, 150x150mm,  
function unit without diverter

**HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2) with  
integrated water volume  
control**  
4113 9552 chrome  
rosette without screws, round  
rosette, Ø 170 mm, function  
unit without diverter

Without shut-off function (central thermostat)



**HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2)**  
4112 9573 chrome  
rosette without screws,  
squared rosette, 150x150mm,  
function unit without diverter

**HANSA|LIVING  
thermostatic mixer,  
DN 15 (G1/2)**  
4866 9501 chrome  
rosette without screws, round  
rosette, Ø 170 mm, function  
unit without diverter

## HANSAMIX (NEW)



## Washbasin



**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0109 2283 chrome  
pop-up waste (metal),  
connection using flexible  
pressure hoses  
projection: 141 mm



**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0109 2183 chrome  
pop-up waste (metal),  
connection using copper pipes  
projection: 141 mm



**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0109 2183 00006 chrome  
energy saving variation, pop-  
up waste (metal), connection  
using copper pipes  
projection: 141 mm



**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0104 2183 chrome  
without pop-up waste,  
weighted chain  
projection: 141 mm




**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0108 2183 chrome  
without pop-up waste,  
connection using copper pipes  
projection: 141 mm



**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0108 2283 chrome  
without pop-up waste,  
connection with flexible  
pressure hoses  
projection: 141 mm



**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0113 1183 chrome   
pop-up waste (metal),  
connection using copper pipes  
projection: 141 mm




**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0119 2183 chrome  
pop-up waste (metal), spout:  
swivel, connection using  
copper pipes  
projection: 157 mm



**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0118 2183 chrome  
without pop-up waste, spout:  
swivel, connection using  
copper pipes  
projection: 157 mm



**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0111 1183 chrome   
without pop-up waste,  
weighted chain, connection  
using copper pipes  
projection: 141 mm




**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0110 2283 chrome  
pop-up waste (metal),  
connection with flexible  
pressure hoses  
projection: 127 mm



**HANSAMIX one-hole single-lever basin mixer, DN 15**  
0116 2283 chrome  
without pop-up waste,  
connection with flexible  
pressure hoses  
projection: 127 mm



**HANSAMIX one-hole single-lever basin mixer, DN 15**  
**for open hot water heaters**  
0132 1183 chrome   
pop-up waste (metal),  
connection using copper pipes  
projection: 127 mm

## Bidet



**HANSAMIX one-hole single-lever mixer, DN 15 for bidet**  
0106 3283 chrome  
pop-up waste (metal),  
connection with flexible  
pressure hoses  
projection: 113 mm



**HANSAMIX single-lever bath mixer, DN 15 (G 1/2) for wall-mounting**  
0174 2183 chrome  
projection: 162 mm



**HANSAPUREJET Set for bath mixers**  
0401 0210 chrome  
HANSAPUREJET Mono,  
Silverjet® shower hose  
1250 mm, chrome optic



**HANSAVAROX function unit with trim kit for HANSAMIX single-lever bath mixer**  
4184 9083 chrome  
round rosette, Ø 170 mm



**HANSAVAROX function unit with trim kit for HANSAMIX single-lever bath mixer with vacuum breaker**  
4184 3083 chrome  
round rosette, Ø 170 mm



**HANSAPUREJET wall bar set 900 mm**  
0456 0220 chrome  
HANSAPUREJET Duo-  
Silverjet® shower hose  
1750 mm, chrome optic



**HANSAVAROX function unit with trim kit for HANSAMIX single-lever shower mixer**  
4185 9083 chrome  
round rosette, Ø 170 mm



**HANSAVAROX function unit with trim kit for HANSAMIX thermostatic bath mixer with integrated volume control**  
4862 9045 chrome  
round rosette, Ø 170 mm



**HANSAVAROX function unit with trim kit for HANSAMIX thermostatic bath mixer with integrated volume control and vacuum breaker**  
4862 3045 chrome  
round rosette, Ø 170 mm



**HANSAVAROX function unit with trim kit for HANSAMIX thermostatic shower mixer with integrated volume control**  
4861 9045 chrome  
round rosette, Ø 170 mm




**HANSAVAROX function unit with trim kit for HANSAMIX thermostatic mixer without volume control**  
4860 9045 chrome  
round rosette, Ø 170 mm



**HANSAMIX trim kit**  
0860 9175 chrome  
Rosette round, Ø 205 mm,  
suitable for HANSARIO  
thermostat 0804 / 0805  
DN 20 (G3/4)

## HANSASIGNA

### Washbasin



**HANSASIGNA**  
one-hole single-lever basin  
mixer, DN 15  
0163 2103 chrome  
pull pop-up waste, connection  
using copper pipes  
projection: 120 mm




**HANSASIGNA**  
one-hole single-lever basin  
mixer, DN 15  
0164 2103 chrome  
without pop-up waste,  
connection using copper pipes  
projection: 120 mm

**HANSASIGNA XL**  
one-hole single-lever basin  
mixer, DN 15  
0161 2103 chrome  
pull pop-up waste, connection  
using copper pipes  
projection: 120 mm

**HANSASIGNA XL**  
one-hole single-lever basin  
mixer, DN 15  
0162 2193 chrome  
without pop-up waste,  
connection using copper pipes  
projection: 120 mm

**HANSASIGNA**  
one-hole single-lever  
mixer, DN 15  
for bidet  
0165 3203 chrome  
pull pop-up waste, connection  
with flexible hoses G 3/8  
projection: 122 mm

### Bath/Shower



**HANSACARE**  
thermostatic bath mixer,  
DN 15 (G1/2)  
5810 1201 chrome  
5810 1001 chrome,  
without eccentric connections  
projection: 197 mm

**HANSAMEDIJET**  
hand shower low on  
aerosol, DN 15  
0416 0170 chrome

**HANSAMEDIJET FLEX**  
hand shower low on  
aerosol, DN 15  
4428 0170 chrome



**HANSAMEDIJET**  
head shower low on  
aerosol  
4429 0170 chrome  
Ø 100 mm

**HANSAMEDIJET**  
shower hose  
0412 0473 chrome, mesh  
optic, length 1250 mm  
0412 0573 chrome, mesh  
optic, length 1600 mm  
0412 0373 chrome, mesh  
optic, length 1750 mm  
0412 0273 chrome, mesh  
optic, length 2000 mm

**HANSAVAROX**  
function unit with trim kit  
for HANSASIGNA  
single-lever bath mixer  
with vacuum breaker\*  
4010 3003 chrome

**HANSAVAROX**  
function unit with trim kit  
for HANSASIGNA  
single-lever bath mixer\*  
4010 9003 chrome

### Shower



**HANSACARE**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5808 0201 chrome

**HANSAMEDIJET**  
hand shower low on  
aerosol, DN 15  
0416 0170 chrome

**HANSAMEDIJET FLEX**  
hand shower low on  
aerosol, DN 15  
4428 0170 chrome

**HANSAMEDIJET**  
shower hose  
0412 0473 chrome, mesh  
optic, length 1250 mm  
0412 0573 chrome, mesh  
optic, length 1600 mm  
0412 0373 chrome, mesh  
optic, length 1750 mm  
0412 0273 chrome, mesh  
optic, length 2000 mm


**HANSAJET**  
solid-metal wall bar  
wall bar 900 mm  
0448 0100 chrome

**HANSAMEDIJET**  
wall bar set 900 mm  
0400 0170 chrome

**HANSAVAROX**  
function unit with trim kit  
for HANSASIGNA  
single-lever shower mixer\*  
4011 9003 chrome

## HANSAPRADO

### Washbasin



**HANSAPRADO**  
one-hole single-lever basin  
mixer, DN 15  
0140 2173 chrome  
pop-up waste (metal)  
projection: 123 mm

**HANSAPRADO**  
one-hole single-lever basin  
mixer, DN 15  
0140 2273 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 123 mm

**HANSAPRADO**  
one-hole single-lever basin  
mixer, DN 15  
0157 1173 chrome #  
for open hot water heaters,  
pop-up waste (metal)  
projection: 123 mm

**HANSAPRADO**  
one-hole single-lever basin  
mixer, DN 15  
0140 2173 00006 chrome  
energy saving variation, pop-  
up waste (metal)  
projection: 123 mm

**HANSAPRADO**  
one-hole single-lever basin  
mixer, DN 15  
0140 2273 00006 chrome  
energy saving variation, pop-  
up waste (metal), connection  
with flexible hoses G 3/8  
projection: 123 mm

**HANSAPRADO**  
one-hole single-lever basin  
mixer, DN 15  
0141 2273 chrome  
without pop-up waste,  
weighted chain, connection  
with flexible hoses G 3/8  
projection: 123 mm



**HANSA PRADO**  
one-hole single-lever basin  
mixer, DN 15  
0142 2173 chrome  
without pop-up waste  
projection: 123 mm



**HANSA PRADO**  
one-hole single-lever basin  
mixer, DN 15  
0142 2273 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 123 mm

#### Bidet



**HANSA PRADO**  
one-hole single-lever  
mixer, DN 15  
for bidet  
0143 3273 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 125 mm

#### Bath/Shower



**HANSA PRADO**  
one-hole single-lever  
mixer, DN 15  
for rim-mounting  
0151 2273 chrome  
length 600 mm  
projection: 153 mm



**HANSA PRADO**  
single-lever bath mixer,  
DN 15 (G 1/2)  
0144 2173 chrome  
projection: 175 mm



**HANSA PRADO**  
single-lever bath mixer,  
DN 15 (G 1/2)  
0144 2173 00003 chrome  
with shower set  
projection: 175 mm



**HANSA VIVA-Set**  
for bath mixers  
4417 0110 chrome  
HANSA VIVA hand shower,  
100 mm, shower hose,  
1250 mm



**HANSA PRADO**  
single-lever bath mixer,  
DN 20 (G 3/4)  
for wall-mounting  
0144 2073 chrome  
projection: 175 mm



**HANSA VAROX**  
function unit with trim kit  
for HANSA PRADO  
single-lever bath mixer\*  
4146 9073 chrome



**HANSA VAROX**  
function unit with trim kit  
for HANSA PRADO  
single-lever bath mixer  
with vacuum breaker\*  
4146 3073 chrome

#### Shower



**HANSA PRADO**  
single-lever shower mixer,  
DN 15 (G 1/2)  
0145 0173 chrome



**HANSA VIVA**  
wall bar set 900 mm  
4415 0130 chrome  
HANSA VIVA hand shower,  
100 mm shower hose,  
1750 mm



**HANSA VAROX**  
function unit with trim kit  
for HANSA PRADO  
single-lever shower mixer\*  
4147 9073 chrome

#### HANSA FORM



#### Washbasin



**HANSA FORM**  
one-hole single-lever basin  
mixer, DN 15  
4909 2103 chrome  
pop-up waste (metal),  
connection using copper pipes  
projection: 99 mm



**HANSA FORM**  
one-hole single-lever basin  
mixer, DN 15  
4909 2203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 99 mm



**HANSA FORM**  
one-hole single-lever basin  
mixer, DN 15  
4905 2203 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 99 mm



**HANSA FORM**  
one-hole single-lever basin  
mixer, DN 15  
for open hot water heaters  
4913 1103 chrome  
pop-up waste (metal),  
connection using copper pipes  
projection: 99 mm

#### Bidet



**HANSA FORM**  
one-hole single-lever  
mixer, DN 15  
for bidet  
4906 3203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 106 mm

#### Bath/Shower



**HANSA FORM**  
single-lever bath mixer,  
DN 15 (G 1/2)  
4974 2103 chrome  
projection: 159 mm





**HANSAVIVA-Set  
for bath mixers**  
4417 0110 chrome  
HANSAVIVA hand shower,  
100 mm, shower hose,  
1250 mm



**HANSAVAROX  
function unit with trim kit  
for HANSAFORM single-  
lever bath mixer\***  
4992 9003 chrome



**HANSAVAROX  
function unit with trim kit  
for HANSAFORM single-  
lever bath mixer  
with vacuum breaker\***  
4992 3003 chrome



**HANSAFORM  
trim kit  
single-lever bath mixer,  
DN 15 G1/2\***  
4994 7003 chrome

#### Shower



**HANSAFORM  
single-lever shower mixer,  
DN 15 (G 1/2)**  
4967 0103 chrome



**HANSAVIVA  
wall bar set 900 mm**  
4415 0130 chrome  
HANSAVIVA hand shower,  
100 mm shower hose,  
1750 mm



**HANSAVAROX  
function unit with trim kit  
for HANSAFORM single-  
lever shower mixer\***  
4993 9003 chrome

#### HANSADISC



#### Washbasin




**HANSADISC  
one-hole single-lever basin  
mixer, DN 15**  
0101 2274 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 111 mm



**HANSADISC  
one-hole single-lever basin  
mixer, DN 15**  
0107 2274 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 111 mm



**HANSADISC  
one-hole single-lever basin  
mixer, DN 15**  
0103 1174 chrome   
for open hot water heaters,  
pop-up waste (metal),  
connection using copper pipes  
projection: 111 mm

#### Bidet



**HANSADISC  
one-hole single-lever  
mixer, DN 15  
for bidet**  
0102 3274 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 112 mm

#### Bath/Shower



**HANSADISC  
single-lever bath mixer,  
DN 15 (G 1/2)  
for wall-mounting**  
0178 2174 chrome  
projection: 161 mm



**HANSAPUREJET Set  
for bath mixers**  
0401 0210 chrome  
HANSAPUREJET Mono,  
Silverjet® shower hose  
1250 mm, chrome optic

#### Shower



**HANSAVAROX  
function unit with trim kit  
for HANSADISC single-  
lever bath mixer\***  
4186 9074 chrome




**HANSAVAROX  
function unit with trim kit  
for HANSADISC single-  
lever bath mixer  
with vacuum breaker\***  
4186 3074 chrome



**HANSADISC  
single-lever shower mixer,  
DN 15 (G 1/2)**  
0168 0174 chrome



**HANSAPUREJET  
wall bar set 900 mm**  
0456 0220 chrome  
HANSAPUREJET Duo Silverjet®  
shower hose 1750 mm,  
chrome optic



**HANSAVAROX  
function unit with trim kit  
for HANSADISC single-  
lever shower mixer\***  
4187 9074 chrome

## HANSATWIST



**Product numbers**  
XXXX XXX5 = loop lever  
XXXX XXX3 = Solid lever

## Washbasin



**HANSATWIST XL**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0901 2285 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 123 mm



**HANSATWIST XL**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0901 2283 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 123 mm



**HANSATWIST**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0909 2185 chrome  
loop lever, pop-up waste  
(metal), connection using  
copper pipes  
projection: 121 mm



**HANSATWIST**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0909 2183 chrome  
pop-up waste (metal)  
projection: 121 mm



**HANSATWIST**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0909 2285 chrome  
loop lever, pop-up waste  
(metal), connection with  
flexible hoses G 3/8  
projection: 121 mm



**HANSATWIST**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0909 2283 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 121 mm



**HANSATWIST XL**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0902 2285 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 123 mm



**HANSATWIST XL**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0902 2283 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 123 mm



**HANSATWIST**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0905 2285 chrome  
loop lever, without pop-up  
waste, connection with flexible  
hoses G 3/8  
projection: 121 mm



**HANSATWIST**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0905 2283 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 121 mm



**HANSATWIST XL**  
**one-hole single-lever basin**  
**mixer, DN 15**  
**for open hot water heaters**  
0903 1185 chrome  
pop-up waste (metal)  
projection: 123 mm



**HANSATWIST XL**  
**one-hole single-lever basin**  
**mixer, DN 15**  
**for open hot water heaters**  
0903 1183 chrome  
pop-up waste (metal)  
projection: 123 mm

## Washbasin/Bidette



**HANSATWIST Bidetta**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0930 2205 chrome  
loop lever (metal), connection  
with flexible pressure hoses,  
without pop-up waste  
projection: 121 mm



**HANSATWIST Bidetta**  
**one-hole single-lever basin**  
**mixer, DN 15**  
0930 2203 chrome  
Solid lever (metal)  
projection: 121 mm



**HANSATWIST**  
**one-hole single-lever**  
**mixer, DN 15**  
**for bidet**  
0906 3285 chrome  
loop lever, pop-up waste  
(metal), connection with  
flexible hoses G 3/8  
projection: 112 mm



**HANSATWIST**  
**one-hole single-lever**  
**mixer, DN 15**  
**for bidet**  
0906 3283 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 112 mm

## Bath/Shower



**HANSATWIST**  
**single-lever bath mixer,**  
**DN 15 (G 1/2)**  
0974 2185 chrome  
loop lever  
projection: 162 mm



**HANSATWIST**  
**single-lever bath mixer,**  
**DN 15 (G 1/2)**  
0974 2183 chrome  
projection: 162 mm



**HANSAVIVA-Set**  
**for bath mixers**  
4417 0110 chrome  
HANSAVIVA hand shower,  
100 mm, shower hose,  
1250 mm



**HANSAVAROX**  
**function unit with trim kit**  
**for HANSATWIST**  
**single-lever bath mixer\***  
4984 9085 chrome  
loop lever



**HANSAVAROX**  
**function unit with trim kit**  
**for HANSATWIST**  
**single-lever bath mixer\***  
4984 9083 chrome



**HANSAVAROX**  
**function unit with trim kit**  
**for HANSATWIST**  
**single-lever bath mixer**  
**with vacuum breaker\***  
4984 3085 chrome  
loop lever



**HANSAVAROX**  
**function unit with trim kit**  
**for HANSATWIST**  
**single-lever bath mixer**  
**with vacuum breaker\***  
4984 3083 chrome




**HANSATWIST**  
**trim kit**  
**single-lever bath mixer,**  
**DN 15 G1/2\***  
4976 7005 chrome  
loop lever



**HANSATWIST**  
**trim kit**  
**single-lever bath mixer,**  
**DN 15 G1/2\***  
4976 7003 chrome

## Shower



**HANSATWIST**  
**single-lever shower mixer,**  
**DN 15 (G 1/2)**  
0967 0185 chrome  
loop lever



**HANSATWIST**  
**single-lever shower mixer,**  
**DN 15 (G 1/2)**  
0967 0183 chrome



**HANSAVIVA**  
wall bar set 900 mm  
4415 0130 chrome  
HANSAVIVA hand shower,  
100 mm shower hose,  
1750 mm



**HANSAVAROX**  
function unit with trim kit  
for **HANSATWIST**  
single-lever shower mixer\*  
4985 9085 chrome  
loop lever



**HANSAVAROX**  
function unit with trim kit  
for **HANSATWIST**  
single-lever shower mixer\*  
4985 9083 chrome



**HANSATWIST**  
trim kit  
single-lever shower mixer,  
DN 15 (G 1/2)\*  
4975 7005 chrome  
loop lever



**HANSATWIST**  
trim kit  
single-lever shower mixer,  
DN 15 (G 1/2)\*  
4975 7003 chrome



**HANSATWIST**  
trim kit  
single-lever shower mixer\*  
4977 7005 chrome  
loop lever



**HANSATWIST**  
trim kit  
single-lever shower mixer\*  
4977 7003 chrome

## HANSAVANTIS

Washbasin



**HANSAVANTIS STYLE**  
one-hole single-lever basin  
mixer, DN 15  
5254 2277 chrome  
pin operating lever, pop-up  
waste (metal), connection with  
flexible hoses G 3/8  
projection: 134 mm



**HANSAVANTIS STYLE**  
one-hole single-lever basin  
mixer, DN 15  
5254 2287 chrome  
pin operating lever, pop-up  
waste (metal), connection with  
flexible hoses G 3/8  
projection: 134 mm



**HANSAVANTIS STYLE XL**  
one-hole single-lever basin  
mixer, DN 15  
5256 2277 chrome  
pin operating lever, pop-up  
waste (metal), connection with  
flexible hoses G 3/8  
projection: 110 mm



**HANSAVANTIS STYLE**  
one-hole single-lever basin  
mixer, DN 15  
5240 2277 chrome  
pin operating lever, pop-up  
waste (metal), connection with  
flexible hoses G 3/8  
projection: 102 mm



**HANSAVANTIS**  
one-hole single-lever basin  
mixer, DN 15  
5240 2273 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 102 mm



**HANSAVANTIS STYLE XL**  
one-hole single-lever basin  
mixer, DN 15  
5237 2277 chrome  
pin operating lever, without  
pop-up waste, connection with  
flexible hoses G 3/8  
projection: 110 mm

Available until 12/2014

Available from Autumn 2014



**HANSAVANTIS STYLE**  
one-hole single-lever basin  
mixer, DN 15  
5242 2277 chrome  
pin operating lever, without  
pop-up waste, connection with  
flexible hoses G 3/8  
projection: 102 mm



**HANSAVANTIS**  
one-hole single-lever basin  
mixer, DN 15  
5242 2273 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 102 mm



**HANSAVANTIS STYLE XL**  
one-hole single-lever basin  
mixer, DN 15  
for open hot water heaters  
5238 1177 chrome  
pin operating lever, pop-up  
waste (metal), connection using  
copper pipes  
projection: 110 mm



**HANSAVANTIS STYLE**  
one-hole single-lever basin  
mixer, DN 15  
for open hot water heaters  
5246 1177 chrome  
pin operating lever, pop-up  
waste (metal), connection  
using copper pipes  
projection: 102 mm



**HANSAVANTIS**  
one-hole single-lever basin  
mixer, DN 15  
for open hot water heaters  
5246 1173 chrome  
pop-up waste (metal),  
connection using copper pipes  
projection: 102 mm



**HANSAVANTIS STYLE**  
one-hole single-lever basin  
mixer, DN 15  
with raised socket  
5247 2207 chrome  
pin operating lever, connection  
with flexible hoses G 3/8  
projection: 216 mm



**HANSAVANTIS**  
one-hole single-lever basin  
mixer, DN 15  
with raised socket  
5247 2203 chrome  
connection with flexible  
hoses G 3/8  
projection: 216 mm

Washbasin/Bidet



**HANSAVANTIS Bidetta**  
one-hole single-lever basin  
mixer, DN 15  
5268 2207 chrome  
projection: 112 mm



**HANSAVANTIS Bidetta**  
one-hole single-lever basin  
mixer, DN 15  
5268 2203 chrome  
projection: 112 mm



**HANSAVANTIS STYLE**  
one-hole single-lever bidet  
mixer, DN 15  
5243 3277 chrome  
pin operating lever, pop-up  
waste (metal), connection with  
flexible hoses G 3/8  
projection: 107 mm



**HANSAVANTIS**  
one-hole single-lever  
bidet mixer, DN 15  
5243 3273 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 107 mm



**HANSAVANTIS STYLE**  
single-lever bath mixer,  
DN 15 (G 1/2)  
for wall-mounting  
5244 2177 chrome  
pin operating lever  
projection: 159 mm




**HANSAVANTIS**  
single-lever bath mixer,  
DN 15 (G 1/2)  
for wall-mounting  
5244 2173 chrome  
pin operating lever  
projection: 159 mm



**HANSAVANTIS STYLE**  
single-lever bath mixer,  
DN 15 (G 1/2)  
**SUR GORGE**  
5239 2277 chrome  
pin operating lever,  
for rim-mounting  
projection: 164 mm



**HANSAVANTIS STYLE**  
single-lever bath mixer,  
DN 15 (G 1/2)  
5239 2277 0038 chrome  
projection: 164 mm



**HANSAVIVA-Set**  
for bath mixers  
4417 0110 chrome  
HANSAVIVA hand shower,  
100 mm, shower hose,  
1250 mm



**HANSAVAROX**  
function unit with trim kit  
for **HANSAVANTIS STYLE**  
single-lever bath mixer\*  
4260 9077 chrome  
pin operating lever



**HANSAVAROX**  
function unit with trim kit  
for **HANSAVANTIS**  
single-lever bath mixer\*  
4260 9073 chrome



**HANSAVAROX**  
function unit with trim kit  
for **HANSAVANTIS STYLE**  
single-lever bath mixer  
with vacuum breaker\*  
4260 3077 chrome  
pin operating lever



**HANSAVANTIS STYLE**  
trim kit  
single-lever bath mixer,  
DN 15 G1/2\*  
5260 0177 chrome  
pin operating lever



**HANSAVANTIS**  
trim kit  
single-lever bath mixer,  
DN 15 G1/2\*  
5260 0173 chrome



**HANSAVANTIS STYLE**  
single-lever shower mixer,  
DN 15 (G 1/2)  
for wall-mounting  
5245 0177 chrome  
pin operating lever




**HANSAVANTIS**  
single-lever shower mixer,  
DN 15 (G 1/2)  
for wall-mounting  
5245 0173 chrome



**HANSAVIVA**  
wall bar set 900 mm  
4415 0130 chrome  
HANSAVIVA hand shower,  
100 mm shower hose,  
1750 mm




**HANSAVAROX**  
function unit with  
trim kit for  
**HANSAVANTIS STYLE**  
single-lever shower mixer\*  
4261 9077 chrome  
pin operating lever



**HANSAVAROX**  
function unit with trim kit  
for **HANSAVANTIS**  
single-lever shower mixer\*  
4261 9073 chrome



**HANSAVANTIS STYLE**  
trim kit  
single-lever shower mixer,  
DN 15 (G 1/2)\*  
5261 0177 chrome  
pin operating lever




**HANSAVANTIS**  
trim kit  
single-lever shower mixer,  
DN 15 (G 1/2)\*  
5261 0173 chrome



**HANSAVANTIS STYLE**  
trim kit  
single-lever shower mixer\*  
5064 9077 chrome  
pin operating lever

## HANSAPINTO



**HANSAPINTO XL**  
one-hole single-lever basin  
mixer, DN 15  
4501 2203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 102 mm



**HANSAPINTO**  
one-hole single-lever basin  
mixer, DN 15  
4504 2203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 99 mm



**HANSAPINTO XL**  
one-hole single-lever basin  
mixer, DN 15  
4502 2203 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 102 mm




**HANSAPINTO**  
one-hole single-lever basin  
mixer, DN 15  
4506 2203 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 99 mm



**HANSAPINTO XL**  
one-hole single-lever basin  
mixer, DN 15  
4503 1103 chrome   
for open hot water heaters,  
pop-up waste (metal),  
connection using copper pipes  
projection: 102 mm



**HANSAPINTO**  
one-hole single-lever basin  
mixer, DN 15  
4534 1103 chrome   
for open hot water heaters,  
pop-up waste (metal),  
connection using copper pipes  
projection: 99 mm

## Washbasin

## Bidet




**HANSAPINTO**  
one-hole single-lever  
mixer, DN 15  
for bidet  
4507 3203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 105 mm

## Bath/Shower



**HANSAPINTO**  
single-lever bath mixer,  
DN 15 (G 1/2)  
for wall-mounting  
4511 2103 chrome  
projection: 159 mm



**HANSAVIVA-Set**  
for bath mixers  
4417 0110 chrome  
HANSAVIVA hand shower,  
100 mm, shower hose,  
1250 mm



**HANSAPINTO**  
single-lever bath mixer,  
DN 15 (G 1/2)  
SUR GORGE  
4537 2203 chrome  
projection: 164 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSAPINTO  
single-lever bath mixer\*  
4526 9103 chrome



**HANSAPINTO**  
trim kit  
single-lever bath mixer,  
DN 15 G1/2\*  
4516 7103 chrome

## Shower



**HANSAPINTO**  
single-lever shower mixer,  
DN 15 (G 1/2)  
4512 0103 chrome



**HANSA**  
swivel spout  
0494 2100 chrome  
projection: 355 mm



**HANSAVIVA**  
wall bar set 900 mm  
4415 0130 chrome  
HANSAVIVA hand shower,  
100 mm shower hose,  
1750 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSAPINTO  
single-lever shower mixer\*  
4527 9103 chrome



**HANSAPINTO**  
trim kit  
single-lever shower mixer,  
DN 15 (G 1/2)\*  
4517 7103 chrome  
for installation unit 5000 0100



**HANSAPINTO**  
trim kit for single-lever  
shower mixer\*  
5066 9003 chrome

## HANSAPRIMO



## Washbasin



**HANSAPRIMO XL**  
one-hole single-lever basin  
mixer, DN 15  
4956 2203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 110 mm



**HANSAPRIMO**  
one-hole single-lever basin  
mixer, DN 15  
4940 2203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 107 mm




**HANSAPRIMO XL**  
one-hole single-lever basin  
mixer, DN 15  
4937 2203 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 111 mm




**HANSAPRIMO**  
one-hole single-lever basin  
mixer, DN 15  
4942 2203 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 107 mm



**HANSAPRIMO XL**  
one-hole single-lever basin  
mixer, DN 15  
4938 1103 chrome   
for open hot water heaters,  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 111 mm



**HANSAPRIMO**  
one-hole single-lever basin  
mixer, DN 15  
4957 1103 chrome   
for open hot water heaters,  
pop-up waste (metal),  
connection using copper pipes  
projection: 107 mm

## Washbasin/Bidette



**HANSAPRIMO Bidetta**  
one-hole single-lever basin  
mixer, DN 15  
4946 2203 chrome  
with hand shower  
projection: 107 mm

## Bidet




**HANSAPRIMO**  
one-hole single-lever  
mixer, DN 15  
for bidet  
4943 3203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 107 mm

## Bath/Shower



**HANSAPRIMO**  
single-lever bath mixer,  
DN 15 (G 1/2)  
4944 2103 chrome  
projection: 155 mm



**HANSAPRIMO**  
single-lever bath mixer,  
DN 15 (G 1/2)  
4944 2103 00003 chrome  
with shower set  
projection: 155 mm



**HANSAPRIMO**  
single-lever bath mixer,  
DN 20 (G 3/4)  
for wall-mounting  
4944 2003 chrome  
without eccentric connections




**HANSAVIVA-Set**  
for bath mixers  
4417 0110 chrome  
HANSAVIVA hand shower,  
100 mm, shower hose,  
1250 mm




**HANSAPRIMO**  
one-hole single-lever  
mixer, DN 15  
for rim-mounting  
4951 2203 chrome  
connection with flexible hoses  
G 1/2, length 600 mm  
projection: 164 mm



## Shower



**HANSAVAROX**  
function unit with trim kit  
for HANSAPRIMO  
single-lever bath mixer\*  
4990 9003 chrome



**HANSAVAROX**  
function unit with trim kit  
for HANSAPRIMO  
single-lever bath mixer  
with vacuum breaker\*  
4990 3003 chrome



**HANSAPRIMO**  
trim kit  
single-lever bath mixer,  
DN 15 (G 1/2)\*  
4997 7003 chrome




**HANSAPRIMO**  
single-lever shower mixer,  
DN 15 (G 1/2)  
4945 0103 chrome



**HANSA**  
swivel spout  
0494 2100 chrome  
projection: 355 mm



**HANSAVIVA**  
wall bar set 900 mm  
4415 0110 chrome  
HANSAVIVA hand shower,  
100 mm shower hose,  
1750 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSAPRIMO  
single-lever shower mixer\*  
4991 9003 chrome

## Installation package



**HANSAPRIMO**  
trim kit  
single-lever shower mixer,  
DN 15 (G 1/2)\*  
4998 7003 chrome



**HANSAPRIMO**  
trim kit  
single-lever shower mixer  
4999 7003 chrome



**HANSAPRIMO**  
shower set  
thermostat  
4643 0101 0046 chrome



**HANSAPRIMO**  
shower set  
thermostat  
4643 0001 0046 chrome



**HANSAPRIMO**  
shower set  
thermostat  
4647 0101 0046 chrome

## HANSAPOLO

### Washbasin



**HANSAPOLO**  
one-hole single-lever basin  
mixer, DN 15  
5140 2373 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 90 mm



**HANSAPOLO**  
one-hole single-lever basin  
mixer, DN 15  
5140 2273 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 90 mm



**HANSAPOLO**  
one-hole single-lever basin  
mixer, DN 15  
5141 2273 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 90 mm



**HANSAPOLO**  
one-hole single-lever basin  
mixer, DN 15  
5142 2273 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 90 mm



**HANSAPOLO**  
one-hole single-lever basin  
mixer, DN 15  
5153 1173 chrome  
for open hot water heaters,  
pop-up waste (metal),  
connection using copper pipes  
projection: 90 mm

### Bidet



**HANSAPOLO**  
one-hole single-lever  
mixer, DN 15  
for bidet  
5143 3273 chrome  
Pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
Projection: 106 mm

## Bath/Shower



**HANSAPOLO**  
single-lever bath mixer,  
DN 15 (G 1/2)  
5144 2173 chrome  
Projection: 158 mm



**HANSABASICJET-Set**  
for bath mixers  
4468 0110 chrome  
with HANSABASICJET 1  
Hand shower, Shower hose,  
1250 mm



**HANSAPOLO**  
single-lever bath mixer,  
DN 15 (G 1/2)  
5239 2273 chrome  
Projection: 164 mm



**HANSAPOLO**  
single-lever bath mixer,  
DN 15 (G 1/2)  
5239 2273 0038 chrome  
Projection: 164 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSAPOLO single-  
lever bath mixer\*  
4060 9073 chrome




**HANSAPOLO**  
trim kit  
single-lever bath mixer,  
DN 15 G1/2\*  
5060 7173 chrome  
for installation unit 5000 0100

## Shower



**HANSAPOLO**  
single-lever shower mixer,  
DN 15 (G 1/2)  
5145 0173 chrome



**HANSABASICJET**  
wall bar set 900 mm  
4467 0130 chrome  
with HANSABASICJET 3  
hand shower shower hose,  
1750 mm



**HANSAPOLAROX**  
function unit with trim kit  
for HANSAPOLAROX single-  
lever shower mixer\*  
4061 9073 chrome



**HANSAPOLAROX**  
trim kit  
single-lever shower mixer,  
DN 15 (G 1/2)\*  
5061 7173 chrome



**HANSAPOLAROX**  
trim kit for single-lever  
shower mixer\*  
5062 9073 chrome

#### Installation package



**HANSAPOLAROX**  
bathset  
4641 0200 0046 chrome



**HANSAPOLAROX**  
bathset  
4646 0200 0046 chrome

#### HANSAPICO



#### Washbasin



**HANSAPICO**  
one-hole single-lever basin  
mixer, DN 15  
4604 2203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 102 mm



**HANSAPICO**  
one-hole single-lever basin  
mixer, DN 15  
4606 2203 chrome  
without pop-up waste,  
connection with flexible  
hoses G 3/8  
projection: 102 mm



**HANSAPICO**  
one-hole single-lever basin  
mixer, DN 15  
4634 1103 chrome  
for open hot water heaters,  
pop-up waste (metal),  
connection using copper pipes  
projection: 102 mm



**HANSAPICO**  
one-hole single-lever basin  
mixer, DN 15  
4605 2203 chrome  
without pop-up waste,  
weighted chain, connection  
with flexible hoses G 3/8  
projection: 102 mm

#### Bidet



**HANSAPICO**  
one-hole single-lever  
mixer, DN 15  
for bidet  
4607 3203 chrome  
pop-up waste (metal),  
connection with flexible  
hoses G 3/8  
projection: 102 mm

#### Bath/Shower




**HANSAPICO**  
single-lever bath mixer,  
DN 15 (G 1/2)  
for wall-mounting  
4611 2103 chrome  
projection: 155 mm



**HANSABASICJET Set**  
for bath mixers  
4468 0110 chrome  
with HANSABASICJET 1  
hand shower, shower hose,  
1250 mm



**HANSAPICO**  
single-lever bath mixer,  
DN 15 (G 1/2)  
4637 2203 chrome  
for rim-mounting  
projection: 164 mm



**HANSAPOLAROX**  
function unit with trim kit  
for HANSAPICO  
single-lever bath mixer\*  
4626 9103 chrome



**HANSAPICO**  
trim kit  
single-lever bath mixer,  
DN 15 G1/2\*  
4616 7103 chrome


#### Shower



**HANSAPICO**  
single-lever shower mixer,  
DN 15 (G 1/2)  
4612 0103 chrome  
H+C symbol



**HANSAPICO**  
swivel spout  
0494 2100 chrome  
projection: 355 mm




**HANSABASICJET**  
wall bar set 900 mm  
4467 0130 chrome  
with HANSABASICJET 3  
hand shower shower hose,  
1750 mm



**HANSAPOLAROX**  
function unit with trim kit  
for HANSAPICO  
single-lever shower mixer\*  
4627 9103 chrome




**HANSAPICO**  
trim kit  
single-lever shower mixer,  
DN 15 (G 1/2)\*  
4617 7103 chrome



**HANSAPICO**  
trim kit for single-lever  
shower mixer\*  
5070 9003 chrome

#### Installation package



**HANSAPICO**  
shower set  
4640 0000 0046 chrome  
shower set  
4644 0000 0046 chrome



**HANSAPICO**  
bathset  
4640 0200 0046 chrome  
bathset  
4645 0200 0046 chrome

## Exposed Thermostats



## HANSACUBE



**HANSACUBE**  
thermostatic bath mixer,  
DN 15 (G 1/2)  
5835 2101 chrome  
projection: 146 mm



**HANSACUBE**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5833 0101 chrome

## HANSATWISTER



**HANSATWISTER**  
thermostatic bath mixer,  
DN 15 (G 1/2)  
5812 2101 chrome  
projection: 137 mm



**HANSATWISTER**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5811 0101 chrome

## HANSATEMPRA STYLE



**HANSATEMPRA STYLE**  
thermostatic bath mixer,  
DN 15 (G 1/2)  
5844 2101 chrome  
projection: 159 mm



**HANSATEMPRA STYLE**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5841 0101 chrome

## HANSATEMPRA



**HANSATEMPRA STYLE**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5842 9103 chrome  
with shower system directly  
connected



**HANSATEMPRA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
0841 0102 chrome



**HANSATEMPRA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
0841 0202 chrome  
eccentric connections with  
shut-off valve

## HANSAFIT (NEW)



**HANSAFIT**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
6514 0101 chrome



**HANSAFIT**  
thermostatic bath mixer,  
DN 15 (G 1/2)  
6513 2101 chrome  
projection: 127 mm

## HANSAPRISMA



**HANSAPRISMA**  
thermostatic bath mixer,  
DN 15 (G 1/2)  
0847 2101 chrome  
projection: 164 mm



**HANSAPRISMA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
0842 0101 chrome



**HANSAPRISMA**  
Renovation set  
0842 0191 chrome  
with HANSABASICJET 2



**HANSAPRISMA**  
thermostatic bath mixer,  
DN 15 (G 1/2)  
5810 2101 chrome  
projection: 182 mm



**HANSAPRISMA**  
thermostatic bath mixer,  
DN 15 (G 1/2)  
5810 2001 chrome  
without eccentric connections  
projection: 157 mm



**HANSAPRISMA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5808 0101 chrome



**HANSAPRISMA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5808 0001 chrome  
without eccentric connections



**HANSAPRISMA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5809 9103 chrome  
with shower system directly  
connected HANSAVIVA  
headshower Ø 202 mm



**HANSAPRISMA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5809 9113 chrome  
with shower system directly  
connected shower head square  
250 x 250 mm



**HANSAPRISMA**  
shower renovation set  
4808 0131 chrome  
with HANSAVIVA wall bar set  
900 mm (4415 0130)



**HANSAPRISMA**  
shower renovation set  
4808 0121 chrome  
with HANSAVIVA wall bar set  
600 mm (4416 0110)



**HANSAPRISMA**  
bath renovation set  
4810 2131 chrome  
with HANSAVIVA wall bar set  
900 mm (4415 0130)



**HANSAPRISMA**  
Renovation set  
bath renovation set  
4810 2121 chrome  
with HANSAVIVA wall bar set  
600 mm (4416 0110)



**HANSAPRISMA**  
shower renovation set  
4808 0021 chrome  
with HANSAVIVA wall bar set  
600 mm (4416 0110), without  
eccentric connections

## HANSAMICRA



**HANSAMICRA**  
thermostatic bath mixer,  
DN 15 (G 1/2)  
5816 2101 chrome  
projection: 159 mm



**HANSAMICRA**  
thermostatic bath mixer,  
DN 15 (G 1/2)  
5816 2001 chrome  
projection: 159 mm



**HANSAMICRA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5815 0101 chrome



**HANSAMICRA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5815 0001 chrome  
projection: 104 mm



**HANSAMICRA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5817 0001 chrome



**HANSAMICRA**  
shower renovation set  
4815 0191 chrome  
HANSABASICJET wall bar,  
900 mm with  
HANSABASICJET 2



**HANSAMICRA**  
bath renovation set  
4816 2191 chrome  
HANSABASICJET wall bar,  
900 mm with  
HANSABASICJET 2

## HANSAUNITA



**HANSAUNITA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5813 0101 chrome



**HANSAUNITA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5813 0301 chrome  
centre distance: 120 mm



**HANSAUNITA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5813 0001 chrome  
without eccentric connections



**HANSAUNITA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5814 9103 chrome  
with shower system directly  
connected



**HANSAUNITA**  
shower renovation set  
4813 0131 chrome  
with HANSAVIVA wall bar set  
900 mm (4415 0130)



**HANSAUNITA**  
shower renovation set  
4813 0121 chrome  
with HANSAVIVA wall bar set  
600 mm (4416 0110)



**HANSAUNITA**  
shower renovation set  
4813 0021 chrome  
with HANSAVIVA wall bar set  
600 mm (4416 0110), without  
eccentric connections

## HANSAMINIMAT Safety thermostat pre-mixing unit



**HANSAMINIMAT**  
safety thermostatic mixer  
for angle valve mounting  
for basin pillar valves or  
mixers  
6341 0000 chrome



**HANSAMINIMAT**  
safety thermostatic mixer  
for angle valve mounting  
for basin pillar valves or  
mixers  
6341 0100 chrome

## HANSA Shower Systems



## HANSASMARTSHOWER



**HANSASMARTSHOWER**  
multi-functional wellness  
shower system, DN 15  
5860 0100 glass, mirrored  
for connection with all exposed  
wall-mounted or all concealed  
mixers



**HANSASMARTSHOWER**  
multi-functional wellness  
shower system, DN 15  
5861 0900 glass, mirrored  
with HANSACUBE thermostat



**HANSASMARTSHOWER**  
multi-functional wellness  
shower system, DN 15  
5858 0100 glass, granite grey  
for connection with all exposed  
wall-mounted or all concealed  
mixers



**HANSASMARTSHOWER**  
multi-functional wellness  
shower system, DN 15  
5859 0900 glass, granite grey  
with HANSACUBE thermostat



**HANSAFORSENSES**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
6465 0200 82 chrome / white  
with shower system directly  
connected

## HANSA LIVING



**HANSA LIVING**  
shower system  
water-bearing shower rail  
5267 0203 chrome  
for the direct connection to  
exposed fittings



**HANSA LIVING**  
shower system  
water-bearing shower rail  
5267 0213 chrome  
for the direct connection to  
exposed fittings



**HANSALOFT**  
single-lever shower mixer,  
DN 15 (G 1/2)  
5771 9173 chrome  
for direct connection with the  
shower system  
5267 0203, 5267 0213,  
5167 0200



**HANSA DESIGNO**  
single-lever shower mixer,  
DN 15 (G 1/2)  
5186 9173 chrome  
for direct connection with the  
shower system  
5267 0203, 5267 0213,  
5167 0200

## HANSAVIVA



**HANSAVIVA**  
shower system  
water-bearing shower rail  
4418 0200 chrome  
for connection with all  
exposed wall-mounted or all  
concealed mixers



**HANSAVIVA**  
shower system  
water-bearing shower rail  
4419 0200 chrome  
for the direct connection to the  
wall connection elbow

## HANSA TEMPRA STYLE



**HANSA TEMPRA STYLE**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5842 9103 chrome  
with shower system directly  
connected

## HANSA PRISMA



**HANSA PRISMA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5809 9103 chrome  
with shower system directly  
connected HANSAVIVA  
headshower Ø 202 mm



**HANSA PRISMA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5809 9113 chrome  
with shower system directly  
connected shower head square  
250 x 250 mm

## HANSAUNITA



**HANSAUNITA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5814 9103 chrome  
with shower system directly  
connected



**HANSAUNITA**  
thermostatic shower mixer,  
DN 15 (G 1/2)  
5813 9001 chrome  
without eccentric connections




## Hand shower



## HANSACLEAR Hand shower



**HANSACLEAR Tri hand shower, DN 15**  
0433 0300 chrome, transparent



**HANSACLEAR Duo hand shower, DN 15**  
0432 0300 chrome, transparent



**HANSACLEAR Mono hand shower, DN 15**  
0431 0300 chrome, transparent

## Overhead shower



**HANSACLEAR overhead shower**  
5196 0300 chrome, transparent  
3 heads, acrylic-transparent, Ø 280 mm  
projection: 400 mm



**HANSACLEAR overhead shower**  
5197 0300 chrome, transparent  
3 heads, acrylic-transparent, Ø 280 mm

## Wall bar set



**HANSACLEAR wall bar 900 mm**  
0455 0300 78 chrome, transparent



**HANSACLEAR wall bar set 900 mm**  
0456 0330 78 chrome, transparent  
HANSACLEAR Tri Silverjet® shower hose 1750 mm, chrome optic




**HANSACLEAR wall bar set 900 mm**  
0456 0320 78 chrome, transparent  
HANSACLEAR Duo Silverjet® shower hose 1750 mm, chrome optic

## Shower set



**HANSACLEAR-Set for bath mixers**  
0401 0320 chrome, transparent  
HANSACLEAR Duo, Silverjet® shower hose 1250 mm, chrome optic

## Wall connection elbow



**HANSACLEAR wall connection elbow, DN 15**  
0442 0200 chrome

## Shower holder



**HANSACLEAR wall-mounted shower bracket**  
0444 0200 chrome

## Accessories



**HANSACLEAR wall bar corner mounting set**  
0453 0200 chrome

## HANSAFIT (NEW)



**HANSAFIT hand shower, 3-spray**  
6532 0100 chrome

## Shower hose



**Silverjet® shower hose**  
5412 0400 chrome, length 1250 mm  
5412 0500 chrome, length 1600 mm  
5412 0300 chrome, length 1750 mm  
5412 0200 chrome, length 2000 mm

## Shower



**HANSAFIT wall bar set 600 mm**  
6536 0120 chrome  
hand shower, 3-spray- shower hose, 1500 mm



**HANSAFIT wall bar set 600 mm with grab handle**  
6536 0320 chrome  
hand shower, 3-spray- shower hose, 1500 mm

#### HANSAPUREJET Hand shower



**HANSAPUREJET Duo**  
hand shower, DN 15  
0432 0200 chrome



**HANSAPUREJET Mono**  
hand shower, DN 15  
0431 0200 chrome

#### Wall bar set



**HANSAPUREJET**  
wall bar set 900 mm  
0456 0220 chrome  
HANSAPUREJET Duo Silverjet®  
shower hose 1750 mm,  
chrome optic



**HANSAPUREJET**  
wall bar set 900 mm  
0456 0210 chrome  
HANSAPUREJET Mono-  
Silverjet® shower hose  
1750 mm, chrome optic

#### Shower set



**HANSAPUREJET Set**  
for bath mixers  
0401 0210 chrome  
HANSAPUREJET Mono,  
Silverjet® shower hose  
1250 mm, chrome optic

#### Wall Bar



**HANSAPUREJET**  
wall bar 900 mm  
0455 0200 chrome



**HANSAPUREJET**  
wall bar 600 mm  
0438 0200 chrome

#### HANSAVIVA Hand shower



**HANSAVIVA**  
hand shower, 1-spray  
4431 0100 chrome  
Ø 100 mm



**HANSAVIVA**  
hand shower, 3-spray  
4433 0100 chrome  
Ø 100 mm



**HANSAVIVA**  
hand shower, 3-spray  
4434 0100 chrome  
Ø 130 mm

#### HANSAVIVA FLEX



**HANSAVIVA FLEX**  
hand shower, 1-spray  
4428 0100 chrome  
Ø 100 mm

Available until 12/2014

#### Overhead shower



**HANSAVIVA**  
overhead shower, DN 15  
4426 0300 chrome  
shower head, solid brass  
Ø 300 mm  
projection: 350 mm



**HANSAVIVA**  
overhead shower, DN 15  
4426 0100 chrome  
shower head, solid brass  
Ø 202 mm  
projection: 350 mm



**HANSAVIVA**  
overhead shower, DN 15  
4427 0300 chrome  
shower head, solid brass  
Ø 300 mm



**HANSAVIVA**  
overhead shower, DN 15  
4427 0100 chrome  
shower head, solid brass  
Ø 202 mm



**HANSAVIVA**  
overhead shower, DN 15  
0418 0340 chrome  
shower head square  
250 x 250 mm  
projection: 400 mm



**HANSAVIVA**  
overhead shower, DN 15  
0418 0240 chrome  
shower head square  
200 x 200 mm  
projection: 400 mm



**HANSAVIVA**  
overhead shower, DN 15  
0419 0340 chrome  
shower head square  
250 x 250 mm



**HANSAVIVA**  
overhead shower, DN 15  
0419 0240 chrome  
shower head square  
200 x 200 mm



**HANSAVIVA**  
overhead shower, DN 15  
4426 0340 chrome  
shower head square  
250 x 250 mm  
projection: 350 mm



**HANSAVIVA**  
overhead shower, DN 15  
4426 0240 chrome  
shower head square  
200 x 200 mm  
projection: 350 mm



**HANSAVIVA  
overhead shower, DN 15**  
4427 0340 chrome  
shower head square  
250 x 250 mm



**HANSAVIVA  
overhead shower, DN 15**  
4427 0240 chrome  
shower head square  
200 x 200 mm

#### Wall bar set



**HANSAVIVA  
wall bar set 900 mm**  
4415 0110 chrome  
HANSAVIVA hand shower,  
100 mm shower hose,  
1750 mm



**HANSAVIVA  
wall bar set 900 mm**  
4415 0130 chrome  
HANSAVIVA hand shower,  
100 mm shower hose,  
1750 mm



**HANSAVIVA  
wall bar set 600 mm**  
4416 0110 chrome  
HANSAVIVA hand shower,  
100 mm shower hose,  
1750 mm

#### Shower set



**HANSAVIVA-Set  
for bath mixers**  
4417 0110 chrome  
HANSAVIVA hand shower,  
100 mm, shower hose,  
1250 mm  
4417 0210 chrome  
shower hose, 1750 mm

#### Shower hose



**HANSAVIVA  
shower hose**  
4412 0400 chrome,  
length 1250 mm  
4412 0300 chrome,  
length 1750 mm  
4412 0200 chrome,  
length 2000 mm

#### Wall Bar



**HANSAVIVA  
wall bar 900 mm**  
4413 0100 chrome



**HANSAVIVA  
wall bar 600 mm**  
4414 0100 chrome


#### Accessories



**HANSAVIVA  
corner mounting set**  
4423 0100 chrome



**HANSAVIVA  
wall-mounted shower  
bracket**  
4424 0100 chrome



**HANSAVIVA  
wall connection elbow,  
DN 15**  
4425 0100 chrome

#### HANSAVIVA



**HANSAVIVA  
shower system  
water-bearing shower rail**  
4418 0200 chrome  
for connection with all  
exposed wall-mounted or all  
concealed mixers



**HANSAVIVA  
shower system  
water-bearing shower rail**  
4419 0200 chrome  
for the direct connection to the  
wall connection elbow

## HANSAMEDIJET Hand shower



**HANSAMEDIJET**  
hand shower low on  
aerosol, DN 15  
0416 0170 chrome  
Ø 100 mm



**HANSAMEDIJET FLEX**  
hand shower low on  
aerosol, DN 15  
4428 0170 chrome  
Ø 100 mm



**HANSAMEDIJET**  
head shower low on  
aerosol  
4429 0170 chrome  
Ø 100 mm

## Overhead shower



**HANSAJET**  
shower arm, DN 15  
0411 0200 chrome  
projection: 200 mm




**HANSAMEDIJET**  
shower arm, DN 15  
5199 0200 chrome  
projection: 165 mm  
5199 0100 chrome  
projection: 178 mm

## Wall bar set



**HANSAMEDIJET**  
wall bar set 900 mm  
0400 0170 chrome

## Shower hose



**HANSAMEDIJET**  
shower hose  
0412 0473 chrome, mesh  
optic, length 1250 mm  
0412 0573 chrome, mesh  
optic, length 1600 mm  
0412 0373 chrome, mesh  
optic, length 1750 mm  
0412 0273 chrome, mesh  
optic, length 2000 mm

## Wall Bar



**HANSAJET**  
solid-metal wall bar  
wall bar 900 mm  
0448 0100 chrome

## HANSABASICJET Hand shower



**HANSABASICJET 3**  
hand shower, DN 15  
4463 0100 chrome



**HANSABASICJET 2**  
hand shower, DN 15  
4462 0100 chrome



**HANSABASICJET 1**  
hand shower, DN 15  
4461 0100 chrome

## Overhead shower



**HANSABASICJET 3**  
overhead shower, DN 15  
4466 0100 chrome




**HANSABASICJET 2**  
overhead shower, DN 15  
4465 0100 chrome



**HANSABASICJET 1**  
overhead shower, DN 15  
4464 0100 chrome

## Shower arm



**HANSAJET**  
shower arm, DN 15  
0411 0200 chrome  
projection: 200 mm



**HANSAMEDIJET**  
shower arm, DN 15  
5199 0200 chrome  
projection: 165 mm  
5199 0100 chrome  
projection: 178 mm


## Wall bar set



**HANSABASICJET**  
wall bar set 900 mm  
4467 0130 chrome  
with HANSABASICJET 3  
hand shower shower hose,  
1750 mm



**HANSABASICJET**  
wall bar set 900 mm  
4467 0120 chrome  
with HANSABASICJET 2  
hand shower shower hose,  
1750 mm



**HANSABASICJET**  
wall bar set 900 mm  
4467 0110 chrome  
with HANSABASICJET 1  
hand shower shower hose,  
1750 mm



**HANSABASICJET**  
wall bar set 600 mm  
4478 0130 chrome  
with HANSABASICJET 3  
hand shower shower hose,  
1750 mm



**HANSABASICJET**  
wall bar set 600 mm  
4478 0120 chrome  
with HANSABASICJET 2  
hand shower shower hose,  
1750 mm



**HANSABASICJET**  
**wall bar set 600 mm**  
4478 0110 chrome  
with HANSABASICJET 1  
hand shower shower hose,  
1750 mm



**HANSABASICJET**  
**wall bar set 600 mm**  
4478 0230 chrome  
HANSABASICJET 3 hand  
shower shower hose,  
1750 mm



**HANSABASICJET**  
**wall bar set 600 mm**  
4478 0220 chrome  
HANSABASICJET 2 hand  
shower shower hose,  
1750 mm



**HANSABASICJET**  
**wall bar set 600 mm**  
4478 0210 chrome  
with HANSABASICJET 1  
hand shower shower hose,  
1750 mm

#### Shower set



**HANSABASICJET Set**  
**for bath mixers**  
4468 0280 chrome  
HANSABASICJET 3 hand  
shower, shower hose,  
1250 mm



**HANSABASICJET Set**  
**for bath mixers**  
4468 0120 chrome  
with HANSABASICJET 2  
hand shower, shower hose,  
1250 mm



**HANSABASICJET Set**  
**for bath mixers**  
4468 0110 chrome  
with HANSABASICJET 1  
hand shower, shower hose,  
1250 mm  
4468 0110 0063 chrome  
with HANSABASICJET 1  
hand shower, shower hose,  
1750 mm

#### Shower hose



**HANSABASICJET Set**  
4468 0100 chrome  
shower hose, 1600 mm  
4468 0200 chrome  
shower hose, 1250 mm

#### Wall Bar



**HANSABASICJET**  
**wall bar 900 mm**  
4470 0200 chrome  
shower hose, 1750 mm



**HANSABASICJET**  
**wall bar 600 mm**  
4471 0200 chrome  
shower hose, 1750 mm

#### Shower range series independent



#### Hand shower (series independent)



**HANSADUOJET S**  
**hand shower, DN 15**  
5117 0200 chrome



**HANSATRIJET-S**  
**hand shower, DN 15**  
0433 0100 chrome  
0433 0100 82 white



**HANSADUOJET S**  
**hand shower, DN 15**  
0432 0100 chrome



**HANSAMONOJET**  
**hand shower, DN 15**  
0431 0100 chrome



**HANSAMEDIJET**  
**hand shower low on**  
**aerosol, DN 15**  
0416 0170 chrome  
Ø 100 mm



**HANSAMEDIJET FLEX**  
**hand shower low on**  
**aerosol, DN 15**  
4428 0170 chrome  
Ø 100 mm





**HANSAFITAIR**  
water saving hand shower,  
DN 15  
0417 0100 chrome



**HANASTILO**  
hand shower  
5439 0100 chrome



**HANSAJET set**  
for bath mixers  
0401 0430 chrome



**HANSA**  
hygiene shower set, DN 15  
0197 0200 chrome



**HANSAMATRIX**  
shower set\*  
4443 0100 chrome



**HANSAMATRIX**  
wall bar set 1100 mm\*  
4442 0100 chrome



**HANSA**  
wall bar set 1100 mm  
4441 0190 chrome  
HANSADESIGNO hand  
shower Silverjet® shower hose  
1600 mm, chrome optic



**HANSAJET**  
wall bar set 900 mm  
0458 0140 chrome  
HANSAJET-S hand shower  
HANSAJET shower hose,  
1600 mm



**HANSAPREMIO**  
wall bar corner  
mounting set  
0452 0100 chrome



**HANSAMEDIJET**  
wall bar set 900 mm  
0400 0190 chrome




**HANSAMEDIJET**  
wall bar set 900 mm  
0400 0170 chrome

#### Shower holder



**HANSA**  
wall-mounted shower  
bracket  
4444 0100 chrome



**HANSA**  
wall-mounted shower  
bracket  
4444 0173 chrome



**HANSAJET**  
wall connection elbow,  
DN 15  
0446 0100 chrome




**HANSAJET**  
wall-mounted shower  
bracket  
0443 0100 chrome  
0443 0100 82 white




**HANSAJET**  
shower bracket  
0415 0100 chrome



**Silverjet® shower hose**  
5412 0400 chrome,  
length 1250 mm  
5412 0500 chrome,  
length 1600 mm  
5412 0300 chrome,  
length 1750 mm  
5412 0200 chrome,  
length 2000 mm



**HANSAJET**  
shower hose  
0412 0400 chrome  
0412 0400 82 white  
length 1250 mm  
0412 0500 chrome,  
fabric look  
Length 1600 mm  
0412 0200 chrome,  
fabric look  
Length 2000 mm



**HANSAMEDIJET**  
shower hose  
0412 0473 chrome,  
mesh optic, length 1250 mm  
0412 0573 chrome,  
mesh optic, length 1600 mm  
0412 0373 chrome,  
mesh optic, length 1750 mm  
0412 0273 chrome,  
mesh optic, length 2000 mm

#### Shower hose

## Wall Bar



**HANSA**  
solid-metal wall bar  
wall bar 1100 mm  
4441 0100 chrome



**HANSA**  
solid-metal wall bar  
wall bar 600 mm  
4440 0100 chrome



**HANSAPREMIO**  
wall bar 900 mm  
0457 0100 chrome



**HANSAJET**  
solid-metal wall bar  
wall bar 900 mm  
0448 0100 chrome

## Head and body spray (series independent)



**HANSARAIN**  
overhead shower, DN 15  
0418 0300 chrome  
shower head, solid brass  
Ø 220 mm  
projection: 400 mm



**HANSARAIN**  
overhead shower, DN 15  
0418 0100 chrome  
shower head, solid brass  
Ø 220 mm  
projection: 400 mm



**HANSARAIN**  
overhead shower, DN 15  
0419 0300 chrome  
shower head, solid brass  
Ø 220 mm



**HANSARAIN**  
overhead shower, DN 15  
0419 0100 chrome  
shower head, solid brass  
Ø 220 mm



**HANSATRIJET-S**  
overhead shower, DN 15  
0435 0100 chrome



**HANSAJET**  
sport shower, DN 15  
0486 0100 chrome  
projection: 125 mm



**HANSAJET**  
power shower, DN 15  
0440 0100 chrome  
amplitude: 95 mm  
projection: 125 mm



**HANSAJET**  
power shower, DN 20  
0439 0100 chrome  
amplitude: 150 mm  
projection: 165 mm



**HANSADUOJET S**  
side shower, DN 15  
0436 0100 chrome

## Wall connection elbow (series independent)




**HANSA**  
wall connection elbow,  
DN 15  
with integrated stop  
5157 0172 chrome  
can also be used as an  
angle valve



**HANSA**  
wall connection elbow,  
DN 15  
with integrated stop  
5157 0173 chrome  
can also be used as an  
angle valve



**HANSA**  
wall connection elbow,  
DN 15  
5118 0170 chrome



**HANSA**  
wall connection elbow,  
DN 15  
5118 0173 chrome



**HANSAJET**  
wall connection elbow,  
DN 15  
0446 0100 chrome



**HANSAJET**  
wall connection elbow,  
DN 15  
0442 0100 chrome



**HANSA**  
wall connection elbow,  
DN 15  
5252 0100 chrome

## Accessories



**HANSA**  
shower hose emptying  
valve, DN 15  
0405 0100 chrome



**HANSA**  
shower hose plug-in  
connector, DN 15  
0405 0200 chrome



**HANSACLEAR**  
wall bar corner  
mounting set  
0453 0200 chrome



**HANSAPREMIO**  
wall bar corner  
mounting set  
0452 0100 chrome



**HANSAVIVA**  
corner mounting set  
4423 0100 chrome

## Accessories



### HANSA Wall/Bath Spouts HANSALOFT



**HANSALOFT**  
bathtub spout, DN 15\*\*  
5765 2100 chrome  
also compatible with  
HANSAMATRIX  
projection: 193 mm

### HANSADESIGNO



**HANSADesigno**  
bathtub spout, DN 15  
5116 2170 chrome  
also compatible with  
HANSAMATRIX  
projection: 180 mm

### HANSALIGNA



**HANSALIGNA**  
bathtub spout,  
DN 15 (G 1/2)\*\*  
0682 2102 chrome  
projection: 180 mm

### HANSASTELA



**HANSASTELA**  
bathtub spout,  
DN 15 (G 1/2)\*\*  
5782 2100 chrome  
projection: 160 mm

### HANSARONDA



**HANSARONDA**  
bathtub spout,  
DN 15 (G 1/2)\*\*  
0582 2172 chrome  
projection: 180 mm

### Other



**HANSA**  
bath/basin wall spout,  
DN 15  
5116 2100 chrome  
projection: 200 mm

## Other



**HANSA**  
bathtub spout, DN 15  
5250 2100 chrome  
projection: 170 mm



**HANSA**  
bath spout, DN 20  
0598 2100 0050 chrome  
projection: 160 mm



**HANSA**  
bath spout, DN 20  
0599 2100 0050 chrome  
projection: 250 mm



**HANSA**  
pillar connection,  
G 1/2 x G 3/4  
0528 0100 chrome



**HANSA**  
pillar connection,  
G 1/2 x G 3/4  
0528 0100 0038 chrome

## installation set HANSAFILL



**HANSAFILL**  
tub filler and drain  
assembly  
installation set  
0516 0100




**HANSAFILL**  
tub filler and drain  
assembly  
installation set  
0517 0100 chrome

## Accessories




**HANSAFILL**  
flexible connection hose  
for installation set  
0518 0100



**HANSAFILL**  
trim kit  
0519 9000 chrome




**HANSA**  
trim kit  
Pipe interrupter\*  
4481 0000 chrome  
also compatible with  
HANSAMATRIX



**HANSA**  
trim kit  
Pipe interrupter\*  
4482 0000 chrome

## HANSAFIT (NEW)

### Washbasin




**HANSAFIT**  
**electronic basin mixer,**  
**DN 15**  
**battery-operated**  
6541 2210 chrome  
sensory operation (infrared),  
without pop-up waste, flexible  
hoses  
projection: 85 mm



**HANSAFIT**  
**one-hole single-lever basin**  
**mixer, DN 15**  
6504 2203 chrome  
without pop-up waste,  
connection with flexible  
pressure hoses  
projection: 98 mm





**HANSAFIT**  
**one-hole single-lever basin**  
**mixer, DN 15**  
6509 2203 chrome  
incl. push-pop-up waste,  
connection with flexible  
pressure hoses  
projection: 98 mm



**HANSAFIT**  
**Bidetta one-hole single-**  
**lever basin mixer, DN 15**  
6507 2203 chrome  
with hand shower, incl. push-  
pop-up waste, connection with  
flexible pressure hoses  
projection: 98 mm

## HANSACONCERTO (NEW)

### Washbasin



**HANSACONCERTO**  
**electronic basin mixer,**  
**DN 15**  
**mains supply**  
6441 2201 chrome  
sensory operation (infrared),  
without pop-up waste  
projection: 96 mm



**HANSACONCERTO**  
**electronic basin mixer,**  
**DN 15**  
**battery-operated**  
6441 2210 chrome  
sensory operation (infrared),  
without pop-up waste  
projection: 96 mm



**HANSACONCERTO**  
**electronic basin mixer,**  
**DN 15**  
**battery-operated**  
6444 2210 chrome  
sensory operation (infrared),  
without pop-up waste  
projection: 170 mm



**HANSACONCERTO**  
**electronic basin mixer,**  
**DN 15**  
**mains supply**  
6443 2001 chrome  
sensory operation (infrared),  
without pop-up waste  
projection: 112 mm



**HANSACONCERTO**  
**electronic basin mixer,**  
**DN 15**  
**battery-operated**  
6443 2210 chrome  
sensory operation (infrared),  
without pop-up waste  
projection: 112 mm



**HANSACONCERTO**  
**electronic basin mixer,**  
**DN 15**  
**temperature pre-select**  
**mixer**  
**for wall-mounting**  
6445 2201 chrome  
projection: 290 mm



**HANSACONCERTO**  
**plug power supply**  
6449 0100




**HANSACONCERTO**  
**concealed power supply**  
6499 0100



**HANSA**  
**pop-up waste, for closing**  
**G 1 1/4**  
5991 3988 chrome

## HANSALANO (NEW)

### Washbasin



**HANSALANO**  
**electronic basin mixer,**  
**DN 15**  
**battery-operated**  
6491 2210 chrome  
sensory operation (infrared),  
without pop-up waste, flexible  
hoses  
projection: 115 mm

## HANSAPUBLIC electronic



### Basin/Sink wall-mounted mixer



**HANSAPUBLIC E**  
basin electronic  
thermostatic mixer, DN 15  
for wall-mounting  
5272 2200 chrome  
projection: 204 mm



**HANSAPUBLIC E**  
basin electronic  
thermostatic mixer, DN 15  
for wall-mounting  
5273 2200 chrome  
projection: 264 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSAPUBLIC E  
concealed electronic mixer,  
DN 15 (G1/2)  
for cold or pre-tempered  
water only\*  
4180 2100 chrome  
projection: 120 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSAPUBLIC E  
concealed electronic mixer,  
DN 15 (G1/2)  
for cold or pre-tempered  
water only\*  
4180 2110 chrome  
projection: 170 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSAPUBLIC E  
concealed electronic mixer,  
DN 15 (G1/2)  
for cold or pre-tempered  
water only\*  
4180 2120 chrome  
projection: 220 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSAPUBLIC E  
concealed electronic mixer,  
DN 15 (G1/2)  
with temperature mixing  
device\*  
4181 2101 chrome  
projection: 120 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSAPUBLIC E  
concealed electronic mixer,  
DN 15 (G1/2)  
with temperature mixing  
device\*  
4181 2111 chrome  
projection: 170 mm



**HANSAVAROX**  
function unit with trim kit  
for HANSAPUBLIC E  
concealed electronic mixer,  
DN 15 (G1/2)  
with temperature mixing  
device\*  
4181 2121 chrome  
projection: 220 mm

### Shower



**HANSAVAROX**  
function unit with trim kit  
for HANSAPUBLIC E  
thermostatic shower mixer,  
DN 15 (G1/2)  
for concealed installation\*  
4190 9001 chrome



**HANSAVAROX**  
function unit with trim kit  
for HANSAPUBLIC E  
thermostatic shower mixer,  
DN 15 (G1/2)  
for concealed installation\*  
4191 9001 chrome  
self-closing fitting, DN 15

**concealed power supply**  
5828 0100

**power supply for switching  
cabinet-installation**  
5830 0100

## HANSACOBRA electronic



### Washbasin



**HANSACOBRA**  
electronic basin mixer,  
DN 15  
mains supply  
0940 2100 chrome  
sensory operation (infrared),  
flexible hoses  
projection: 122 mm



**HANSACOBRA**  
electronic basin mixer,  
DN 15  
mains supply  
0941 2100 chrome  
sensory operation (infrared),  
without pop-up waste,  
flexible hoses  
projection: 122 mm



**HANSACOBRA**  
electronic basin mixer,  
DN 15  
mains supply  
0942 1100 chrome  
sensory operation (infrared),  
for open hot water heaters  
projection: 122 mm



**HANSACOBRA**  
electronic basin mixer,  
DN 15  
mains supply  
0943 1100 chrome  
sensory operation (infrared),  
for open hot water heaters  
projection: 122 mm



**HANSACOBRA**  
electronic basin mixer,  
DN 15  
battery-operated  
0940 2110 chrome  
sensory operation (infrared),  
flexible hoses  
projection: 122 mm



**HANSACOBRA**  
electronic basin mixer,  
DN 15  
battery-operated  
0941 2110 chrome  
sensory operation (infrared),  
without pop-up waste,  
flexible hoses  
projection: 122 mm




**HANSACOBRA**  
concealed electronic mixer,  
DN 15 (G1/2)  
mains supply\*  
5180 2001 96 cover plate  
and spout  
brushed high grade steel  
projection: 170 mm



**HANSACOBRA**  
concealed electronic mixer,  
DN 15 (G1/2)  
mains supply\*  
5180 2101 96 cover plate  
and spout  
brushed high grade steel  
projection: 220 mm

### WC



**HANSACOBRA**  
exposed urinal fitting,  
DN 15  
battery-operated  
0944 0110 chrome



**concealed urinal trim kit,**  
DN 15, mains supply\*  
0946 9100 chrome  
0946 9100 96 stainless steel



## HANSADESIGNO electronic

### Washbasin



**HANSADESIGNO-E**  
electronic basin mixer,  
DN 15  
mains supply

5179 2200 chrome  
sensory operation (infrared),  
pull pop-up waste, flexible  
hoses  
projection: 110 mm



**HANSADESIGNO-E**  
electronic basin mixer,  
DN 15  
mains supply

5174 2200 chrome  
sensory operation (infrared),  
for cold or pre-tempered  
water only, without draw-rod  
opening  
projection: 110 mm



**HANSADESIGNO-E**  
electronic basin mixer,  
DN 15  
battery-operated

5179 2210 chrome  
sensory operation (infrared),  
pull pop-up waste, flexible  
hoses  
projection: 110 mm



**HANSADESIGNO-E**  
electronic basin mixer,  
DN 15  
battery-operated

5174 2210 chrome  
sensory operation (infrared),  
without draw-rod opening,  
flexible hoses  
projection: 110 mm



**HANSADESIGNO-E**  
electronic basin mixer,  
DN 15  
battery-operated

5174 2210 chrome  
sensory operation (infrared),  
for cold or pre-tempered water  
only, without pop-up waste  
projection: 110 mm



**HANSADESIGNO-S**  
electronic basin mixer,  
DN 15  
SOLAR with support  
battery

5179 2220 chrome  
sensory operation (infrared),  
pull pop-up waste, flexible  
hoses  
projection: 110 mm



**HANSADESIGNO-S**  
electronic basin mixer,  
DN 15  
SOLAR with support  
battery

5174 2220 chrome  
sensory operation (infrared),  
for cold or pre-tempered water  
only, without pop-up waste  
projection: 110 mm



**HANSADESIGNO-T**  
self-closing fitting, DN 15,  
battery operated

5176 2211 chrome  
electronically controlled basin  
fitting with start/stop button,  
without pop-up waste,  
flexible hoses  
projection: 110 mm



**HANSADESIGNO-T**  
self-closing fitting, DN 15,  
battery operated

5175 2211 chrome  
electronically controlled basin  
fitting with start/stop button,  
for cold or pre-tempered water  
only, without pop-up waste  
projection: 110 mm

## HANSAMIX electronic

### electronic one-hole basin mixer



**HANSAMIX-E**  
electronic basin mixer,  
DN 15  
mains supply

5079 2200 chrome  
sensory operation (infrared),  
pull pop-up waste,  
flexible hoses  
projection: 111 mm



**HANSAMIX-E**  
electronic basin mixer,  
DN 15  
mains supply

5077 2200 chrome  
sensory operation (infrared),  
without pop-up waste,  
flexible hoses  
projection: 111 mm



**HANSAMIX-E**  
electronic basin mixer,  
DN 15  
mains supply

5074 2200 chrome  
sensory operation (infrared),  
for cold or pre-tempered water  
only, without pop-up waste  
projection: 111 mm



**HANSAMIX-E**  
electronic basin mixer,  
DN 15  
mains supply

5080 1100 chrome  
sensory operation (infrared),  
without pop-up waste  
projection: 111 mm



**HANSAMIX-E**  
electronic basin mixer,  
DN 15  
battery-operated

5079 2210 chrome  
sensory operation (infrared),  
pull pop-up waste,  
flexible hoses  
projection: 111 mm



**HANSAMIX-E**  
electronic basin mixer,  
DN 15  
battery-operated

5077 2210 chrome  
sensory operation (infrared),  
without pop-up waste,  
flexible hoses  
projection: 111 mm



**HANSAMIX-E**  
electronic basin mixer,  
DN 15  
battery-operated

5074 2210 chrome  
sensory operation (infrared),  
for cold or pre-tempered water  
only, without pop-up waste  
projection: 111 mm



**HANSAMIX-E**  
electronic basin mixer,  
DN 15  
battery-operated

5081 1100 chrome  
for open hot water heaters,  
sensory operation (infrared),  
pull pop-up waste  
projection: 111 mm



**HANSAMIX-S**  
electronic basin mixer,  
DN 15  
SOLAR with support  
battery

5079 2220 chrome  
sensory operation (infrared),  
pull pop-up waste  
projection: 111 mm



**HANSAMIX-S**  
electronic basin mixer,  
DN 15  
SOLAR with support  
battery

5077 2220 chrome  
sensory operation (infrared),  
without pop-up waste,  
flexible hoses  
projection: 111 mm



**HANSAMIX-T**  
self-closing fitting, DN 15  
battery-operated

5076 2211 chrome  
electronically controlled  
basin fitting with start/stop  
button, without pop-up waste,  
TIPTRONIK  
projection: 111 mm



**HANSAMIX-T**  
self-closing fitting, DN 15  
battery-operated

5075 2211 chrome  
electronically controlled basin  
fitting with start/stop button,  
for cold or pre-tempered water  
only, without pop-up waste  
projection: 111 mm

## HANSAPRIMA-E



**HANSAPRIMA-E**  
electronic basin mixer,  
DN 15  
battery-operated  
5274 2210 chrome  
sensory operation (infrared),  
for cold or pre-tempered water  
only, without pop-up waste  
projection: 134 mm

## Accessories




**HANSA**  
hot air hand dryer  
for exposed wall-mounting  
0505 0900 82 white



**HANSA**  
soap dispenser  
for exposed wall-  
mounting, battery  
operated  
0506 0900 82 white

## HANSAPUBLIC




### Basin/Sink wall-mounted mixer




**HANSAPUBLIC**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15\*  
5793 2171 chrome  
spout, (±) Ø 19 mm, length can  
be shortened  
projection: 225 mm



**HANSAPUBLIC**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15\*  
5794 2171 chrome  
spout, Ø 26 mm, length can  
be shortened  
projection: 225 mm



**HANSAPUBLIC**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15\*  
5795 2171 chrome  
spout, Ø 19 mm, length can  
be shortened  
projection: 300 mm



**HANSAPUBLIC**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15\*  
5796 2171 chrome  
spout, Ø 26 mm, length can  
be shortened  
projection: 300 mm

### Wash basin pillar valve



**HANSANOVA STYLE**  
basin pillar valve, DN 15  
5093 8101 chrome  
5093 8101 82 white  
5093 8101 84 black  
5093 8101 96 stainless steel  
projection: 94 mm



**HANSANOVA STYLE**  
basin pillar valve, DN 15  
5091 8101 chrome  
projection: 131 mm



**HANSANOVA STYLE Set**  
basin pillar valve, DN 15  
5093 8191 chrome  
with HANSAMINIMAT safety  
thermostatic mixer  
projection: 94 mm



**HANSANOVA STYLE Set**  
basin pillar valve, DN 15  
5091 8191 chrome  
with HANSAMINIMAT safety  
thermostatic mixer  
projection: 131 mm



**HANSANOVA STYLE**  
wall-mounted basin valve,  
DN 15  
5086 8101 chrome  
projection: 107 mm



**HANSANOVA STYLE**  
wall-mounted basin valve,  
DN 15  
5096 8101 chrome  
projection: 186 mm



**HANSANOVA**  
basin pillar valve, DN 15  
0093 8101 chrome  
projection: 93 mm



**HANSANOVA**  
basin pillar valve, DN 15  
0091 8101 chrome  
projection: 127 mm

### Washbasin wall-mounted mixer

### Wash basin pillar valve

### washbasin wall-mounted mixer



**HANSANOVA**  
wall-mounted basin valve,  
DN 15  
0086 8101 chrome  
projection: 106 mm



**HANSANOVA**  
wall-mounted basin valve,  
DN 15  
0096 8101 chrome  
projection: 186 mm

### HANSAPOLO PUBLIC




### Self-closing fitting



**HANSAPOLO PUBLIC**  
basin mixer self-closing  
valve, DN 15  
5147 2211 chrome  
projection: 90 mm

# Concealed components for HANSA products.

## HANSAMATRIX Installation System



Suitable for:  
**HANSA|LIVING:**  
HANSA|LOFT  
HANSA|DESIGNO  
HANSA|LIGNA  
HANSA|STELA  
HANSA|RONDA  
  
Recommended for:  
**HANSA|EDITION**

## HANSAMATRIX single components Washbasin / HANSAMATRIX UP



**HANSALOFT**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15  
5757 2103 chrome  
projection: 197 mm



**HANSADESIGNO**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15  
5109 2173 chrome  
5109 2177 chrome, lever with  
black glass inlay  
5109 2178 chrome, lever with  
white glass inlay  
projection: 200 mm



**HANSALIGNA**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15  
4489 2103 chrome  
projection: 190 mm



**HANSASTELA**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15  
4490 2103 chrome  
projection: 166 mm



**HANSARONDA**  
trim kit  
wall-mounted single-lever  
basin mixer, DN 15  
4488 2103 chrome  
projection: 186 mm

## Bath/Shower / HANSAMATRIX UP



**HANSAMATRIX**  
concealed installation unit,  
DN 15 (G 1/2)  
single-lever mixer  
4400 0000  
forward outlet



**HANSAMATRIX**  
trim kit for single-lever  
shower mixer  
5764 9503 chrome  
suitable for HANSALOFT, with  
2-way-diverter



**HANSAMATRIX**  
trim kit for single-lever  
shower mixer  
4451 9503 chrome  
suitable for HANSADESIGNO,  
with 2-way-diverter



**HANSAMATRIX**  
trim kit for single-lever  
shower mixer  
4455 9503 chrome  
suitable for HANSALIGNA,  
with 2-way-diverter



**HANSAMATRIX**  
trim kit for single-lever  
shower mixer  
4457 9503 chrome  
suitable for HANSASTELA, with  
2-way-diverter



**HANSAMATRIX**  
trim kit for single-lever  
shower mixer  
4459 9503 chrome  
suitable for HANSARONDA,  
with 2-way-diverter



**HANSAMATRIX**  
concealed installation unit,  
DN 15 (G 1/2)  
single-lever mixer  
4401 0000  
with 2-way-diverter



**HANSAMATRIX**  
trim kit  
thermostatic mixer  
4452 9503 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA, for 1 wall  
outlet/with shut-off valve



**HANSAMATRIX**  
concealed installation unit,  
DN 15 (G 1/2)  
thermostatic mixer  
4402 0000  
with shut-off valve, with  
protection against scalding




**HANSAMATRIX**  
trim kit  
thermostatic mixer  
4453 9503 chrome  
suitable for HANSALOFT,  
HANSADESIGNO,  
HANSALIGNA, HANSASTELA,  
HANSARONDA, with 2-way-  
diverter/with volume control



**HANSAMATRIX**  
concealed installation unit,  
DN 15 (G 1/2)  
thermostatic mixer  
4403 0000  
with 2-way-diverter, with  
protection against scalding



**HANSA**  
trim kit  
Pipe interrupter  
4481 0000 chrome  
also compatible with  
HANSAMATRIX



**HANSA**  
Pipe interrupter  
concealed installation unit,  
DN 15 (G 1/2)  
4480 0000  
available for 4481 and 4482



**HANSALOFT**  
bathtub spout, DN 15  
5765 2100 chrome  
also compatible with  
HANSAMATRIX  
projection: 193 mm

Shower / HANSAMATRIX UP



**HANSADESIGNO**  
bathtub spout, DN 15  
5116 2170 chrome  
also compatible with  
HANSAMATRIX  
projection: 180 mm



**HANSALIGNA**  
bathtub spout, DN 15  
(G 1/2)  
0682 2102 chrome  
projection: 180 mm



**HANSASTELA**  
bathtub spout,  
DN 15 (G 1/2)  
5782 2100 chrome  
projection: 160 mm



**HANSARONDA**  
bathtub spout,  
DN 15 (G 1/2)  
0582 2172 chrome  
projection: 180 mm



**HANSAMATRIX**  
trim kit for single-lever  
shower mixer  
5763 9503 chrome  
suitable for HANSALOFI,  
forward outlet



**HANSAMATRIX**  
trim kit for single-lever  
shower mixer  
4450 9503 chrome  
suitable for HANSADESIGNO,  
forward outlet



**HANSAMATRIX**  
trim kit for single-lever  
shower mixer  
4454 9503 chrome  
suitable for HANSALIGNA,  
forward outlet



**HANSAMATRIX**  
trim kit for single-lever  
shower mixer  
4456 9503 chrome  
suitable for HANSASTELA,  
forward outlet



**HANSAMATRIX**  
trim kit for single-lever  
shower mixer  
4458 9503 chrome  
suitable for HANSARONDA,  
forward outlet



**HANSAMATRIX**  
concealed installation unit,  
DN 15 (G 1/2)  
single-lever mixer  
4400 0000  
forward outlet



**HANSAMATRIX**  
wall bar set 1100 mm  
4442 0100 chrome



**HANSAMATRIX**  
shower set  
4443 0100 chrome



**HANSAVIVA**  
overhead shower, DN 15  
0418 0340 chrome  
shower head square  
250 x 250 mm  
projection: 400 mm



**HANSAVIVA**  
overhead shower, DN 15  
0418 0240 chrome  
shower head square  
200 x 200 mm  
projection: 400 mm

Accessories



**HANSARAIN**  
overhead shower, DN 15  
0418 0300 chrome  
shower head, solid brass  
Ø 220 mm  
projection: 400 mm



**HANSAVIVA**  
overhead shower, DN 15  
0419 0340 chrome  
shower head square  
250 x 250 mm



**HANSAVIVA**  
overhead shower, DN 15  
0419 0240 chrome  
shower head square  
200 x 200 mm



**HANSARAIN**  
overhead shower, DN 15  
0419 0300 chrome  
shower head, solid brass  
Ø 220 mm



**HANSAMATRIX**  
concealed installation unit,  
DN 15 (G 1/2)  
connection angle  
4404 0000



**HANSAMATRIX**  
assembly rail  
4405 0000



**HANSAMATRIX**  
assembly angle -set  
4405 0100



**HANSA**  
solid-metal wall bar  
wall bar 1100 mm  
4441 0100 chrome



**HANSA**  
wall-mounted shower  
bracket  
4444 0100 chrome



**HANSA**  
wall connection elbow,  
DN 15  
5118 0170 chrome

Product packet  
Washbasin




**HANSAMATRIX**  
**concealed installation unit,**  
**DN 15 (G 1/2)**  
**single-lever mixer**  
4400 0000  
forward outlet


Bath/Shower



**HANSAMATRIX**  
**installation unit set 02**  
**single-lever mixer, DN 15**  
4486 0020  
for two wall outlets  
suitable for trim kit installation  
set 09 and 10




**HANSAMATRIX**  
**installation unit set 05**  
**thermostatic mixer,**  
**DN 15 (G1/2)**  
4486 0050  
for two wall outlets  
suitable for trim kit installation  
set 11 and 12



**HANSAMATRIX**  
**installation unit set 06**  
**single-lever mixer, DN 15**  
4486 0060  
for distant positioned bathtub  
spout (HANSAFILL), without  
HANSAFILL tub filler and drain  
assembly  
suitable for trim kit installation  
set 13


Shower



**HANSAMATRIX**  
**installation unit set 01**  
**single-lever mixer, DN 15**  
4486 0010  
for two wall outlets  
suitable for trim kit installation  
set 03 and 04



**HANSAMATRIX**  
**concealed installation unit,**  
**DN 15 (G 1/2)**  
**single-lever mixer**  
4400 0000  
forward outlet  
suitable for trim kit installation  
set 01 and 02



**HANSAMATRIX**  
**installation unit set 04**  
**thermostatic mixer,**  
**DN 15 (G1/2)**  
4486 0040  
for two wall outlets  
suitable for trim kit installation  
set 08




**HANSAMATRIX**  
**installation unit set 03**  
**thermostatic mixer,**  
**DN 15 (G1/2)**  
4486 0030  
for one wall outlet  
suitable for trim kit installation  
set 05 and 06

**HANSAVAROX**  
**concealed system**



suitable for:  
**HANSA|LIVING:**  
all series  
**HANSA|HOME:**  
all series

**HANSAVAROX**-installation unit



**HANSAVAROX**  
**base unit, compact**  
**solution, DN 15**  
**concealed unit**  
4000 0000  
without shut-off valves



**HANSAVAROX**  
**base unit, compact**  
**solution, DN 15**  
**concealed unit**  
4001 0000  
with shut-off valves



HANSAVARIO  
concealed system thermostat



suitable for:  
**HANSA|LIVING:**  
HANSALIVING-thermostat  
HANSAHOME-thermostat  
HANSAMIX-thermostat

HANSAVARIO THM-installation unit DN 20 (G3/4)



HANSAVARIO  
concealed installation unit  
thermostatic mixer,  
DN 20 (G3/4)  
0805 0290  
with shut-off valves

Other concealed modules

2-hole



suitable for:  
2-hole wall mixers  
HANSALOFT  
HANSADESIGNO  
HANSALIGNA  
HANSASTELA  
HANSARONDA  
HANSAPUBLIC



HANSAVARIO  
concealed installation unit,  
DN 15 (G 1/2)  
for 2-hole wall-mounted  
basin mixer  
5786 0100

3-hole



suitable for:  
3-hole wall mixers  
HANSADDESIGNO  
HANSALIGNA  
HANSASTELA



HANSAVARIO  
installation unit for 3-hole  
wall-mounted basin mixer,  
DN 15 (G 1/2)  
5120 0100

HANSAVARIO  
Concealed system lever mixer



suitable for:  
HANSAFORM  
HANSAVANTIS/-STYLE  
HANSATWIST  
HANSA PINTO  
HANSA PRIMO  
HANSA POLO  
HANSA PICO

HANSAVARIO 3.5 Installation unit



HANSAVARIO  
concealed installation unit  
single-lever mixer, DN 15  
5000 0100

HANSATHERM




suitable for:  
HANSATHERM  
Complete products

Bath/Shower



HANSATHERM  
thermostatic mixer,  
DN 20 (G3/4)  
concealed installation unit  
and trim kit  
0807 0101 chrome




HANSATHERM  
thermostatic mixer,  
DN 20 (G3/4)  
concealed installation unit  
and trim kit  
0807 0102 chrome



HANSATHERM  
thermostatic mixer,  
DN 20 (G3/4)  
concealed installation unit  
and trim kit  
0806 0101 chrome

HANSAVARIO 3.5, 90 mm



suitable for:  
HANSAFORM  
HANSAVANTIS  
HANSAPINTO  
HANSAPRIMO  
HANSAPOLO  
HANSAPICO



HANSAVARIO  
single-lever mixer,  
DN 15 (G 1/2)  
for wall-mounting  
5050 0100

HANSAVARIO



suitable for:  
Free-standing bathtub mixer  
HANSALOFT  
HANSADESIGNO  
HANSAIGNA  
HANSAARONDA




HANSAVARIO  
installation unit,  
DN 15 (G1/2)  
for bath mixers  
5328 0100  
ground-standing

4-hole rim-mounted




suitable for:  
HANSA|LIVING  
all series  
HANSA|HOME  
HANSAMIX  
HANSAARADO

Installation unit



HANSAARADO  
4-hole universal rim-  
mounted installation unit  
for pillar spout, DN 20  
for pillar mounting  
5302 0200 chrome



HANSAARADO  
wall-mounted and  
renovation unit  
for 4-hole tiled rim  
assembly with universal  
installation unit, DN 20  
for pillar spout, DN 20  
5308 0200 chrome  
for wall-mounting or for  
replacing older rim-mounted  
fittings




HANSA  
4-hole universal rim-  
mounted installation unit,  
DN 20  
5304 0200 chrome

3-hole rim-mounted



suitable for:  
HANSA|LIVING  
all series  
HANSA|HOME  
HANSAMIX  
HANSAARADO

Installation unit



HANSAARADO  
3-hole universal rim-  
mounted installation unit  
for distant positioned  
bathtub spout, DN 20  
for pillar mounting  
5301 0200 chrome




HANSAARADO  
wall-mounted and  
renovation unit  
for 3-hole-tiled rim  
assembly with universal  
installation unit, DN 20  
for distant positioned  
bathtub spout, DN 20  
5307 0200 chrome



HANSA  
3-hole universal rim-  
mounted installation unit,  
DN 20  
for distant positioned  
bathtub spout, DN 20  
5303 0200 chrome

## 2-hole rim-mounted



suitable for:  
**HANSA|HOME**  
**HANSAMIX**  
**HANSAPRADO**

## Trim Kits



**trim kit 2-hole single-lever mixer with extractable bathtub spout**  
5321 2030 chrome  
suitable for the series HANSAMIX and HANSAPRADO, without operating lever



**HANSAMIX operating lever (metal)**  
0188 0073 chrome




**HANSAPRADO operating lever (metal)**  
0158 0073 chrome

## Installation unit



**HANSA 2-hole individual fitting installation set (light) for rim-mounting for extractable bathtub spout, DN 20**  
5305 0000 chrome

## individual fittings for rim-mounted system



suitable for:  
**HANSA|HOME**  
**HANSAMIX**  
**HANSAPRADO**

## trim kits and installation units



**trim kit single-lever mixer**  
5338 9100 chrome  
suitable for the series HANSAMIX and HANSAPRADO, without operating lever



**HANSAMIX operating lever (metal)**  
0188 0073 chrome



**HANSAPRADO operating lever (metal)**  
0158 0073 chrome



**HANSA individual fitting for rim-mounted system installation unit for single-lever mixer, DN 20**  
5329 0100 chrome



**diverter trim kit**  
5339 9105 chrome



**HANSA individual fitting for rim-mounted system concealed universal installation unit for diverter**  
5330 0100 chrome



**trim kit pillar spout**  
5332 2100 chrome  
projection: 185 mm



**trim kit pillar spout**  
5333 2100 chrome  
projection: 240 mm



**HANSA individual fitting for rim-mounted system concealed universal installation unit for pillar spout, DN 20**  
5309 0100 chrome



**Shower trim kit for hose guide**  
0428 0100  
0409 9130 chrome



**HANSA shower bracket for individual rim-mounting**  
0409 9130  
0428 0100 chrome

**ROLLBOX**  
with automatic hose rewind



suitable for:  
**HANSA|LIVING**  
all series  
**HANSA|HOME**  
all series

trim kits and installation units



**HANSADESIGNO**  
trim kit for  
**ROLLBOX 5306**  
5324 9190 chrome



**HANSASTILO**  
trim kit for  
**ROLLBOX 5306**  
5354 9170 chrome



**HANSASTILO**  
trim kit for  
**ROLLBOX 5306**  
5354 9120 chrome  
square rosette, 75x75mm




**HANSAJET**  
trim kit for  
**ROLLBOX 5306**  
5324 9130 chrome



**ROLLBOX**  
installation unit for  
individual rim-mounting  
5306 0200 chrome

**Accessories**

Multiway diverter



**ROLLBOX**  
installation unit for  
individual rim-mounting  
**Hose guide with automatic  
hose rewind**  
5306 0300 chrome



**HANSA**  
trim kit  
**multi-way diverter**  
0287 9172 chrome  
0287 9177 chrome, lever with  
black glass inlay  
0287 9178 chrome, lever with  
white glass inlay  
square rosette, 75x75mm,  
round rosette, Ø 75 mm  
additionally enclosed, suitable  
for concealed unit 0285 0100



**HANSA**  
trim kit  
**multi-way diverter**  
0287 9135 chrome



**HANSA**  
concealed installation unit  
0285 0100  
for multi-way diverter G 3/4,  
DN 20



**HANSA**  
trim kit  
0228 9172 chrome  
0228 9177 chrome, lever with  
black glass inlay  
0228 9178 chrome, lever with  
white glass inlay



**HANSA**  
trim kit  
0628 9105 chrome



**HANSA**  
trim kit  
4228 9135 chrome

Trim kit for concealed valves



**HANSAPRISMA**  
trim kit  
0228 9134 chrome




**HANSALUX**  
trim kit  
0228 9135 chrome



**HANSA**  
concealed installation unit  
0295 0100  
for multi-way diverter  
G 1/2, DN 15



**HANSA**  
trim kit  
0228 9172 chrome  
0228 9177 chrome,  
lever with black glass inlay  
0228 9178 chrome,  
lever with white glass inlay



**HANSA**  
trim kit  
0628 9105 chrome



**HANSA**  
trim kit  
4228 9135 chrome



**HANSAPRISMA**  
trim kit  
0228 9134 chrome

installation unit for concealed valves



**HANSALUX**  
trim kit  
0228 9135 chrome



**trim kit**  
0250 9141 chrome  
for concealed valves  
DN 15/DN 20 (15 mm/22 mm)



**HANSA**  
concealed valve with  
ceramic discs  
0225 0100  
G 1/2 threaded connection



**HANSA**  
concealed valve with  
ceramic discs  
0226 0100  
G 3/4 threaded connection



**HANSA**  
concealed valve with  
**Präzisa spindle headpart**  
0220 0100  
G 1/2 threaded connection



**HANSA**  
concealed valve with  
**Präzisa spindle headpart**  
0221 0100  
G 3/4 threaded connection



**HANSA**  
concealed valve with  
**Präzisa spindle headpart**  
0230 0100  
soldered connection

The products shown here represent a small selection of the comprehensive HANSA program. Our sales branches will be happy to offer you more information and advice on our complete range.

# HANSA – THERE FOR YOU, WHEREVER YOU ARE.

## HANSA HEAD OFFICE

HANSA Metallwerke AG  
Sigmaringer Str. 107  
70567 Stuttgart  
Germany  
Tel.: +49 711 1614 0  
Fax: +49 711 1614 368  
info@hansa.de

## 1. HANSA GERMANY

HANSA Metallwerke AG  
Customer Service Centre  
Sigmaringer Str. 107  
70567 Stuttgart  
Tel.: +49 711 1614 888  
Fax: +49 711 1614 801  
kundenzentrum@hansa.de

**AQUAPUNKT<sup>®</sup>**

Rediscover water.  
Take a look.  
www.aquapunkt.com

## 2. HANSA EUROPE

HANSA Austria GmbH  
5013 Salzburg  
Tel.: +43 662 433 1000  
Fax: +43 662 433 10020  
office@hansa.at

HANSA Belgium BVBA-SPRL  
B-3540 Herk-de-Stad  
Tel.: +32 (0)13 35 36 10  
Fax: +32 (0)13 66 46 86  
info@hansa-belgium.be

HANSA Česko s.r.o.  
331 41 Kralovice  
Tel.: +420 373302113  
Fax: +420 373396260  
hansa.cesko@hansa.cz

HANSA France SARL  
67038 Strasbourg - Cedex 2  
Tel.: +33 3 88788 800  
Fax: +33 3 88765 532  
info@hansa.fr

HANSA España, S.A.U.  
08901 – L'Hospitalet de Llobregat  
Barcelona  
Tel.: +34 93 637 4460  
Fax: +34 93 637 4568  
info@hansa.es

HANSA Italiana S.r.l.  
37014 Castelnuovo del Garda (VR)  
Tel.: +39 0 45 7575333  
Fax: +39 0 45 7571258  
hansaitaliana@hansa.it

HANSA Nederland B.V.  
3861 MA Nijkerk  
Tel.: +31 33 2 463 463  
Fax: +31 33 2 463 431  
info.nl@hansa.com

HANSA Polska Sp z o.o.  
46-300 Olesno  
Tel.: +48 34 350 9200  
Fax: +48 34 350 9245  
hansa@hansa.pl

HANSA Russia  
115114, Moscow  
Tel.: +7 985-768-52-03  
info@hansa-russia.ru

## 3. HANSA ASIA

HANSA Representative Office China  
HuangPu District  
200002 Shanghai  
Tel.: +86 21 6335 1886  
Fax: +86 21 6335 1661  
williamchen@hansa-sh.com



# HANSA – THERE IS MORE IN IT.

Excellent product quality is created when every detail is considered important, is well-thought-out, offers noticeable benefits. At HANSA, this is evident from many technical characteristics and special features that make every single fitting unique. To be able to easily allocate the most important arguments, we have depicted these in the form of pictograms for every fitting range. At least one product of this range has the indicated characteristics.

Ecology:	Ecology:										
Flow limitation, saving and comfort zones, and other, in some cases, individually adjustable options for optimizing water and energy consumption.	<div><div>6 l</div><div>Restriction of the flow rate to 6 l/min (indicated by product) and intelligent stream formation ensure optimised water consumption with full comfort.</div></div>										
Comfort:	Comfort:										
Features that make operation of the fitting and use of water easier and particularly pleasant.	<div><div></div><div>Touch-free operation. Maximum comfort, maximum hygiene.</div></div> <div><div></div><div>Extremely quiet. Fitting complies with the strict conditions under noise protection class 1.</div></div> <div><div></div><div>Lightweight for particularly smooth and simple operation.</div></div> <div><div></div><div>Quick and easy to clean.</div></div> <div><div></div><div>Twist Guard: hose cone equipped with an integrated twist guard.</div></div> <div><div></div><div>Integrated light element ensures safer operation and makes the "water experience" even more amazing.</div></div> <div><div></div><div>Spouts can be shortened or are available in different lengths to give you more freedom with planning and design.</div></div> <div><div></div><div>Extremely robust, high-quality stainless steel, creating a truly distinctive finish.</div></div> <div><div></div><div>LAMINAR Classic – needle spray, even, fine water streams.</div></div> <div><div></div><div>LAMINAR Active – needle spray, powerful, precision water streams.</div></div> <div><div></div><div>LAMINAR Massage powerful, precision water streams.</div></div> <div><div></div><div>LAMINAR Soft soft, full water streams.</div></div> <div><div></div><div>LAMINAR Cascade – cascade stream, one single formed stream (according to set water volume).</div></div> <div><div></div><div>LAMINAR Rain voluminous, generous water stream.</div></div> <div><div></div><div>Surfaces are available in various colours and materials.</div></div> <div><div></div><div>More range and functional plus thanks to a single or multi-spray pull-out shower.</div></div> <div><div></div><div>Various heights and projections for individual preferred comfort.</div></div> <tr><th>Safety:</th><th>Health:</th></tr> <tr><td>High demands are placed on water quality. We meet them by using special materials and ensure optimum hygiene.</td><td><div><div></div><div>Touch-free operation. Maximum comfort, maximum hygiene.</div></div><div><div></div><div>Thermostat is suitable for thermal disinfection, which is particularly important for public or large-scale facilities.</div></div><div><div></div><div>WATER SAFE. Hi-tech function. Preserves water quality.</div></div><div><div></div><div>Surfaces in contact with drinking water do not have a nickel coating.</div></div><div><div></div><div>Brass in contact with drinking water contains less than 0.3% lead.</div></div><tr><th>Technology:</th><th>Technology:</th></tr><tr><td>Product characteristics that may be crucial for the suitability of the individual planning situation.</td><td><div><div></div><div>The right product for the modular and design-orientedconcealed installation system <b>HANSAMATRIX</b>.</div></div><div><div></div><div>Low-pressure fitting – for accordingly designed systems.</div></div><div><div></div><div>Suitable for instantaneous water heaters (shower above 20 kW or bathtub above 24 kW) with relevant limited functionality.</div></div></td></tr><tr><td colspan="2">* in comparison to a conventional two-handle mixer.</td></tr></td></tr>	Safety:	Health:	High demands are placed on water quality. We meet them by using special materials and ensure optimum hygiene.	<div><div></div><div>Touch-free operation. Maximum comfort, maximum hygiene.</div></div> <div><div></div><div>Thermostat is suitable for thermal disinfection, which is particularly important for public or large-scale facilities.</div></div> <div><div></div><div>WATER SAFE. Hi-tech function. Preserves water quality.</div></div> <div><div></div><div>Surfaces in contact with drinking water do not have a nickel coating.</div></div> <div><div></div><div>Brass in contact with drinking water contains less than 0.3% lead.</div></div> <tr><th>Technology:</th><th>Technology:</th></tr> <tr><td>Product characteristics that may be crucial for the suitability of the individual planning situation.</td><td><div><div></div><div>The right product for the modular and design-orientedconcealed installation system <b>HANSAMATRIX</b>.</div></div><div><div></div><div>Low-pressure fitting – for accordingly designed systems.</div></div><div><div></div><div>Suitable for instantaneous water heaters (shower above 20 kW or bathtub above 24 kW) with relevant limited functionality.</div></div></td></tr> <tr><td colspan="2">* in comparison to a conventional two-handle mixer.</td></tr>	Technology:	Technology:	Product characteristics that may be crucial for the suitability of the individual planning situation.	<div><div></div><div>The right product for the modular and design-orientedconcealed installation system <b>HANSAMATRIX</b>.</div></div> <div><div></div><div>Low-pressure fitting – for accordingly designed systems.</div></div> <div><div></div><div>Suitable for instantaneous water heaters (shower above 20 kW or bathtub above 24 kW) with relevant limited functionality.</div></div>	* in comparison to a conventional two-handle mixer.	
Safety:	Health:										
High demands are placed on water quality. We meet them by using special materials and ensure optimum hygiene.	<div><div></div><div>Touch-free operation. Maximum comfort, maximum hygiene.</div></div> <div><div></div><div>Thermostat is suitable for thermal disinfection, which is particularly important for public or large-scale facilities.</div></div> <div><div></div><div>WATER SAFE. Hi-tech function. Preserves water quality.</div></div> <div><div></div><div>Surfaces in contact with drinking water do not have a nickel coating.</div></div> <div><div></div><div>Brass in contact with drinking water contains less than 0.3% lead.</div></div> <tr><th>Technology:</th><th>Technology:</th></tr> <tr><td>Product characteristics that may be crucial for the suitability of the individual planning situation.</td><td><div><div></div><div>The right product for the modular and design-orientedconcealed installation system <b>HANSAMATRIX</b>.</div></div><div><div></div><div>Low-pressure fitting – for accordingly designed systems.</div></div><div><div></div><div>Suitable for instantaneous water heaters (shower above 20 kW or bathtub above 24 kW) with relevant limited functionality.</div></div></td></tr> <tr><td colspan="2">* in comparison to a conventional two-handle mixer.</td></tr>	Technology:	Technology:	Product characteristics that may be crucial for the suitability of the individual planning situation.	<div><div></div><div>The right product for the modular and design-orientedconcealed installation system <b>HANSAMATRIX</b>.</div></div> <div><div></div><div>Low-pressure fitting – for accordingly designed systems.</div></div> <div><div></div><div>Suitable for instantaneous water heaters (shower above 20 kW or bathtub above 24 kW) with relevant limited functionality.</div></div>	* in comparison to a conventional two-handle mixer.					
Technology:	Technology:										
Product characteristics that may be crucial for the suitability of the individual planning situation.	<div><div></div><div>The right product for the modular and design-orientedconcealed installation system <b>HANSAMATRIX</b>.</div></div> <div><div></div><div>Low-pressure fitting – for accordingly designed systems.</div></div> <div><div></div><div>Suitable for instantaneous water heaters (shower above 20 kW or bathtub above 24 kW) with relevant limited functionality.</div></div>										
* in comparison to a conventional two-handle mixer.											

## LEGAL NOTICE

Publisher:

Hansa Metallwerke AG, Stuttgart

Concept and layout:

kainz\_werbeagentur, Lindau

Litho: Lösch MedienManufaktur,  
Waiblingen

Printing: Bechtle Druck,  
Esslingen / N

Photos: Kuhnle+Knödler,  
Ernesto Martens.

We also wish to thank the following  
people and companies for their  
support:

Alape, Gino Cenedese, Duravit AG,  
Duscholux GmbH, Keramag AG and  
STS-Mein Bad, Bette GmbH & Co.KG,  
Franz Kaldewei GmbH&Co.KG, Erwin  
Müller GmbH (EMCO).

All rights reserved. The reproduction  
of articles is only possible with the  
express written permission of  
HANSA and with a precise list of  
references. Technical details and  
product details subject to change.  
In spite of the most modern printing  
machines, there may be slight colour  
deviations.

Range and technical details subject  
to change. Errors and omissions  
excepted.

[www.hansa.com](http://www.hansa.com)



a member of  orasgroup